

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
October 2008  
Form Must Be Typed

ORIGINAL

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 9067  
Name: DaMar Resources, Inc.  
Address 1: 234 W 11th St  
Address 2: \_\_\_\_\_  
City: Hays State: KS Zip: 67601 + \_\_\_\_\_  
Contact Person: Curtis R Longpine  
Phone: ( 785 ) 625-0020  
CONTRACTOR: License # 33575  
Name: WW Drilling  
Wellsite Geologist: Randy Kilian  
Purchaser: none

Designate Type of Completion:  
 New Well \_\_\_\_\_ Re-Entry \_\_\_\_\_ Workover \_\_\_\_\_  
\_\_\_\_\_ Oil \_\_\_\_\_ SWD \_\_\_\_\_ SLOW  
\_\_\_\_\_ Gas \_\_\_\_\_ ENHR \_\_\_\_\_ SIGW  
\_\_\_\_\_ CM (Coal Bed Methane) \_\_\_\_\_ Temp. Abd.  
 Dry \_\_\_\_\_ Other \_\_\_\_\_  
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
\_\_\_\_\_ Deepening \_\_\_\_\_ Re-perf. \_\_\_\_\_ Conv. to Enhr. \_\_\_\_\_ Conv. to SWD  
\_\_\_\_\_ Plug Back: \_\_\_\_\_ Plug Back Total Depth  
\_\_\_\_\_ Commingled \_\_\_\_\_ Docket No.: \_\_\_\_\_  
\_\_\_\_\_ Dual Completion \_\_\_\_\_ Docket No.: \_\_\_\_\_  
\_\_\_\_\_ Other (SWD or Enhr.?) \_\_\_\_\_ Docket No.: \_\_\_\_\_  
12/08/2008      12/14/08      12/15/2008  
Spud Date or      Date Reached TD      Completion Date or  
Recompletion Date                Recompletion Date

API No. 15 - 083-21581-00-00  
Spot Description: \_\_\_\_\_  
e/2 sw se se Sec. 1 Twp. 21 S. R. 24  East  West  
330 Feet from  North /  South Line of Section  
940 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
County: Hodgeman  
Lease Name: Fitz-Gerald Well #: 1  
Field Name: wildcat  
Producing Formation: none  
Elevation: Ground: 2287 Kelly Bushing: 2292  
Total Depth: 4422 Plug Back Total Depth: surface  
Amount of Surface Pipe Set and Cemented at: 304 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: \_\_\_\_\_  
feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmf

RECEIVED  
AUG 19 2009  
KCC WICHITA

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)  
Chloride content: 4000 ppm Fluid volume: 3000 bbls  
Dewatering method used: evaporation  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

PA-Dig - 8/21/09

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_  
Title: Vice President/Geologist Date: 08/17/2009  
Subscribed and sworn to before me this 18th day of August  
20 09.  
Notary Public: Vickie Cole  
Date Commission Expires: \_\_\_\_\_



**KCC Office Use ONLY**

Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
\_\_\_\_\_ UIC Distribution

Operator Name: DaMar Resources, Inc. Lease Name: Fitz-Gerald Well #: 1  
 Sec. 1 Twp. 21 S. R. 24  East  West County: Hodgeman

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run: <del>Dual Ind. Dual Comp Porosity, Micro</del> <u>Rad Guard</u>	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum see attached
---	---

RECEIVED  
 AUG 19 2009  
 KCC WICHITA

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4	8 5/8	23	304	common	190	2% gel, 3% CC

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:	Size: <u>8</u>	Set At:	Packer At: <u>none</u>	Liner Run: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbbs.	Gas Mcf	Water Bbbs.	Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: none _____ _____
---	--	---

# ALLIED CEMENTING CO.. LLC. 33487

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Ness City

DATE <u>12-8-08</u>	SEC <u>1</u>	TWP <u>21</u>	RANGE <u>24</u>	CALLED OUT <u>4:30 pm</u>	ON LOCATION <u>5:00 pm</u>	JOB START <u>8:00 pm</u>	JOB FINISH <u>8:30 pm</u>
LEASE <u>Fitz-Gerald</u> WELL # <u>1</u>		LOCATION <u>Ness City, 1/4s to Rd "X", 1/4w, 1/2 into</u>		COUNTY <u>Hodgeman</u>	STATE <u>KS</u>		
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR WW\* OWNER Damar  
 TYPE OF JOB Surface  
 HOLE SIZE 12 1/4 T.D. 304.09  
 CASING SIZE 8 3/8 DEPTH 304.09  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX 250 psi MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 15 ft  
 CEMENT LEFT IN CSG. 15 ft  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT Fresh H<sub>2</sub>O  
 EQUIPMENT \_\_\_\_\_

CEMENT  
 AMOUNT ORDERED 190 sk common,  
3 sacc, 2 bagel  
 COMMON 190 sk @ 13.15 2593.50  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 GEL 4 sacc. @ 20.40 81.60  
 CHLORIDE 6 sacc. @ 57.15 342.90  
 ASC \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 HANDLING 200 sk @ 2.25 450.00  
 MILEAGE 200 sk 10 @ 15.11 312.00  
 TOTAL 3700.00

RECEIVED  
AUG 19 2009  
KCC WICHITA

PUMP TRUCK CEMENTER Tyler  
 # 3166 HELPER Carl  
 BULK TRUCK  
 # 344/170 DRIVER Jack  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:  
pipe on bottom, break circulation,  
Mix 190 sk 3 sacc, 2 bagel, displace  
with 184 bbls Fresh water, close in,  
Rig down,  
Cement did circulate

SERVICE  
 DEPTH OF JOB 304.09  
 PUMP TRUCK CHARGE \_\_\_\_\_ 999.00  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 MILEAGE 15 @ 7.00 105.00  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 TOTAL 1104.00

CHARGE TO: Damar  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

*Thank you*

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME X Lonnie Lang  
 SIGNATURE X Lonnie Lang

PLUG & FLOAT EQUIPMENT  
 \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_ \_\_\_\_\_  
 TOTAL \_\_\_\_\_  
 SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

# ALLIED CEMENTING CO., LLC. 33422

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

NESSCITY

DATE <u>12-15-08</u>	SEC. <u>1</u>	TWP. <u>21S</u>	RANGE <u>24 W</u>	CALLED OUT <u>2:00pm</u>	ON LOCATION <u>6:30pm</u>	JOB START <u>10:30pm</u>	JOB FINISH <u>11:30pm</u>
LEASE <u>Fitz Gerald</u>		WELL # <u>1</u>	LOCATION <u>NESSCITY 145 FORDX</u>		COUNTY <u>Woodsman</u>	STATE <u>KS</u>	
<input checked="" type="checkbox"/> OLD OR NEW (Circle one)			<u>4W N/into</u>				

CONTRACTOR WWRig2  
 TYPE OF JOB Rotary plug  
 HOLE SIZE 7 7/8 T.D. 1540'  
 CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE 4 1/2 DEPTH 1540'  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX 200 MINIMUM 100  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT FRESH WATER  
 EQUIPMENT \_\_\_\_\_

PUMP TRUCK CEMENTER Dwayne W  
 # 181 HELPER JOE B  
 BULK TRUCK \_\_\_\_\_  
 # 344-170 DRIVER JACK B  
 BULK TRUCK \_\_\_\_\_  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

OWNER Damar Resources  
 CEMENT  
 AMOUNT ORDERED 230sx 60/40 4x gel  
4# F10-scal

COMMON	<u>138</u>	@	<u>13.65</u>	<u>1883.70</u>
POZMIX	<u>92</u>	@	<u>7.60</u>	<u>699.20</u>
GEL	<u>9</u>	@	<u>20.40</u>	<u>183.60</u>
CHLORIDE	_____	@	_____	_____
ASC	_____	@	_____	_____
<u>Flowed</u>	<u>58*</u>	@	<u>2.45</u>	<u>142.10</u>
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
HANDLING	<u>241</u>	@	<u>2.25</u>	<u>542.25</u>
MILEAGE	<u>241 x 1.5 x 1.0</u>			<u>361.50</u>
TOTAL				<u>3812.35</u>

REMARKS:

50sx 1540 230sx 60/40 4x gel  
80sx 700 4# F10-scal  
50sx 340  
20sx 60  
30sx in the RAT HOLE

SERVICE

DEPTH OF JOB 1540'  
 PUMP TRUCK CHARGE \_\_\_\_\_ 1000.00  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE 15 @ 7.00 105.00  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

CHARGE TO: Damar Resources  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TOTAL 1105.00

PLUG & FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
TOTAL		_____

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME Lonnie Lang  
 SIGNATURE [Signature]

RECEIVED  
 AUG 19 2009  
 KCC WICHITA

Thank You

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.