

RECEIVED

OCT 11 2005

KCC WICHITA

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM

HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 03194  
Name: Tri United, Inc.  
Address: 950 270th Ave  
City/State/Zip: Hays, Ks 67601  
Purchaser: NA  
Operator Contact Person: Eugene E. Leiker  
Phone: (785) 628-3670  
Contractor: Name: Tri United, Inc.  
License: 03194  
Wellsite Geologist: Eugene Leiker

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled Docket No. \_\_\_\_\_  
 Dual Completion Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) Docket No. \_\_\_\_\_

6-8-05 6-17-05 6-17-05  
Spud Date or Date Reached TD Completion Date or Recompletion Date  
Recompletion Date Plugged

API No. 15 - 051-254220000  
County: Ellis  
C SE NE Sec. 22 Twp. 15 S. R. 18  East  West  
3190 feet from (S) N (circle one) Line of Section  
550 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE (SE) NW SW

Lease Name: Zimmerman Well #: 1-B

Field Name: Leiker North

Producing Formation: Arbuckle

Elevation: Ground: 2016 Kelly Bushing: 2020

Total Depth: 3592 Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 223' Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan AH. I SB 8-29-00  
(Data must be collected from the Reserve Pit) P&A 6-17-05

Chloride content 52,000 ppm Fluid volume 700 bbls

Dewatering method used Evaporation

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Eugene E Leiker

Title: president Date: 10-6-05

Subscribed and sworn to before me this 6 day of Oct

2005

Notary Public: Teresa J. Trammell

Date Commission Expires: 8-20-07

KCC Office Use ONLY

NO Letter of Confidentiality Attached

If Denied, Yes  Date: \_\_\_\_\_

\_\_\_\_\_ Wireline Log Received

\_\_\_\_\_ Geologist Report Received

\_\_\_\_\_ UIC Distribution



TERESA J. TRAMMELL  
NOTARY PUBLIC  
STATE OF KANSAS  
Com. Exp. 8-20-07

Operator Name: Tri United, Inc. Lease Name: Zimmerman Well #: 1-B  
 Sec. 22 Twp. 15 S. R. 18  East  West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
*(Attach Additional Sheets)*

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
*(Submit Copy)*

List All E. Logs Run:  
**Time Log**

<input type="checkbox"/> Log Formation (Top), Depth and Datum			<input checked="" type="checkbox"/> Sample
Name	Top	Datum	
ANH	1170'	#850	
B ANH	1206'	+814	
Top	2970'	950	
Heeb	3253'	1233	
LKC	3302'	1282	
Cong	3576'	1556	
RTD	3592'	1572	

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	20#	223'	Commom	160sks	2sks Gel 5sks Gh1

ADDITIONAL CEMENTING / SQUEEZE RECORD <b>Plugged per rules KCC</b>				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

21509

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>6-8-09</u>	SEC. <u>22</u>	TWP. <u>13</u>	RANGE <u>15</u>	CALLED OUT <u>7:00 PM</u>	ON LOCATION <u>8:00 PM</u>	JOB START	JOB FINISH <u>9:30 PM</u>
LEASE <u>Zimmerman</u>		WELL # <u>1-B</u>		LOCATION <u>Hwy 85 1 E 1/2</u>		COUNTY <u>Ellis</u>	STATE <u>Ks</u>
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR TRI United

TYPE OF JOB Surface

HOLE SIZE 1 1/4 T.D. 223

CASING SIZE 3 1/2 DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 13 1/2

EQUIPMENT

PUMP TRUCK CEMENTER Bill

# 366 HELPER Craig

BULK TRUCK

# DRIVER Fred

BULK TRUCK

# DRIVER

REMARKS:

Ran 5 hrs 35 min

Cemt of 160 pk

pump plus 4 1/2 bbls of water

Cemt did Circ.

CHARGE TO: TRI United

STREET

CITY STATE ZIP

OWNER

CEMENT

AMOUNT ORDERED 160 pk Com 3-2

COMMON	<u>160</u>	@	<u>8<sup>00</sup></u>	<u>1392<sup>00</sup></u>
POZMIX		@		
GEL	<u>3</u>	@	<u>14<sup>00</sup></u>	<u>42<sup>00</sup></u>
CHLORIDE	<u>5</u>	@	<u>38<sup>00</sup></u>	<u>190<sup>00</sup></u>
ASC		@		
HANDLING	<u>168</u>	@	<u>16<sup>00</sup></u>	<u>268<sup>00</sup></u>
MILEAGE	<u>6 1/2 sk/mile</u>			<u>352<sup>00</sup></u>
TOTAL				<u>2245<sup>00</sup></u>

RECEIVED  
OCT 11 2009  
KCC WICHITA

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE 670<sup>00</sup>

EXTRA FOOTAGE @

MILEAGE 35 @ 5<sup>00</sup> 175<sup>00</sup>

MANIFOLD @

1 1/2 hr work @

TOTAL 845<sup>00</sup>

PLUG & FLOAT EQUIPMENT

8 1/2 wood @ 55<sup>00</sup>

TOTAL 55<sup>00</sup>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Eugene E. Carter

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

PRINTED NAME

# ALLIED CEMENTING CO., INC.

16307 ✓

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>6-17-05</u>	SEC. <u>22</u>	TWP. <u>15</u>	RANGE <u>18</u>	CALLED OUT <u>3:30pm</u>	ON LOCATION <u>6:45pm</u>	JOB START <u>7:00pm</u>	JOB FINISH <u>9:00pm</u>
LEASE <u>Zimmerman</u>		WELL# <u>B-1</u>	LOCATION <u>Hays Site Hays Pluck 1F 2S</u>		COUNTY <u>Flls</u>	STATE <u>Kansas</u>	
OLD OR NEW (Circle one)			<u>W into</u>				

CONTRACTOR Tri-United

TYPE OF JOB 1st Dry Hole Plug

HOLE SIZE 7 7/8 T.D. 3592

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED 190 sks 60/40 60.6el

1/4 lb Flo Sand

COMMON	<u>114</u>	@	<u>870</u>	<u>991.80</u>
POZMIX	<u>76</u>	@	<u>470</u>	<u>357.20</u>
GEL	<u>10</u>	@	<u>14.00</u>	<u>140.00</u>
CHLORIDE		@		
ASC		@		
FLOSEP	<u>48#</u>	@	<u>170</u>	<u>8160</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>200</u>	@	<u>160</u>	<u>320.00</u>
MILEAGE	<u>64/SK</u>	@	<u>MILE</u>	<u>396.00</u>
TOTAL				<u>2286.00</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Steve

# 345 HELPER Craig

BULK TRUCK

# 282 DRIVER Keith

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

<u>1st Plug @ 1185'</u>	<u>25 sks</u>
<u>2nd Plug @ 515'</u>	<u>100 sks</u>
<u>3rd Plug @ 275'</u>	<u>40 sks</u>
<u>4th Plug @ 40'</u>	<u>10 sks</u>
<u>Reathole 15 sks</u>	

Thank You

CHARGE TO: Tri-United

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE John E. Leiber

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_ 670.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 33 @ 5.00 165.00

RECEIVED

OCT 11 2005

KCC WICHITA

PLUG & FLOAT EQUIPMENT

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

1 Dry Hole Plug @ 35.00

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 35.00

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME