

ORIGINAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 32278  
Name: Tengasco, Inc.  
Address: PO Box 458  
City/State/Zip: Hays, KS 67601  
Purchaser: Coffeyville Resources  
Operator Contact Person: Gary Wagner  
Phone: (785) 625-6374  
Contractor: Name: Anderson Drilling  
License: 33237  
Wellsite Geologist: Clayton Erickson  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)  
If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_  
7-05-06 7-12-06 7-26-06  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date


API No. 15 - 163-23544-00-00  
County: Rooks  
SE  NW  SW  NW Sec. 11 Twp. 10 S. R. 20  East  West  
1870' feet from S / (circle one) Line of Section  
340' feet from E / (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE (circle one) SW  
Lease Name: Croffoot C Well #: 6  
Field Name: Marcotte  
Producing Formation: Arbuckle  
Elevation: Ground: 2241' Kelly Bushing: 2246'  
Total Depth: 3860' Plug Back Total Depth: 3825'  
Amount of Surface Pipe Set and Cemented at 217' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set 1719' Feet  
If Alternate II completion, cement circulated from 1719'  
feet depth to surface w/ 550 AI+2 - Dlg - 12/1/08 sx cmt.  
Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)  
Chloride content 900 ppm Fluid volume 175 bbls  
Dewatering method used Evaporation  
Location of fluid disposal if hauled offsite:  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Gary Wagner  
Title: Production Manager Date: 10-10-06  
Subscribed and sworn to before me this 10<sup>th</sup> day of Oct.  
2006  
Notary Public: Linda K Pfannenstiel  
Date Commission Expires: 2/5/08

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
**RECEIVED**  
OCT 12 2006  
KCC WICHITA



Operator Name: Tengasco, Inc. Lease Name: Croffoot C Well #: 6  
 Sec. 11 Twp. 10 S. R. 20  East  West County: Rooks

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>Dual Induction, Neutron Density, Micro</b>	<input checked="" type="checkbox"/> Log    Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Anhydrite</td> <td>1710'</td> <td>+536'</td> </tr> <tr> <td>Topeka</td> <td>3274'</td> <td>-1028'</td> </tr> <tr> <td>Heebner</td> <td>3478'</td> <td>-1235'</td> </tr> <tr> <td>LKC</td> <td>3517'</td> <td>-1271'</td> </tr> <tr> <td>Simpson</td> <td>3781'</td> <td>-1535'</td> </tr> <tr> <td>Arbuckle</td> <td>3800'</td> <td>-1554'</td> </tr> </table>	Name	Top	Datum	Anhydrite	1710'	+536'	Topeka	3274'	-1028'	Heebner	3478'	-1235'	LKC	3517'	-1271'	Simpson	3781'	-1535'	Arbuckle	3800'	-1554'
Name	Top	Datum																				
Anhydrite	1710'	+536'																				
Topeka	3274'	-1028'																				
Heebner	3478'	-1235'																				
LKC	3517'	-1271'																				
Simpson	3781'	-1535'																				
Arbuckle	3800'	-1554'																				

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface csg	12-1/4"	8-5/8"	23	217'	Com	150	3% CC, 2% Gel
Production csg	7-7/8"	5-1/2"	14	3850'	ASC	185	2% Gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input checked="" type="checkbox"/> Protect Casing	850' - 1719'	60/40 Poz	250	6% Gel, 1/4# flocele/sx
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone	0 - 400'	60/40 Poz	100	6% Gel

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
2	600' to circulate cmt to surface	200 sx Com 3% CC	600'
6	3798-3801'		

TUBING RECORD	Size <b>2-7/8"</b>	Set At <b>3796'</b>	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. <b>7-27-06</b>		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls. <b>15</b>	Gas Mcf	Water Bbls. <b>50</b>	Gas-Oil Ratio 

Disposition of Gas    **METHOD OF COMPLETION**    Production Interval

Vented     Sold     Used on Lease     Open Hole     Perf.     Dually Comp.     Commingled  
*(If vented, Submit ACO-18.)*     Other (Specify) \_\_\_\_\_

RECEIVED

OCT 12 2006

KCC WICHITA

# ALLIED CEMENTING CO., INC.

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: 27901  
R

DATE <u>7/5/06</u>	SEC. <u>11</u>	TWP. <u>10</u>	RANGE <u>20</u>	CALLED OUT	ON LOCATION <u>9:00 P.M.</u>	JOB START	JOB FINISH <u>10:45 P.M.</u>
LEASE <u>CROWFOOT</u>		WELL # <u>C #6</u>	LOCATION <u>FALCO S. to AARD.</u>		COUNTY <u>Rooks</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>2 E 1/2 N E INTO</u>				

CONTRACTOR AAA

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4" T.D. 222'

CASING SIZE 8 7/8" DEPTH 222'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 10'

PERFS. \_\_\_\_\_

DISPLACEMENT 13 1/4 Bbl

**EQUIPMENT**

PUMP TRUCK CEMENTER PAUL

# 409 HELPER CRAIG

BULK TRUCK \_\_\_\_\_

# 315 DRIVER DOUG

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

CEMENT CIRCULATED!

Plug Down @ 10:45 P.M.

CHARGE TO: TENGLASLO

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 150 COM 3-2

COMMON	<u>150</u>	@	<u>1065</u>	<u>159750</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>1665</u>	<u>4995</u>
CHLORIDE	<u>5</u>	@	<u>4660</u>	<u>23300</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>158</u>	@	<u>190</u>	<u>30022</u>
MILEAGE	<u>8 1/2</u>	@	<u>1 MILE</u>	<u>75000</u>
<b>TOTAL</b>				<u>293905</u>

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_ 81500

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 60 @ 500 30000

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

**TOTAL** 11500

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

**RECEIVED**

**OCT 12 2006**

TAX \_\_\_\_\_ **KCC WICHITA**

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 25184

**FILE**

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>8-13-06</u>	SEC. <u>11</u>	TWP. <u>10</u>	RANGE <u>20</u>	CALLED OUT <u>1:00pm</u>	ON LOCATION <u>2:45pm</u>	JOB START	JOB FINISH <u>5:30am</u>
LEASE <u>Crowfoot</u>	WELL # <u>C-6</u>		LOCATION <u>Palco S S 2 R</u>		COUNTY <u>ROCK</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>							

CONTRACTOR A 214# / Prod Cs

TYPE OF JOB Prod Cs

HOLE SIZE 7 7/8 T.D. \_\_\_\_\_

CASING SIZE 5 1/2 DEPTH 3860

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 20.36

PERFS. \_\_\_\_\_

DISPLACEMENT 93.6 bbls

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED

200 pkts ASC 2% Gel

500 gal WFR2

COMMON	_____	@	_____	_____
POZMIX	_____	@	_____	_____
GEL	<u>4</u>	@	<u>1665</u>	<u>6660</u>
CHLORIDE	_____	@	_____	_____
ASC	<u>200</u>	@	<u>1340</u>	<u>2620</u>
_____	_____	@	_____	_____
_____	_____	@	_____	_____
WFR-2	<u>500 gals</u>	@	<u>1.00</u>	<u>500.00</u>
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
HANDLING	<u>204</u>	@	<u>1.40</u>	<u>387.60</u>
MILEAGE	<u>84/SL</u>	@	<u>MILE</u>	<u>979.20</u>
TOTAL				<u>4553.40</u>

**EQUIPMENT**

PUMP TRUCK # 409 CEMENTER B. H HELPER M. H

BULK TRUCK # \_\_\_\_\_ DRIVER BRIAN

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Pipe rate 3859

1st hole 2036

Insert 3838.67 - 500 gal flush

Cent w/ 185 sh of Cent

Pump plus w/ 93.6 bbls

band plug 1200 float did hold

15-SK H H

**SERVICE**

DEPTH OF JOB	_____		_____
PUMP TRUCK CHARGE	_____		<u>1610.00</u>
EXTRA FOOTAGE	_____	@	_____
MILEAGE	<u>60</u>	@	<u>5.00</u> <u>300.00</u>
MANIFOLD	_____	@	_____
_____	_____	@	_____
TOTAL			<u>1910.00</u>

CHARGE TO: Tenbacco Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

A-5 Centralizer	@	<u>50.00</u>	<u>250.00</u>
A-1-13 A/SK	@	<u>150.00</u>	<u>150.00</u>
w-Port Collar	@	<u>175.00</u>	<u>175.00</u>
A-6 Insert	@	<u>250.00</u>	<u>250.00</u>
w-Guide shoe	@	<u>160.00</u>	<u>160.00</u>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

RECEIVED TOTAL 2560.00

TAX OCT 12 2006

TOTAL CHARGE KCC WICHITA

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

EMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: **26006**  
*Russell*

DATE <b>8-30-06</b>	SEC. <b>10</b>	TWP. <b>11</b>	RANGE <b>20</b>	CALLED OUT	ON LOCATION <b>8:33am</b>	JOB START <b>10:00am</b>	JOB FINISH <b>11:45</b>
LEASE <b>Combat</b>		WELL # <b>C-6</b>		LOCATION <b>Zurich SW 2 1/4 E 1/2 E 1/4</b>		COUNTY <b>Rooks</b>	STATE <b>Kansas</b>
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one)							

CONTRACTOR **Fischer Well Service**

TYPE OF JOB **Port Celler**

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE **5 1/2"** DEPTH \_\_\_\_\_

TUBING SIZE **2 3/8** DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL **Port Celler** DEPTH **1721**

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT **9361**

OWNER \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER **Steve**

# **409** HELPER **Craig**

BULK TRUCK \_\_\_\_\_

# **410** DRIVER **Bob**

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**CEMENT**

AMOUNT ORDERED **250 60/100 60 gal #16 F6**

**2 sand**

COMMON	<b>150</b>	@	<b>1065</b>	<b>1597.50</b>
POZMIX	<b>100</b>	@	<b>580</b>	<b>580.00</b>
GEL	<b>13</b>	@	<b>1065</b>	<b>1384.50</b>
CHLORIDE		@		
ASC		@		
<b>SAND</b>	<b>2</b>	@	<b>1050</b>	<b>2100</b>
<b>Floccant</b>	<b>63#</b>	@	<b>200</b>	<b>12600</b>
		@		
		@		
		@		
		@		
HANDLING	<b>265</b>	@	<b>190</b>	<b>50350</b>
MILEAGE	<b>94/SK/ MILE</b>			<b>143100</b>
<b>TOTAL</b>				<b>439740</b>

**REMARKS:**

*Spot sand @ 250 103 Bbl*

*Pressure casing to 800psi Open port celler*

*Mix 250 slts Cement did not circulate Close tool*

*Pressure casing to 800psi*

*Run 81/2 tubing & wash clean*

*Thank You*

CHARGE TO: **Ferguson**

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB				
PUMP TRUCK CHARGE			<b>95500</b>	
EXTRA FOOTAGE		@		
MILEAGE	<b>60</b>	@	<b>600</b>	
MANIFOLD		@		
		@		
<b>TOTAL</b>				<b>131500</b>

**PLUG & FLOAT EQUIPMENT**

_____	@	
_____	@	
_____	@	
_____	@	
_____	@	

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE *Steve Wagner*

TOTAL \_\_\_\_\_

**RECEIVED**

**OCT 12 2006**

**KCC WICHITA**

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME

# ALLIED CEMENTING CO., INC.

28057

SHIP TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell

DATE <u>9-5-06</u>	SEC. <u>11</u>	TWP. <u>10</u>	RANGE <u>20</u>	CALLED OUT <u>11:00AM</u>	ON LOCATION <u>1:15PM</u>	JOB START <u>1:30AM</u>	JOB FINISH <u>4:00AM</u>
LEASE <u>ROFFOOT</u>		WELL # <u>C-6</u>	LOCATION <u>ZURICH SW 2 1/4 S 1/8 E</u>		COUNTY <u>ROCKS</u>	STATE <u>KANSAS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Fisher Well Service OWNER \_\_\_\_\_

TYPE OF JOB Circ. Cement (PERF)

HOLE SIZE _____	T.D. _____	CEMENT AMOUNT ORDERED <u>200SK Com 3% cc</u>
CASING SIZE _____	DEPTH _____	
TUBING SIZE _____	DEPTH _____	
DRILL PIPE _____	DEPTH _____	
TOOL _____	DEPTH _____	
PRES. MAX _____	MINIMUM _____	COMMON <u>200</u> @ <u>1065</u> <u>2130<sup>00</sup></u>
MEAS. LINE _____	SHOE JOINT _____	POZMIX _____ @ _____
CEMENT LEFT IN CSG. _____		GEL _____ @ _____
PERFS. <u>@ 600'</u>		CHLORIDE <u>6</u> @ <u>4660</u> <u>27960</u>
DISPLACEMENT <u>13 / BBL</u>		ASC _____ @ _____

**EQUIPMENT**

PUMP TRUCK # <u>398</u>	CEMENTER <u>Glenn</u>
	HELPER <u>GARY</u>
BULK TRUCK # <u>410</u>	DRIVER <u>BOB</u>
BULK TRUCK # _____	DRIVER _____

**REMARKS:**

BRIDGE Plug @ 3000' w/2SK SAND.  
5 1/2 Swage - Took Injection Rate  
OF 5 BPM/@ 500#, mixed all cement  
& Displaced Down To 525', & Shot  
IN @ 300#, HAD GOOD CIRCULATION  
@ Beginning, But HAD Slowed Down @  
END.

THANKS

STATE Rep ON LOCATION,  
(KCC) JAY PFISER,  
CHARGE TO: TEN GAS CO. Oil & Gas.  
STREET \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

HANDLING <u>206</u>	@ <u>190</u>	<u>39140</u>
MILEAGE <u>55</u> <u>55</u> <u>Ton mile</u>		<u>11190</u>
	TOTAL	<u>3820<sup>00</sup></u>

**SERVICE**

DEPTH OF JOB _____		
PUMP TRUCK CHARGE _____		<u>815<sup>00</sup></u>
EXTRA FOOTAGE _____	@ _____	
MILEAGE <u>55</u>	@ <u>6<sup>00</sup></u>	<u>330<sup>00</sup></u>
MANIFOLD _____	@ _____	
	@ _____	
	@ _____	
	TOTAL	<u>1145<sup>00</sup></u>

**PLUG & FLOAT EQUIPMENT**

_____	@ _____	
_____	@ _____	
_____	@ _____	
_____	@ _____	
_____	@ _____	
	TOTAL	_____

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Hays Wagner

TAX \_\_\_\_\_  
TOTAL CHARGE OCT 12 2006  
DISCOUNT KCC WICHITA IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

