

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

*KCC
m...
7/18/08*

6/30/09

Operator: License # 8914
Name: H & C Oil Operating, Inc.
Address: P.O Box 86
City/State/Zip: Plainville, KS 67663
Purchaser: Coffeyville Resources LLC
Operator Contact Person: Charles R. Ramsay
Phone: (785) 434-7434
Contractor: Name: American Eagle Drilling, LLC
License: 33493
Wellsite Geologist: Wesley W. Lilley

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

CONFIDENTIAL
JUN 30 2008
KCC

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

4-15-08	4-20-08	6-6-08
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 065-23,421-00-00
County: Graham
NE NE NW Sec. 31 Twp. 6 S. R. 22 East West
660 feet from S / N (circle one) Line of Section
2970 feet from E W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Stinemetz Well #: 31-1
Field Name: Unnamed
Producing Formation: Lansing Kansas City
Elevation: Ground: 2328 Kelly Bushing: 2333
Total Depth: 3850 Plug Back Total Depth: 3826
Amount of Surface Pipe Set and Cemented at 287 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 1998 Feet
If Alternate II completion, cement circulated from 1998
feet depth to surface w/ 265 sx cmt.

Drilling Fluid Management Plan *A4 INH 8-12-08*
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used Water used to fill flow line
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Charles R. Ramsay
Title: President Date: 6/30/08
Subscribed and sworn to before me this 30th day of June,
2008.
Notary Public: Irene Fellhoelter
Date Commission Expires: 4/4/11

KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION

NOTARY PUBLIC - State of Kansas
IRENE FELLHOELTER
My Appt. Expires 4/4/11

JUL 02 2008
CONSERVATION DIVISION
WICHITA, KS

JUL 02 2008 #: 31-1

Operator Name: H & C Oil Operating, Inc.

Lease Name: Stinemetz

Sec. 31 Twp. 6 S. R. 22 East West

County: Graham

CONSERVATION DIVISION
WICHITA, KS

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

<p>Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i></p> <p>Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i></p> <p>List All E. Logs Run:</p> <p>Dual Induction, Microresistivity, Compensated Density/Neutron, Sonic, Cement Bond Log</p>	<p><input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample</p> <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Anhydrite</td> <td>1994</td> <td>+339</td> </tr> <tr> <td>Anhydrite Base</td> <td>2027</td> <td>+306</td> </tr> <tr> <td>Topeka</td> <td>3340</td> <td>-1007</td> </tr> <tr> <td>Heebner</td> <td>3540</td> <td>-1207</td> </tr> <tr> <td>Toronto</td> <td>3564</td> <td>-1231</td> </tr> <tr> <td>Lansing Kansas City</td> <td>3580</td> <td>-1247</td> </tr> <tr> <td>Base Kansas City</td> <td>3776</td> <td>-1443</td> </tr> </table>	Name	Top	Datum	Anhydrite	1994	+339	Anhydrite Base	2027	+306	Topeka	3340	-1007	Heebner	3540	-1207	Toronto	3564	-1231	Lansing Kansas City	3580	-1247	Base Kansas City	3776	-1443
Name	Top	Datum																							
Anhydrite	1994	+339																							
Anhydrite Base	2027	+306																							
Topeka	3340	-1007																							
Heebner	3540	-1207																							
Toronto	3564	-1231																							
Lansing Kansas City	3580	-1247																							
Base Kansas City	3776	-1443																							

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	20#	287	common	180	3% c.c & 2% gel
Production	7 7/8"	5 1/2"	14#	3847'	common	200	10% salt & 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	1998-surface	60/40 Posmix	265	6% gel % & 1/4# flo-seal per sack

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
6 SPF	3758'-3762'	150 sacks common	3762'
4 SPF	3731'-3738'	500 gallon 15% MCA	3738'
		1500 gallon 15% NE FE Acid	3738'

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input type="checkbox"/> No	
		2 7/8"	3815'				
Date of First, Resumerd Production, SWD or Enhr. 6/10/08				Producing Method			
				<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water	Bbls.	Gravity
	42		0		30		37

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify)	

JUN 30 2008

KCC

CONFIDENTIAL

H & C OIL OPERATING, INC.
P.O. Box 86
Plainville, KS 67663
785-434-7434

June 30, 2008
CONFIDENTIAL

JUN 30 2008

KCC

Kansas Corporation Commission
Conservation Division
130 S. Market - Room 2078
Wichita, KS 67202

RE: Stinemetz Lease
Sec. 31-6S-22W
Graham County, Kansas


APL# 15-065-23421-0000

Dear Sir/Ms.

In accordance with KCC rules, please keep the enclosed information confidential for one year.

Thank you for your cooperation.

Sincerely,


Charles R. Ramsay
President
H&C Oil Operating, Inc.

CONFIDENTIAL
JUN 30 2008
KCC

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 02 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 34702

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>5-27-08</u>	SEC. <u>NW31</u>	TWP. <u>6S</u>	RANGE <u>22W</u>	CALLED OUT	ON LOCATION	JOB START <u>4:15</u>	JOB FINISH <u>4:45</u>
STINEMETZ LEASE		WELL # <u>31-1</u>	LOCATION <u>Hill City 8N 70 Rd Y</u>		COUNTY <u>Graham</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>1E 1N 1/2 E</u>				

CONTRACTOR Leon's Drilling Service OWNER _____

TYPE OF JOB Squeeze

HOLE SIZE 1 1/4" T.D. 3844'

CASING SIZE 5 1/2" 14# DEPTH _____

TUBING SIZE 2 7/8" DEPTH 3693'

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 1500# MINIMUM 500#

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. @ 3758' - 3762'

DISPLACEMENT T-21.4 C-1.5

CEMENT AMOUNT ORDERED 150 com
5 CC on side

COMMON	<u>150</u>	@	<u>12.15</u>	<u>1822.50</u>
POZMIX		@		
GEL		@		
CHLORIDE		@		
ASC		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>150</u>	@	<u>2.00</u>	<u>307.50</u>
MILEAGE	<u>50/mi/100</u>			<u>540.00</u>
TOTAL				<u>2670.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Gary - Glenn

398 HELPER Bob

BULK TRUCK

410 DRIVER Mike

BULK TRUCK

_____ DRIVER _____

REMARKS:

pres. B/S @ 500#

got rate @ 1 1/2 min @ 1000#

mixed 150 sks. com (NO C.C.)

pres @ 2000# release wash around

pres @ 2000# (held) pulled 3 joints

pres. @ 500# closed in.

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 1045.00

EXTRA FOOTAGE @ _____

MILEAGE 40 @ 7.00 280.00

MANIFOLD @ _____

_____ @ _____

_____ @ _____

TOTAL 1325.00

CHARGE TO: H&C Oil

STREET _____

CITY _____ STATE _____ ZIP _____

Thanks!

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____

SIGNATURE Charles R. Ramsey

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____

IF PAID IN **RECEIVED**
KANSAS CORPORATION COMMISSION

CONFIDENTIAL
JUN 30 2008
KCC

JUL 02 2008
CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 30220

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>5-14-08</u>	SEC. <u>31</u>	TWP. <u>6</u>	RANGE <u>22</u>	CALLED OUT	ON LOCATION	JOB START <u>3:00 PM</u>	JOB FINISH <u>3:30 PM</u>
LEASE <u>Stieremitz # 1</u>		LOCATION <u>Hill City 10N 1E 1N 2E 2S</u>				COUNTY <u>Graham</u>	STATE <u>Kansas</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Leons Drilling Service
 TYPE OF JOB Cement Port Collar
 HOLE SIZE _____ T.D. _____
 CASING SIZE 5 1/2 DEPTH _____
 TUBING SIZE 2 7/8 DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL Port Collar @ DEPTH 1998'
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER _____
 CEMENT (USED 265 SK)
 AMOUNT ORDERED 380 SK 69 6 9/16 gel
1/4# Flo Seal
Per SK

COMMON	<u>159</u>	@	<u>12.15</u>	<u>1931.85</u>
POZMIX	<u>106</u>	@	<u>6.80</u>	<u>720.80</u>
GEL	<u>14</u>	@	<u>18.25</u>	<u>255.50</u>
CHLORIDE		@		
ASC		@		
Flo Seal	<u>66 II</u>	@	<u>2.20</u>	<u>145.20</u>
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>279</u>	@	<u>2.05</u>	<u>571.95</u>
MILEAGE	<u>1.05/sk/mile</u>			<u>1,129.95</u>
TOTAL				<u>4,755.25</u>

EQUIPMENT

PUMP TRUCK CEMENTER Alex - BOB
 # 398 HELPER Neale
 BULK TRUCK
 # 394 DRIVER Lonnice OAKLY
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

PRESSURE CSY TO 1,000 # (HELD)
PORT COLLAR @ 1998. OPEN PC.
& RECIRCULATE MIXED 265 SK &
CEMENT CIRC. AROUND ANNULUS, DISP. 10,500 GAL
CLOSED PC. & TEST TO 1,200 # (HELD)
RAN 4 JTS & WASHED CLEAN.
CAME OUT OF HOLE w/ OPENING TOOL
THANKS P.C. OPENING TOOL

SERVICE

DEPTH OF JOB _____
 PUMP TRUCK CHARGE _____ 1,045.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 45 @ 7.00 315.00
 MANIFOLD _____ @ _____
 _____ @ _____

CHARGE TO: H & C Oil
 STREET _____
 CITY _____ STATE _____ ZIP _____

TOTAL 1,360.00

PLUG & FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____

TOTAL _____

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____

PRINTED NAME _____
 SIGNATURE Charles R Ramsey

IF PAID IN **RECEIVED**
 KANSAS CORPORATION COMMISSION

CONFIDENTIAL
 JUN 30 2008
KCC

JUL 02 2008

CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., LLC. 32757

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>4/20/08</u>	SEC. <u>31</u>	TWP. <u>6</u>	RANGE <u>22</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE <u>Stinemet</u> WELL # <u>31-1</u>			LOCATION <u>Hill City 9N to 2nd</u>		COUNTY <u>Graham</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>1 1/2 E Sinto</u>				

CONTRACTOR American Eagle Rig #3 OWNER _____
 TYPE OF JOB Production String
 HOLE SIZE 7 1/2 T.D. 3850
 CASING SIZE 5 1/2 14# DEPTH 3847
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
~~FOOT P.C.~~ 54.44 DEPTH 2001
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 21.22
 CEMENT LEFT IN CSG. 21.22
 PERFS. _____
 DISPLACEMENT 93.34 661

EQUIPMENT

PUMP TRUCK CEMENTER Shane
 # 409 HELPER John
 BULK TRUCK
 # 410 DRIVER Neil
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:
Rat hole 15 str
Insert @ 3825.78
Best Circulation
Mixed 500 Gal WFR-2. Mixed
Cement @ 15#
Released Plug & Displaced 661
Loaded plug @ 1300 psi Held Flat

CHARGE TO: H & C Oil Operating
 STREET _____
 CITY _____ STATE _____ ZIP _____

Thanks!

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____
 SIGNATURE Chad Ramsey

CEMENT	
AMOUNT ORDERED	<u>200 Cen 108.5611</u>
<u>22.661</u>	<u>500 Gal WFR-2</u>
COMMON	<u>200 @ 12.15 2430.00</u>
POZMIX	@ _____
GEL	<u>3 @ 18.25 54.75</u>
CHLORIDE	@ _____
ASC	@ _____
<u>Sect 18</u>	<u>@ 21.00 378.00</u>
<u>WFR2 500</u>	<u>@ 1.10 550.00</u>
HANDLING	<u>221 @ 2.05 453.05</u>
MILEAGE	<u>84 mi @ .09 895.00</u>
TOTAL	<u>4760.85</u>

SERVICE

DEPTH OF JOB	_____
PUMP TRUCK CHARGE	<u>1763.00</u>
EXTRA FOOTAGE	@ _____
MILEAGE	<u>45 @ 7.00 315.00</u>
MANIFOLD	@ _____
TOTAL	<u>2078.00</u>

PLUG & FLOAT EQUIPMENT

<u>P.O.R.T Collar Blue</u>	<u>1917.00</u>
<u>2 - Baskets</u>	<u>@ 181.00 362.00</u>
<u>APU - Insert</u>	<u>@ 285.00</u>
<u>6 - Centralizers</u>	<u>@ 55.00 330.00</u>
<u>Guide Shoe</u>	<u>@ 186.00</u>
<u>5 1/2 Rubber Plugs</u>	<u>@ 71.00</u>
TOTAL	<u>3151.00</u>

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____

CONFIDENTIAL

JUN 30 2008

KCC

RECEIVED
 IF PAID IN FULL
 KANSAS CORPORATION COMMISSION
JUL 02 2008
 CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., LLC. 30295

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell, Ks

DATE <u>4-15-08</u>	SEC. <u>31</u>	TWP. <u>6 S</u>	RANGE <u>22 W</u>	CALLED OUT	ON LOCATION	JOB START <u>1:15</u>	JOB FINISH <u>1:45 pm</u>
LEASE <u>Stinemetz</u>		WELL # <u>31-1</u>	LOCATION <u>Hill City 9 1/2 N to 7rd</u>		COUNTY <u>Graham</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="checkbox"/> NEW (Circle one)			<u>1 1/2 E S into</u>				

CONTRACTOR American Eagle #3
 TYPE OF JOB surface
 HOLE SIZE 12 1/4" T.D. 292
 CASING SIZE 8 5/8" DEPTH 290.34
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. 15'
 PERFS. _____
 DISPLACEMENT 18.5

OWNER _____
 CEMENT AMOUNT ORDERED 180 SKS Com
3% C.C. 2% Gel

COMMON	<u>180</u>	@	<u>12.15</u>	<u>2187.00</u>
POZMIX	_____	@	_____	_____
GEL	<u>3</u>	@	<u>18.25</u>	<u>54.75</u>
CHLORIDE	<u>5</u>	@	<u>51.00</u>	<u>255.00</u>
ASC	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
HANDLING	<u>188</u>	@	<u>205</u>	<u>385.40</u>
MILEAGE	<u>.09/311/mi</u>			<u>761.40</u>
TOTAL				<u>3643.55</u>

EQUIPMENT

PUMP TRUCK CEMENTER Gary Glenn
 # 398 HELPER Bob
 BULK TRUCK _____
 # 378 DRIVER Chris B.
 BULK TRUCK _____
 # _____ DRIVER _____

REMARKS:

Cement Circ.

SERVICE

DEPTH OF JOB _____
 PUMP TRUCK CHARGE _____ 893.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 7.5 @ 2.00 315.00
 MANIFOLD _____ @ _____
 _____ @ _____
 _____ @ _____

CHARGE TO: H+C Oil Operating Inc.
 STREET _____
 CITY _____ STATE _____ ZIP _____

TOTAL 1208.00

PLUG & FLOAT EQUIPMENT

_____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

TOTAL _____

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME CHARLES RAMSAY
 SIGNATURE Charles Ramsey

CONFIDENTIAL

JUN 30 2008

KCC

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 02 2008

CONSERVATION DIVISION
WICHITA, KS