

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

*Handwritten:* 10/29/09

Operator: License # 33934  
Name: White Rock Oil, LLC  
Address: 10603 S. Waverly St  
City/State/Zip: Olathe, Ks. 66061-9041  
Purchaser: NCRA  
Operator Contact Person: Don Parr Jr.  
Phone: (913) 709-6693  
Contractor: Name: Landmark Drilling  
License: 33549  
Wellsite Geologist: Steve Murphy

KANSAS CORPORATION COMMISSION

**AUG 07 2009**

**RECEIVED**

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

KANSAS CORPORATION COMMISSION

**JUN 24 2009**

**RECEIVED**

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: 4/12/07 Original Total Depth: 4660  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_  
Spud Date or 4/12/07 Date Reached TD 4/22/07 Completion Date or 5/1/07 Recompletion Date

API No. 15 - 101-22,013-0000  
County: Lane  
E2 SW SE SE Sec. 28 Twp. 16 S. R. 27  East  West  
330 feet from S / N (circle one) Line of Section  
946 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE (SE) NW SW 28-1  
Lease Name: Parr Well #: 1

Field Name: Pendennis  
Producing Formation: K.C.  
Elevation: Ground: 2708 Kelly Bushing: 2713  
Total Depth: 4660 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 325 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set 1851 Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan AH II NR  
(Data must be collected from the Reserve Pit) 8-11-09  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

OFFICIAL SEAL  
PAMELA J. HUGHES  
NOTARY PUBLIC  
STATE OF KANSAS  
My Commission Expires 6/14/2013

Requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.  
Signature: Don Parr Jr.  
Managing Member Date: 06-18-09  
Subscribed and sworn to before me this 18<sup>th</sup> day of June  
Notary Public: Pamela J. Hughes  
Date Commission Expires: 06/14/2013

KCC Office Use ONLY  
 Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

orig

Operator Name: White Rock Oil, LLC Lease Name: Parr Well #: 28-1  
Sec. 28 Twp. 16 S. R. 27  East  West County: Lane

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
(Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
(Submit Copy)

List All E. Logs Run: *ACDI RECD W/4 LOGS;  
DIL; DUAL COMPLETD. POROSITY LOG;  
MICRORESISTIVITY LOG; TEMR  
SURVEY LOG.*

Log Formation (Top), Depth and Datum  Sample

Name	Top	Datum
Anhydrite	2135	
Heebner	3950	
Toronto	3968	
Lansing	3986	
BKC	4299	
Fort Scott	4433	
Mississippi	4596	

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/2	8 5/8	28 #/ft	325	Common	185	2% Gel 3% cal.
Long String	7 7/8	5 1/2	20 #/ft	4660	Common	50	
					PosMix 50/50	125	Salt Sat 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	4244-4248	500 gal 15% non-E	4244

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 5/28/07		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. 10	Gas Mcf	Water Bbls. 40	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify)

Production Interval

KANSAS CORPORATION COMMISSION  
AUG 07 2009  
**RECEIVED**

# ALLIED CEMENTING CO., INC.

26275

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

*Wheat Creek*

DATE <u>4-11-07</u>	SEC. <u>28</u>	TWP. <u>16</u>	RANGE <u>27</u>	CALLED OUT <u>6:00pm</u>	ON LOCATION <u>9:00pm</u>	JOB START <u>10:30pm</u>	JOB FINISH <u>11:15pm</u>
LEASE <u>Parr</u>	WELL # <u>28-1</u>	LOCATION <u>Utica, Twp 15 1/2 N.S</u>		COUNTY <u>Lane</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one)							

CONTRACTOR Landmark Drilling #1

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 333

CASING SIZE 8 5/8 DEPTH 332

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15

PERFS. \_\_\_\_\_

DISPLACEMENT 20 1/2

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 190 Cam 3%cc 2%del

COMMON	<u>190 Del.</u>	@	<u>11.10</u>	<u>2109.00</u>
POZMIX		@		
GEL	<u>4.44</u>	@	<u>16.65</u>	<u>66.60</u>
CHLORIDE	<u>6.60</u>	@	<u>46.60</u>	<u>279.60</u>
ASC		@		

EQUIPMENT

PUMP TRUCK # 224 CEMENTER J. Wagoner HELPER Karen

BULK TRUCK # 341 DRIVER Dan

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

HANDLING	<u>2.00</u>	@	<u>1.90</u>	<u>380.00</u>
MILEAGE	<u>38.09</u>	@	<u>2.00</u>	<u>684.00</u>
TOTAL				<u>3519.20</u>

REMARKS:

New 23"

circ 8 5/8 casing pump

mix cement, deep plug w/ 20 1/2 box

cement dial Circ

Thanks

CHARGE TO: White Rock Oil

STREET 10803 S. Waverly ST.

CITY Altoona STATE KS ZIP 66081-9040

SERVICE

DEPTH OF JOB	<u>332</u>			
PUMP TRUCK CHARGE				<u>815.00</u>
EXTRA FOOTAGE		@		
MILEAGE		@	<u>6.00</u>	<u>228.00</u>
MANIFOLD		@		
<u>HEAD RENTAL</u>		@	<u>100.00</u>	<u>100.00</u>
TOTAL				<u>1143.00</u>

PLUG & FLOAT EQUIPMENT

<u>8 5/8 Top Wood</u>	@	<u>60.00</u>	<u>60.00</u>
	@		
	@		
	@		
	@		
<u>BD Price</u>			<u>60.00</u>

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME

# ALLIED CEMENTING CO., INC.

30326

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

*Great Bend*  
*606-05-07*

DATE <i>6-4-07</i>	SEC. <i>28</i>	TWP. <i>16</i>	RANGE <i>27</i>	CALLED OUT <i>7:30 PM</i>	ON LOCATION <i>10:30 PM</i>	JOB START <i>12:00 AM</i>	JOB FINISH <i>1:00 AM</i>
LEASE <i>Parr</i>	WELL# <i>28-1</i>	LOCATION <i>Fendermis 2 east</i>			COUNTY <i>Lane</i>	STATE <i>Kansas</i>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)				<i>1 south 1/2 east</i>			

CONTRACTOR *Warren Drilling*

TYPE OF JOB *Surface*

HOLE SIZE *12 1/4* T.D. *245'*

CASING SIZE *8 7/8* DEPTH *239'*

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. *15'*

PERFS. \_\_\_\_\_

DISPLACEMENT *14.2 BBLs H<sub>2</sub>O*

OWNER *White Rock Oil LLC*

CEMENT

AMOUNT ORDERED *160 cu Common*  
*3% CC 2% Gel*

COMMON	<i>160 cu.</i>	@	<i>11.10</i>	<i>1776.00</i>
POZMIX		@		
GEL	<i>3 cu.</i>	@	<i>16.65</i>	<i>49.95</i>
CHLORIDE	<i>5 cu.</i>	@	<i>46.60</i>	<i>233.00</i>
ASC		@		

KANSAS CORPORATION COMMISSION

JUN 24 2009

RECEIVED

HANDLING	<i>168 cu.</i>	@	<i>1.90</i>	<i>319.20</i>
MILEAGE	<i>168 mi.</i>	<i>09</i>	<i>38</i>	<i>574.56</i>
TOTAL				<i>2952.71</i>

EQUIPMENT

*Y.B.*

PUMP TRUCK CEMENTER *D.D. Drilling*

# *417* HELPER *Dwayne West*

BULK TRUCK

# *342* DRIVER *Don Dugan*

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:

*Ran 8 7/8 casing to Bottom*  
*Circulate with rig mud.*  
*Hook up to pump tank & mixed*  
*160 cu common 3% cc 2% gel.*  
*Shut down, change valves over &*  
*release 8 7/8 TWP. Displace with*  
*14.2 BBLs fresh H<sub>2</sub>O. Cement did*  
*circulate. Shut in manifold.*

SERVICE

DEPTH OF JOB	<i>239'</i>			
PUMP TRUCK CHARGE				<i>815.00</i>
EXTRA FOOTAGE		@		
MILEAGE	<i>38</i>	@	<i>6.00</i>	<i>228.00</i>
MANIFOLD		@		
<i>Head rental</i>		@	<i>100.00</i>	<i>100.00</i>
TOTAL				<i>1143.00</i>

CHARGE TO: *White Rock Oil LLC*

STREET *10803 S. Waverly Street*

CITY *Olathe* STATE *Kansas* ZIP *66061-8040*

PLUG & FLOAT EQUIPMENT

<i>1- 8 7/8 TWP</i>	@	<i>60.00</i>	<i>60.00</i>
	@		
	@		
	@		
	@		
TOTAL			<i>60.00</i>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE *X Robert W. Mickelson X* *Robert W. Mickelson*

PRINTED NAME

*Thank you!*

## GENERAL TERMS AND CONDITIONS

**DEFINITIONS:** In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions; and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—**SERVICE CONDITIONS AND LIABILITIES:** 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

**WARRANTIES:** 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. ~~THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only~~ remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

# ALLIED CEMENTING CO., INC. 30166

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: M.B.

DATE <u>4-22-07</u>	SEC <u>28</u>	TWP <u>16</u>	RANGE <u>27</u>	CALLED ON <u>6 AM</u>	ON LOCATION <u>10 AM</u>	JOB START <u>3 PM</u>	JOB FINISH <u>4 PM</u>
LEASE <u>Parr Twin</u>	WELL # <u>281</u>	LOCATION <u>Pendennis 1 1/2 E 15 1/4 N 1/2 S</u>	COUNTY <u>lane</u>	STATE <u>K.S.</u>			

CONTRACTOR <u>Landmark Rig 2</u>	OWNER <u>Landmark Rig 2</u>
TYPE OF JOB <u>Long String</u>	
HOLE SIZE _____ T.D. <u>4660 #</u>	CEMENT _____
CASING SIZE <u>5 1/2</u> DEPTH <u>4417</u>	AMOUNT ORDERED <u>175 ASC S* KA SEAL</u>
TUBING SIZE _____ DEPTH _____	<u>500gal WFR #</u>
DRILL PIPE _____ DEPTH _____	
TOOL <u>Port collar</u> DEPTH <u>2100 #</u>	
PRES. MAX <u>1000"</u> MINIMUM <u>500"</u>	COMMON _____ @ _____
MEAS. LINE _____ SHOE JOINT <u>10 #</u>	POZMIX _____ @ _____
CEMENT LEFT IN CSG. <u>10 #</u>	GEL <u>3wb</u> @ <u>16.65</u> <u>49.95</u>
PERFS. _____	CHLORIDE _____ @ _____
DISPLACEMENT <u>107 bbl</u>	ASC <u>175 #</u> @ <u>13.75</u> <u>2406.25</u>
EQUIPMENT _____	<u>KOL SEAL 875 #</u> @ <u>70</u> <u>612.50</u>
PUMP TRUCK # <u>120</u> CEMENTER <u>Mike M.</u>	<u>SALT 11 #</u> @ <u>19.20</u> <u>211.20</u>
HELPER <u>Dwayne W.</u>	<u>ASTRUSH 500 GAL</u> @ <u>100</u> <u>500.00</u>
BULK TRUCK # <u>341</u> DRIVER <u>Steve T.</u>	
BULK TRUCK # _____ DRIVER _____	

REHANDLING <u>206 #</u>	@ <u>190</u>	<u>391.40</u>
MILEAGE <u>206 #</u>	@ <u>09.38</u>	<u>704.52</u>
TOTAL		<u>4875.82</u>

**REMARKS:**

Circulate Hole with Rig mud pump  
Mix Slush + Pump it Down Mix Cement  
Plug Rod Hole Pump Cement Down  
Retros. Plug wash up then Pump  
Plug Down with water  
that did hold

**SERVICE**

DEPTH OF JOB <u>4417 #</u>	
PUMP TRUCK CHARGE	<u>1675.00</u>
EXTRA FOOTAGE @	
MILEAGE <u>38</u> @ <u>6.00</u>	<u>228.00</u>
MANIFOLD @	
<u>HEAD RENTAL</u> @ <u>100.00</u>	<u>100.00</u>
TOTAL	<u>2003.00</u>

**PLUG & FLOAT EQUIPMENT**

<u>1-5 1/2 Rubber Plug</u>	<u>65.00</u>	<u>65.00</u>
<u>1-5 1/2 Guide Shoe</u>	@ <u>170.00</u>	<u>170.00</u>
<u>1-5 1/2 Insert</u>	@ <u>260.00</u>	<u>260.00</u>
<u>1-5 1/2 Backst</u>	@ <u>165.00</u>	<u>165.00</u>
<u>5-5 1/2 Center</u>	@ <u>50.00</u>	<u>250.00</u>
<u>1-5 1/2 Port Collar</u>	@ <u>1750.00</u>	<u>1750.00</u>
TOTAL		<u>2660.00</u>

CHARGE TO: White Rock oil

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

Thank  
You  
AT

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_