Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 October 2008 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15 - 15-001-29892-00-00
Name: Dave Wrestler	Spot Description:
Address 1: 1776 Georgia RD	sw_sw_nw_nw_sec. 7 Twp. 24_s. R. 19 V East West
Address 2:	
City: Humboldt State: ks Zip: 66748 +	165' Feet from East / West Line of Section
Contact Person:Dave Wrestler	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 423-8795	□NE ☑NW □SE □SW
CONTRACTOR: License # 33977 KANSAS CORPORATION COMMISS	ONCounty: allen
Name: E.K. Energy LLC.	Lease Name: Korte Farms Well #: 4
Wellsite Geologist: none	Field Name: IOLA
Purchaser: Pacer RECEIVED	Producing Formation: Tucker
Designate Type of Completion:	Elevation: Ground: 978 Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 941 Plug Back Total Depth:
	Amount of Surface Pipe Set and Cemented at: 20.2' Feet
Oil SWD SIOW SIGW	Multiple Stage Cementing Collar Used? Yes No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set:Feet
Dry Other	If Alternate II completion, cement circulated from: surface
(Core, WSW, Expl., Cathodic, etc.)	feet depth to: 931 w/ 110 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	·
Operator:	Drilling Fluid Management Plan AH II NCR 9-1-09
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:n/a fresh waterppm Fluid volume:160 bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used: fluid removed and disposed in d-1 disposal well
Plug Back:Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Docket No.:	Operator Name:
Dual Completion Docket No.:	Lease Name: License No.:
Other (SWD or Enhr.?) Docket No.:	QuarterSecTwpS. R East West
5-7-09	County: Docket No.:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County Bocket No
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requirality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	Inversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentil report shall be attached with this form. ALL CEMENTING TICKETS MUST m with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate the are complete and correct to the best of my knowledge.	ne oil and gas industry have been fully complied with and the statements herein
Signature: 1) au Cattler	KCC Office Use ONLY
Title: Co-aura Date: 7-31-09	Letter of Confidentiality Received
Subscribed and sworn to before me this 31 day of Aules	, If Denied, Yes Date:
() ~ 1 // B	Wireline Log Received
20.09	Geologist Report Received
Notary Public: Ant Co. Joe or	UIC Distribution
Date Commission Expires: 03 - 17 - 2019	
NOTARY PUBLIC - State of Kansas	

JANET E. KORTE My Appt. Exp. 23-17-11

Side Two

Operator Name: Dave	e Wrestler			Lease	Name: _	Korte Farms	.	_Well #: _4		
Sec. 7 Twp. 24		✓ East	☐ West	Count	_{ty:} allen					
INSTRUCTIONS: Showing tool open and clost recovery, and flow rates surveyed. Attach final of	ed, flowing and shu s if gas to surface te	t-in press st, along v	ures, whether sl	hut-in pre	ssure read	ched static leve	 hydrostatic pres 	sures, bottom h	ole tempe	erature, fluid
Drill Stem Tests Taken (Attach Additional SI	neets)	□ Y	es 📝 No		□ Lo	og Formati	on (Top), Depth ar	nd Datum	s	ample
Samples Sent to Geolo	•	□ Y	es ☑ No		Nam Tuck			Тор	D	Datum
Cores Taken Electric Log Run (Submit Copy)		□ Y	es 📝 No es 📝 No					931'	94	1 oil sand
List All E. Logs Run:										
Driller log										
			*******	RECORD						
Purpose of String	Size Hole	Si	ort all strings set- ze Casing	We	eight	Setting	Type of	# Sacks		nd Percent
SURFACE	12"1/4	8"5/8	et (In O.D.)	Lbs	s. / Ft.	Depth 20.2'	Portland	Used 6	Ad	lditives
Long String	5/5/8	4"1/2				931'	Portland	110		r -
Long String	3/3/6	4 1/2				331	romand	110		
			ADDITIONAL	CEMENT	TING / SOL	JEEZE RECORI	<u> </u>		<u>}</u>	
Purpose:	Depth	Турс	e of Cement	T	ks Used					
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom									
Shots Per Foot			RD - Bridge Plug Each Interval Perl		e	Acid, Fr	acture, Shot, Cemer Amount and Kind of M	nt Squeeze Record	o DRPORATIÇ	IN COMPINSSI
		· · · ·					·	A	16 1 2	2000
	 									
							 	11/2/12		WEU_
TUBING RECORD:	Size:	Set At	:	Packer	At:	Liner Run:	Yes No)		
Date of First, Resumed P 5-20-09	roduction, SWD or En	hr.	Producing Meth	nod:	Flowing	g 📝 Pump	oing Gas U	ift Othe	er <i>(Explain)</i>	
Estimated Production Per 24 Hours	Oil 25	Bbls.	Gas	Mcf	Wate			Gas-Oil Ratio		Gravity 22.5
DISPOSITIO	N OF GAS:		N	METHOD C	OF COMPLE	ETION:		PRODUCTIO	ON INTERV	/AL:
☐ Vented ☐ Sold	✓ Used on Lease	V		Perf.			ommingled			
(If vented, Subr	_		Other (Specify)							

802 N. Industrial Rd. F.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

SOLO TO:

196H CLERWAY

CHOOP

Payless Concrete Products, Inc.

CONDITIONS

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller, assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbary, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 6 minutes per yard. A charge will: be made for holding trucks longer. This concrete contains comet water contents for strength est when water is added at customer's request.

NOTICE TO OWNER.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

4亿基。2020

497.49

viva e na dinance LTTO BELGYTTA ON PLINE, GERAL BECTIFICAL A. S. DOPOSS.

THE UP CET IN THE

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	The second secon	DRIVER/TRUCK	1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	PLANT/TRANSACTION #
WeiSeign d		5.50 va	11.00 yd	76 (3)44. 15. (5)9	\$10 34	6.00	
DATE	J [2] [1]	LOAD#	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
05-11-09	lidey .	*	5. 33 vd	0046		4.00 in	22437

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes' and Prolonged Contact With Skin. in Case of
Contact With Skin- or Eyes, Flush Thoroughly With Water, If Irritation. Persists, "Gel Medical
Attention." KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and SECOMES IN PROPERTY of the PURCHASER UPON LEAVING the FLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST BE TELEPHONED IS THE OFFICE REFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys tees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

OTO BE SIGNED IF DELVERY TO BE MADE INSIDE CURB LINE.

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage, to the premises and/or adjacent property. If it pleases the material in this load, where you desire it. It is our wish to help you in every way that we can, but in order to do this driver is requesting that you sign this RELEASE relieving, him and this supplier from any responsibility from any demage that may occur to the premises; and/or, adjacent property, buildings, sidewalks, or the premises; and/or, adjacent property, buildings, sidewalks, or the control of the truck and this supplier for any and at damage to the premises and/or adjacent property, which may be claimed by anyone to have airsh out of delivery of this codes.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

G		

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

-	execus nearly usua estanded (in 200/UV:	
	QUANTITY CODE	DESCRIPTION
	Sign Call Allen	UNIT PRICE EXTENDED PRICE
		WELL (10 BACKS FER 1907) 3.50 76.00 418.00
	1.00 TATINA	
٠, ٠		

ETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED ,]
5.23	5:12	5:06	I. JOB NOT READY 8. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. OTTATION		1 22 1 6. 30
LEFT PLANT	ARRIVED JOB	START UNLOADING	4 CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	
438	4:48	4:53			#"() 37' ADDIT!ONAL CHAR(
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	11/1/1/1	DELAY TIME	
			N		ADDITIONAL CHARG
					GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum aliotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks inger. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength set when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to not these assesses.

ROTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the tiling of a mechanic's tien on the property which is the subject of this contract.

BHIRTO.

BOLD TO

distribution of the state of th	O BOSE I	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
TIME FORMULA	LOAD SIZE	TANDS UNDERED	n Lina	7	海 线线板	
meellenen Will	51.500 vel	11,58 vd	0.50	TA.	2.00	
and the second s	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP :	TICKET NUMBER
DATE	LOAD#	TAILE SEE			a security a	20100
05-11-60 Today	2	11,000 90	1867		9.222 23	23438

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement, Wear Rubber Boots and Gloves: PROLONGED CONTACT MAY
CAUSE BURNS: Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush, Thoroughly, With Water, If Imitation Persists, Gel Medical
Attention, KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' teas, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate of Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks, Excess Delay Time Charged @ \$50/HR. CODE

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Der Castomer-The driver of the Inack in presenting this RELEASE to you for your signature is of the option that the size and weight of the Inack may possibly cause damage to, the premises end/or adjacent properly if it places the material in this boad where you desire it it is out with to help you in every way that we can but in order to do this the driver is requesting that you sligh this RELEASE reliefenfy him and this supplier from any responsibility from eny damage that may occur to the premises and/or adjacent properly. Suddings is diservable, driveways, curbs, etc. by the delivery of this material, and that you also agree to help him remove much from the wheely of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier from any and all damage to the premises and/or adjacent, properly which may be claimed by anyone to have arisin out of delivery of this order. Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

76.00

LOAD RECEIVED BY:

EXTENDED PRICE LINIT PRICE

413.00

QUANTITY 5,50

HILL.

MELL (ID SMC):3 DEE HOUT)

DESCRIPTION

KANSAS CORPOR

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	enter & Leteral
6.97			EIJOB NOT READY 6. TRUCK BROKE DOWN 2 SKOW POUBOR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION		(ex 1 6.300 26.33)
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 8. OTHER 5. ADDED WATER	TIME DUE	Jeris Car
11.2.2		13.55	4		ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
			1000	(1)	GRAND TOTAL ▶ 7/1/1/2/

Drillers Log

Company: David Wrestler

Farm Korte Well No: 4

API: 15-001-29892-0000

Surface Pipe: 20'

Contractor EK Energy LLC

License# 33977 County: Allen

Sec 7 Twp: 24 Range: 19E

Location: 1155 FNL Location: 165 FWL Spot: SW-SW-NW-NW

Thickness	Formation	Depth	Remarks
	SOIL & CLAY	10	Drilled 12 ¼ Hole set 20' 8 5/8 CEMENTED 6 SX
43	LIME	53	Drilled 6 ¾ Hole
72	SHALE	125	
143	LIME	268	
163	SHALE	431	Started 5-7-09
33	LIME	464	Finished 5-11-09
12	SHALE	476	
18	SAND	494	T.D. Hole 941'
4	SHALE	498	T.D. Pipe 931'
17	SAND	515	
9	SHALE	524	
3	LIME	527	KANICAC CORRORAZION ASSISTA
6	COAL & BLACK SH	533	KANSAS CORPORATION COMPISSION
22	LIME	555	AUG 1 3 2009
22	SHALE	577	
30	LIME	607	
5	SHALE	612	
5	LIME	617	
145	SHALE	762	
14	BROKEN SAND	776	BEST 770-76
133	SHALE	909	
11	WHITE SD	920	
11	SHALE SD	931	
10	OIL SAND	941	VERY GOOD BLEED
	ļ		
	<u> </u>		