

1-18-08

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32639
 Name: CORAL PRODUCTION CORP.
 Address: 1600 STOUT ST, SUITE 1500
 City/State/Zip: DENVER, CO 80202
 Purchaser: _____
 Operator Contact Person: JIM WEBER
 Phone: (303) 623-3573
 Contractor: Name: DISCOVERY DRILLING CO., INC.
 License: 31548
 Wellsite Geologist: RICHARD HALL
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>11/20/06</u>	<u>11/27/06</u>	<u>1/4/07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date


API No. 15 - 065-23236-00-00
 County: GRAHAM
 NW NE SW Sec. 10 Twp. 10 S. R. 22 East West
2220 feet from S / N (circle one) Line of Section
1510 feet from E W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: BRASSFIELD Well #: 10-1
 Field Name: WILDCAT
 Producing Formation: LANSING
 Elevation: Ground: 2328' Kelly Bushing: 2336'
 Total Depth: 3980' Plug Back Total Depth: 3975'
 Amount of Surface Pipe Set and Cemented at 226 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set 1876' Feet
 If Alternate II completion, cement circulated from 1876'
 feet depth to SURFACE w/ 350 sx cmt.

Drilling Fluid Management Plan Alt II NH 9-12-08
 (Data must be collected from the Reserve Pit)
 Chloride content 11,000 ppm Fluid volume 300 bbls
 Dewatering method used EVAPORATION
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jan R. Weber
 Title: PRESIDENT Date: 1/18/07
 Subscribed and sworn to before me this 18th day of January
2007
 Notary Public: Stacy R. Springston
 Date Commission Expires: 2/1/2009



KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report
 UIC Distribution

RECEIVED
 KANSAS CORPORATION COMMISSION
 JAN 22 2007
 CONSERVATION DIVISION
 WICHITA, KS

Operator Name: CORAL PRODUCTION CORP. Lease Name: BRASSFIELD Well #: 10-1
 Sec. 10 Twp. 10 S. R. 22 East West County: GRAHAM

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: DUAL INDUCTION LOG 3977'-SURFACE COMP. DENSITY/NEUTRON 3955'-3250' MICRO LOG 3956'-3250' SONIC LOG 3966'-200'	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:70%;">Name</td> <td style="width:15%;">Top</td> <td style="width:15%;">Datum</td> </tr> <tr> <td>ANHYDRITE</td> <td>1833'</td> <td>503</td> </tr> <tr> <td>TOPEKA</td> <td>3322'</td> <td>-986</td> </tr> <tr> <td>TORONTO</td> <td>3566'</td> <td>-1230'</td> </tr> <tr> <td>LANSING</td> <td>3585'</td> <td>-1249'</td> </tr> <tr> <td>BKC</td> <td>3806'</td> <td>-1546'</td> </tr> <tr> <td>ARBUCKLE</td> <td>3961'</td> <td>-1625'</td> </tr> </table>	Name	Top	Datum	ANHYDRITE	1833'	503	TOPEKA	3322'	-986	TORONTO	3566'	-1230'	LANSING	3585'	-1249'	BKC	3806'	-1546'	ARBUCKLE	3961'	-1625'
Name	Top	Datum																				
ANHYDRITE	1833'	503																				
TOPEKA	3322'	-986																				
TORONTO	3566'	-1230'																				
LANSING	3585'	-1249'																				
BKC	3806'	-1546'																				
ARBUCKLE	3961'	-1625'																				

KCC
JAN 18 2007
CONFIDENTIAL

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4"	8 5/8"	24	226	COMMON	150	3% CC, 2% GEL
PRODUCTION	7 7/8"	5 1/2"	14	3975'	ASC	125	


ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	0-1876'	60/40 POZ	350	6% GEL; 1/4#/SK CF

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
2	3771-3777' & 3756'-3762'	1500 GAL 15% MUD ACID; 4000 GAL 20% NEHCL	3777'
2	3636-3644'	1000 GAL 15% NEHCL	3644'

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		2 7/8"	3818'			
Date of First, Resumerd Production, SWD or Enhr.			Producing Method			
			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
	47		20		36	

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Comm.	<input type="checkbox"/> Other (Specify) _____

RECEIVED
KANSAS CORPORATION COMMISSION
JAN 22 2007
CONSERVATION DIVISION
WICHITA, KS



Discovery Drilling

P.O. Box 763 • Hays, KS 67601 • OFFICE (785) 623-2920 • CELLULAR (785) 635-1511

KCC

JAN 18 2007

CONFIDENTIAL

DRILLER'S LOG

Operator: **Coral Production Corp. LIC# 32639**
1600 Stout Street, Suite 1500
Denver, CO 80202

Contractor: **Discovery Drilling Co., Inc. LIC#31548**
PO Box 763
Hays, KS 67601

Lease: Brassfield #10-1

Location: 90' S & 140' W of NW / NE / SW
Sec. 10 / 10S / 22W
Graham Co., KS

Loggers Total Depth: 3979'
Rotary Total Depth: 3980'
Commenced: 11/29/2006
Casing: 8 5/8" @ 228.19' w / 150 sks
5 1/2" @ 3976' w / 125 sks
DV Tool @ 1876' w / 350 sks

API#15- 065-23, 236-00-00
Elevation: 2328' GL / 2336' KB
Completed: 12/7/2006
Status: Oil Well

DEPTHS & FORMATIONS (All from KB)

Surface, Sand & Shale	0'	Shale	1888'
Dakota Sand	1140'	Shale & Lime	2396'
Shale	1255'	Shale	2803'
Cedar Hill Sand	1318'	Shale & Lime	3218'
Red Bed Shale	1578'	Lime & Shale	3549'
Anhydrite	1849'	RTD	3980'
Base Anhydrite	1888'		

STATE OF KANSAS)
) ss
COUNTY OF ELLIS)


Thomas H. Alm of Discovery Drilling states that to the best of his knowledge the above and foregoing is a true and correct log of the above captioned well.

Thomas H. Alm

Subscribed and sworn to before me on 12-8-06

My Commission expires: 8-9-07

(Place stamp or seal below)

Notary Public

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 22 2007

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC.

33444

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>11-29-06</u>	SEC. <u>10</u>	TWP. <u>10</u>	RANGE <u>22</u>	CALLED OUT <u>1:00 PM</u>	ON LOCATION <u>3:00 PM</u>	JOB START <u>4:45 PM</u>	JOB FINISH <u>5:15 PM</u>
LEASE <u>BRASSFIELD</u>	WELL # <u>10-1</u>	LOCATION <u>CHURCH OF GOD 7 W 2 1/2 S</u>			COUNTY <u>GRAHAM</u>	STATE <u>KANSAS</u>	
OLD OR <u>NEW</u> (Circle one)				<u>1/2 E INTO</u>			

KCC

JAN 13 2007

CONFIDENTIAL

CONTRACTOR DISCOVERY DRILLING RIG #1

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4 T.D. 229'

CASING SIZE 8 5/8 DEPTH 229'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

DISPLACEMENT 13 1/2 / BBL

OWNER _____

CEMENT

AMOUNT ORDERED 150 SK COM.

3% CC

2% GEL

COMMON	<u>150</u>	@	<u>10.65</u>	<u>1597.50</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>16.65</u>	<u>49.95</u>
CHLORIDE	<u>5</u>	@	<u>46.60</u>	<u>233.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>158 Total SK</u>	@	<u>1.90</u>	<u>300.20</u>
MILEAGE	<u>70 Ton Mile</u>	@	<u>.094</u>	<u>6.58</u>
TOTAL				<u>3176.03</u>

EQUIPMENT

PUMP TRUCK CEMENTER Glenn

398 HELPER GARY

BULK TRUCK

345 DRIVER DOUG

BULK TRUCK

_____ DRIVER _____

REMARKS:

Cement Circulated

THANK'S

CHARGE TO: CORRAL PRODUCTION CORP.

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>815.00</u>
EXTRA FOOTAGE		@	
MILEAGE <u>70</u>		@	<u>6.58</u>
MANIFOLD		@	
		@	
		@	
TOTAL			<u>1235.00</u>

PLUG & FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	
TOTAL _____		

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE [Signature]

RECEIVED
PRINTED KANSAS CORPORATION COMMISSION
JAN 22 2007
CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC.

33479

MIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE	12-7-06	SEC.	10	TWP.	10	RANGE	22W	CALLED OUT		ON LOCATION		JOB START	8:45AM	JOB FINISH	9:15AM
LEASE	BRUSSFIELD	WELL #	1-10	LOCATION	OMALLAH & I. TO 10 1/2 N 1 1/2 W 4 1/2 N				COUNTY	GRAHAM	STATE	KS			
OLD OR NEW		(Circle one)													

CONTRACTOR	DISCOVERY #1			OWNER				
TYPE OF JOB	TWO STAGE TOP			CEMENT				
HOLE SIZE	7 7/8	T.D.	3978	AMOUNT ORDERED	350 60/40 6% GEL			
CASING SIZE	5 1/2	DEPTH	3978		1/4 LB FLO SEAL			
TUBING SIZE		DEPTH						
DRILL PIPE		DEPTH						
TOOL		DEPTH	1879					
PRES. MAX		MINIMUM						
MEAS. LINE		SHOE JOINT						
CEMENT LEFT IN CSG.								
PERFS.								
DISPLACEMENT	45 3/4 BBL			COMMON	210	@	10.65	2236.50
EQUIPMENT				POZMIX	140	@	5.80	812.00
PUMP TRUCK	CEMENTER	MARK		GEL	18	@	16.65	299.70
#	HELPER	GLEN		CHLORIDE		@		
BULK TRUCK				ASC		@		
#	DRIVER	DOUG		Flo Seal	87	@	2.00	174.00
BULK TRUCK						@		
#	DRIVER					@		

REMARKS:

15 SK @ 2.11
10 SK @ M.H.
OPEN TOOL @ 800# MAX 350 SK
CIRC CEMENT
CLOSE TOOL @ 1500#

THANKS
JA

CHARGE TO: CORAL
STREET _____
CITY _____ STATE _____ ZIP _____

HANDLING	368	@	1.90	699.20
MILEAGE	94 / sk / mile			219.68
			(60)	
			TOTAL	634.98

SERVICE

DEPTH OF JOB					
PUMP TRUCK CHARGE				955.00	
EXTRA FOOTAGE		@			
MILEAGE	94	@	2.00	188.00	
MANIFOLD		@			
				TOTAL	955.00

PLUG & FLOAT EQUIPMENT

	@				
	@				
	@				
	@				
	@				
				TOTAL	

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Joe Borla

Joe Borla
PRINTED NAME

RECEIVED

JAN 22 2007

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC.

33478

ATTN TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>12-7-06</u>	SEC. <u>10</u>	TWP. <u>10</u>	RANGE <u>22W</u>	CALLED OUT	ON LOCATION	JOB START <u>8:00AM</u>	JOB FINISH <u>8:30AM</u>
LEASE <u>BRASSFIELD</u> WELL # <u>10-1</u>		LOCATION <u>OGALLALA E I 76 10 1/2 N</u>				COUNTY <u>GRAHAM</u>	STATE <u>KS</u>
<input checked="" type="radio"/> OLD OR <input type="radio"/> NEW (Circle one)		<u>1 1/2 W 4 1/2 N E 1 N</u>					

CONTRACTOR DISCOVERY #1

TYPE OF JOB TWO STAGE BOTTOM

HOLE SIZE 7 7/8 T.D. 3978

CASING SIZE 5 1/2 DEPTH 3978

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 20' 7"

CEMENT LEFT IN CSG. 20' 7"

PERFS. _____

DISPLACEMENT 96 1/2 BBL

OWNER _____

CEMENT AMOUNT ORDERED 125 ASC 10% SALT

500 GAL WFR-2

COMMON	@		
POZMIX	@		
GEL	@		
CHLORIDE	@		
ASC <u>125</u>	@	<u>13.10</u>	<u>1637.50</u>
<u>SALT 12</u>	@	<u>19.20</u>	<u>230.40</u>
<u>500 GAL WFR-2</u>	@	<u>1.00</u>	<u>500.00</u>
	@		
	@		
	@		
	@		
	@		
HANDLING <u>137</u>	@	<u>1.90</u>	<u>260.30</u>
MILEAGE <u>94 / SK / MILE</u>			<u>789.12</u>
TOTAL			<u>3417.32</u>

EQUIPMENT

PUMP TRUCK CEMENTER MARK

398 HELPER GLEN

BULK TRUCK DRIVER BOB

378 DRIVER _____

REMARKS:

PLUG LANDED

FLOAT HELD

THANKS

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>1610.00</u>
EXTRA FOOTAGE	@	
MILEAGE <u>64</u>	@	<u>6.00</u> <u>384.00</u>
MANIFOLD	@	
	@	
	@	
TOTAL <u>1994.00</u>		

PLUG & FLOAT EQUIPMENT

<u>5 1/2</u>		
<u>FLOAT SHOE</u>	@	<u>263.00</u> <u>263.00</u>
<u>LATCH DOWN</u>	@	<u>375.00</u> <u>375.00</u>
<u>6-CENT</u>	@	<u>50.00</u> <u>300.00</u>
<u>Z-BASKET</u>	@	<u>150.00</u> <u>300.00</u>
<u>D-V TOOL</u>	@	<u>3500.00</u>
TOTAL <u>4738.00</u>		

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Faxed

SIGNATURE Joe Borla

Joe Borla

RECEIVED
PRINTED NAME KANSAS CORPORATION COMMISSION

JAN 22 2007

CONSERVATION DIVISION
WICHITA, KS

CORAL PRODUCTION CORP.

1600 STOUT STREET, SUITE 1500
DENVER, COLORADO 80202

~~1-18-08~~

1-18-09

January 18, 2007

Phone (303) 623-3573
Fax (303)623-2870

Maurice Korphage
Director, Kansas Corporation Commission
Conservation Division
130 S. Market
Room 2078
Wichita, KS 67202

KCC
JAN 18 2007
CONFIDENTIAL


Re: Brassfield #10-1, NWNESW Sec 10, T10S, R22W; API 065-23236-00-00

Dear Mr. Korphage:

By copy of this letter, Coral Production Corporation is requesting that information on the above referenced well be held confidential for 12 months, including release of all logs and tests.

If you have any questions or require additional information, please call me at (303) 623-3573 extension #101.

Sincerely,



James C. Wiegner
Geologist

RECEIVED
KANSAS CORPORATION COMMISSION
JAN 22 2007
CONSERVATION DIVISION
WICHITA, KS