

**KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

**ORIGINAL**  
Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 30458  
 Name: RJM Company  
 Address: PO Box 256  
 City/State/Zip: Clafin, Kansas 67525  
 Purchaser: Coffeyville  
 Operator Contact Person: Brian Miller  
 Phone: (620) 587-2308  
 Contractor: Name: Vonfeldt Drilling, Inc.  
 License: 9431  
 Wellsite Geologist: Jim Musgrove  
 Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_  

<u>6-14-2006</u>	<u>6-19-2006</u>	<u>6-19-2006</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 009-24950-0000  
 County: Barton  
 NW    NW    SE    NW    Sec. 8 Twp. 17 S. R. 11  East  West  
3900 feet from S N (circle one) Line of Section  
3900 feet from E W (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one) NE SE NW SW  
 Lease Name: Wondra "B" Well #: 2  
 Field Name: Wildcat  
 Producing Formation: Arbuckle  
 Elevation: Ground: 1815' Kelly Bushing: 1820'  
 Total Depth: 3425 Plug Back Total Depth: \_\_\_\_\_  
 Amount of Surface Pipe Set and Cemented at 330 Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from \_\_\_\_\_  
 feet depth to \_\_\_\_\_ w/ \_\_\_\_\_  
ATI-DG-12/1/08 <sup>sx cm.</sup>

**Drilling Fluid Management Plan**  
 (Data must be collected from the Reserve Pit)  
 Chloride content 53,000 ppm Fluid volume 400 bbls  
 Dewatering method used Allow to dry and backfill  
 Location of fluid disposal if hauled offsite: \_\_\_\_\_  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Laurance B. Miller  
 Title: President Date: 10-9-06  
 Subscribed and sworn to before me this 9th day of Oct,  
 2006  
 Notary Public: Diane H. Nezy

Date Commission Expires: 7-30-07  
 DIANE H. NEZY  
 State of Kansas  
 My Appt. Exp. 7-30-07

**KCC Office Use ONLY**

Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
**OCT 11 2006**  
**KCC WICHITA**



# ALLIED CEMENTING CO., INC.

24313

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

*At Bend*

DATE <i>6-20-06</i>	SEC. <i>8</i>	TWP. <i>17</i>	RANGE <i>11</i>	CALLED OUT <i>7:00 PM</i>	ON LOCATION <i>9:30 PM</i>	JOB START <i>11:00 PM</i>	JOB FINISH <i>12:45 AM</i>
LEASE <i>Wardra</i>	WELL # <i>B-2</i>	LOCATION <i>Chaplin SW, 1 1/2 W 9/5</i>			COUNTY <i>Barton</i>	STATE <i>Ks</i>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR *Vonfeldt*

TYPE OF JOB *Production*

HOLE SIZE *7 7/8"* T.D. *3425'*

CASING SIZE *5 1/2"* DEPTH *3413'*

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX *1200 #* MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT *10'*

CEMENT LEFT IN CSG. *10'*

PERFS. \_\_\_\_\_

DISPLACEMENT *83 1/2 bbls*

OWNER *Same*

CEMENT AMOUNT ORDERED *175 lb ASC 5# Kolmed/lb*

*500 gal ASF*

COMMON	@		
POZMIX	@		
GEL		<i>30L</i>	<i>16.65</i>
CHLORIDE	@		
ASC		<i>175 lb</i>	<i>2292.50</i>
<i>ASTRICH SODAL</i>	@	<i>1.00</i>	<i>500.00</i>
<i>SALT 11 qt</i>	@	<i>19.20</i>	<i>211.20</i>
<i>KOL SEAL 875 #</i>	@	<i>.70</i>	<i>612.50</i>
	@		
	@		
	@		
	@		
HANDLING	@	<i>2.17</i>	<i>412.30</i>
MILEAGE		<i>24</i>	<i>416.64</i>
TOTAL			<i>4495.09</i>

REMARKS:

*Ran 34131 of 5 1/2" cas. Brake Circulation  
Pumped 5 bbls H2O - 500 gal ASF.  
Mixed 150 lb ASC 5# Kolmed/lb.  
Worked up. Released Plug. Displaced  
with fresh H2O. Landed Plug @ 1200 #.  
Released & float held.  
Plugged Rathole 10/15 in - 10 in. Kawhole*

SERVICE

DEPTH OF JOB	<i>3413'</i>		
PUMP TRUCK CHARGE			<i>1610.00</i>
EXTRA FOOTAGE	@		
MILEAGE		<i>24</i>	<i>120.00</i>
MANIFOLD	@		
	@		
	@		
TOTAL			<i>1730.00</i>

CHARGE TO: *RTM*

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

<i>1-5 1/2" Minderhoe</i>	@	<i>160.00</i>	<i>160.00</i>
<i>1-5 1/2" AFU Insert</i>	@	<i>250.00</i>	<i>250.00</i>
<i>4-5 1/2" Centralizers</i>	@	<i>50.00</i>	<i>200.00</i>
<i>1-5 1/2" Baskets</i>	@	<i>150.00</i>	<i>300.00</i>
<i>1-5 1/2" Rubber Plug</i>	@	<i>15.00</i>	<i>15.00</i>
TOTAL			<i>975.00</i>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

RECEIVED

OCT 11 2006

KCC WICHITA

SIGNATURE *[Signature]*

SIGNATURE *[Signature]*  
PRINTED NAME *Chels Hoffman*

# ALLIED CEMENTING CO., INC.

24310

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

St Bend

DATE <u>6-14-06</u>	SEC. <u>8</u>	TWP. <u>17</u>	RANGE <u>11</u>	CALLED OUT <u>7:00 PM</u>	ON LOCATION <u>9:00 PM</u>	JOB START <u>10:00 AM</u>	JOB FINISH <u>10:30 PM</u>
LEASE <u>Wardog</u>	WELL # <u>B #2</u>	LOCATION <u>Clayton SW 1/4 W 5/5</u>			COUNTY <u>Barton</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Vonfellet  
 TYPE OF JOB Surface  
 HOLE SIZE 13 1/4" T.D. 330'  
 CASING SIZE 8 3/4" DEPTH 330'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. 15'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 20 bbls

OWNER Some

CEMENT  
 AMOUNT ORDERED 190 lbs Common  
390cc 290 net

COMMON	<u>190 net</u>	@	<u>10.65</u>	<u>2023.50</u>
POZMIX		@		
GEL	<u>4 net</u>	@	<u>16.65</u>	<u>66.60</u>
CHLORIDE	<u>6 net</u>	@	<u>46.60</u>	<u>279.60</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>200 net</u>	@	<u>1.90</u>	<u>380.00</u>
MILEAGE	<u>200 net 08</u>		<u>24</u>	<u>384.00</u>
TOTAL				<u>3133.70</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Tim  
 # 181 HELPER Rich H  
 BULK TRUCK  
 # 342 DRIVER Cody R  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Ran 330' of 8 3/4" Bore Circulation  
Mixed 190 lbs Common 390cc 290 net  
Released Plug. Replaced with fresh  
H<sub>2</sub>O.  
Cement did circulate

**SERVICE**

DEPTH OF JOB 330'  
 PUMP TRUCK CHARGE \_\_\_\_\_ 85.00  
 EXTRA FOOTAGE 30' @ .65 19.50  
 MILEAGE 24 @ 5.00 120.00  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL 954.50

CHARGE TO: RTM  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

1- 8 3/4" wooden Plug @ 60.00 60.00  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL 60.00

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS \_\_\_\_\_

SIGNATURE [Signature]

[Signature]  
 PRINTED NAME \_\_\_\_\_

RECEIVED  
 OCT 11 2006  
 KCC WICHT