

Operator Name: TRMM Wildcat Expl. L.L.C. Lease Name: Good/Serrien Well #: 1
 Sec. 26 Twp. 10 S. R. 7 East West County: Lincoln

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

Log Formation (Top), Depth and Datum Sample

Name Top Datum

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface pipe		8 5/8		351	See attached		info

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input checked="" type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone		See attached	information	

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	none taken		

RECEIVED
 KANSAS CORPORATION COMMISSION
 SEP 11 2008
 CONSERVATION DIVISION
 WICHITA KS

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-1B.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify)

Production Interval

RECEIVED
 KANSAS CORPORATION COMMISSION
 OCT 02 2008
 CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., LLC. 33238

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Great Bend, Ks

DATE <u>5-16-08</u>	SEC <u>26</u>	TWP. <u>10S</u>	RANGE <u>7W</u>	CALLED OUT <u>10:00 PM</u>	ON LOCATION <u>2:00 AM</u>	JOB START <u>2:30 PM</u>	JOB FINISH <u>3:00 PM</u>
LEASE <u>Good-Serrium</u>	WELL # <u>1</u>	LOCATION <u>Hwy 14 + 284 Jct., 5 E</u>			COUNTY <u>Lincoln</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)		<u>to 240 # Rd., 25S, 2W, 5/8</u>					

CONTRACTOR Warren #14

TYPE OF JOB Rotary plug

HOLE SIZE 7 7/8" T.D. 3979'

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE 4 1/2" DEPTH 3979'

TOOL _____ DEPTH _____

PRES. MAX 200 # MINIMUM 0

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT Freshwater + Rig mud

OWNER TRMM Wildcat Exploration LLC

CEMENT AMOUNT ORDERED 110 SX 60/40 4% Gel
1/4# Flo-seal

COMMON	<u>66 SX</u>	@	<u>12.15</u>	<u>801.90</u>
POZMIX	<u>44 SX</u>	@	<u>6.80</u>	<u>299.20</u>
GEL	<u>4 SX</u>	@	<u>18.25</u>	<u>73.00</u>
CHLORIDE	_____	@	_____	_____
ASC	_____	@	_____	_____
<u>Flo-seal 25#</u>	_____	@	<u>2.20</u>	<u>55.00</u>
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
HANDLING	<u>115 SX</u>	@	<u>2.05</u>	<u>235.75</u>
MILEAGE	<u>115 X 48 X .09</u>	@	_____	<u>496.80</u>
TOTAL				<u>1,961.65</u>

EQUIPMENT

PUMP TRUCK CEMENTER Rick H.

181 HELPER Gailen D.

BULK TRUCK DRIVER Alvin R.

342

BULK TRUCK DRIVER _____

REMARKS:

3979' - 35 SX

401' - 35 SX

60' - 25 SX cement did circulate.

Rat hole - 15 SX

SERVICE

DEPTH OF JOB	<u>3979'</u>		
PUMP TRUCK CHARGE			<u>1045.00</u>
EXTRA FOOTAGE	_____	@	_____
MILEAGE	<u>48</u>	@	<u>7.00 336.00</u>
MANIFOLD	_____	@	_____
_____	_____	@	_____
_____	_____	@	_____
TOTAL <u>1,381.00</u>			

CHARGE TO: TRMM Wildcat Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 02 2008

CONSERVATION DIVISION
WICHITA, KS

PLUG & FLOAT EQUIPMENT

<u>1- 8 1/2" wooden plug</u>		@	<u>67.00</u>	<u>67.00</u>
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment

181 HELPER Gailen D.
 BULK TRUCK
 # 342 DRIVER Alvin R.
 BULK TRUCK
 # DRIVER

	@		
	@		
	@		
	@		
HANDLING	115 SX	@ 2.05	235.75
MILEAGE	115 X 48 X .09		496.80
TOTAL			1,961.65

REMARKS:

3979' - 35 SX
 401' - 35 SX
 60' - 25 SX Cement did Circulate.
 Rent hole - 15 SX

SERVICE

DEPTH OF JOB	3979'		
PUMP TRUCK CHARGE			1045.00
EXTRA FOOTAGE		@	
MILEAGE	48	@ 7.00	336.00
MANIFOLD		@	
		@	
		@	

TOTAL 1,381.00

CHARGE TO: TRMM Wildcat Exploration
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

1 - 8 3/8 wooden plug			
		@ 67.00	67.00
		@	
		@	
		@	
		@	

TOTAL 67.00

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME *X* Bill Skeen
 SIGNATURE *X* Bill Skeen

RECEIVED
 KANSAS CORPORATION COMMISSION
 OCT 02 2008
 CONSERVATION DIVISION
 WICHITA, KS