KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINA September 1999

September 1999

Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Fa ars

Operator: License # 32158	API No. 15 - 400-0255-100-101
Name:H & B Petroleum Corporation	County: Rooks
Address: PO Box 277	SE_SE_NW Sec. 7 Twp. 10 S. R. 19 ☐ East West
City/State/Zip: Ellinwood, Kansas 67526-0277	2310 feet from S (N) (circle one) Line of Section
Purchaser:n/a	2310 2235 feet from E /(W)/circle one) Line of Section
Operator Contact Person: Al Hammersmith	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>620)</u> <u>564-3002</u>	(circle one) NE SE (NW) SW
Contractor: Name: Xtreme Well Service, Inc. RECEIVED	Lease Name: Ouderkirk Well #: 1
icense: 33369	Field Name: Marcotte
Nellsite Geologist:	Producing Formation: Arbuckle
Designate Type of Completion: KCC WICHITA	Elevation: Ground: 2218 Kelly Bushing: 2223
New Well ✓ Re-Entry — Workover	Total Depth: 3804 Plug Back Total Depth: 3804
✓ Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 194 Feet
GasENHRSIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
f Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 0
Operator: Nadel & Gussman, Inc.	feet depth to 1700 w/sx cmt.
Nell Name: Ouderkirk #1	Alt2-DIQ - 11-10-08
Original Comp. Date: 04-28-1949 Original Total Depth: 3804'	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
11-23-2005 12-27-2005 02-24-2006	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Docket No.:
•	
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. It is months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING . Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: Hammersonth	KCC Office Use ONLY
Title: Vice President Date: June 22, 2006	Letter of Confidentiality Received
Subscribed and sworn to before me this <u>22nd</u> day of <u>June</u>	If Denied, Yes Date:
20 06 .	Wireline Log Received
φ χ χ χ	Geologist Report Received
	ARY PUBLIC - State of Kansas UIC Distribution
Date Commission Expires: January 3, 2010	YNNAE M. PARTRIDGE

Operator Name:	H & B Petrol	eum Corpo	oration	Leas	se Name:_	Ouderkirk		. Well #:1	
Sec. 7 Twp. 1		_ 🔲 Eas	t 🗸 West	Cour					4.4
INSTRUCTIONS: S tested, time tool ope temperature, fluid re Electric Wireline Log	n and closed, flowing covery, and flow rate	ng and shu es if gas to	t-in pressures, surface test, a	whether along with	shut-in pre	ssure reached	static level, hydros	static pressur	ests giving interval res, bottom hole ed. Attach copy of all
Drill Stem Tests Take		Y	es 🗸 No		⊘ L	og Formati	ion (Top), Depth ar	nd Datum	Sample
Samples Sent to Ge	ological Survey	Y	es 🗹 No		Nam	е		Тор	Datum
		es 🔽 No		Arbuckle			3758'		
Electric Log Run (Submit Copy)		Y	es 📝 No		Anhy	drite		1629'	
List All E. Logs Run:									
				RECORD	_	ew Used	ation ato		
Purpose of String	Size Hole	Si	ze Casing	W	/eight	Setting	Type of	# Sacks	Type and Percent
Surface	Drilled	8 5/8	t (In O.D.)	Lb	s. / Ft.	Depth 194'	Cement	Used	Additives
Casing		5 1/2			<u></u>	3760'			
Liner		4 1/2		10.5		3724'	60/40 w/6% gel	200	3/4# flow seal per sk
Elifor		7 1/2	ADDITIONAL		TING / SOI	JEEZE RECORI	L		
Purpose:	Depth	Type	of Cement		ks Used			ercent Additive	s
Perforate	Top Bottom	1,750 0. 00							
Plug Back TD Plug Off Zone									
		<u> </u>							
Shots Per Foot			RD - Bridge Plu Each Interval Pe		oe .		acture, Shot, Cement mount and Kind of Ma		ord Depth
2	1680' & 2275'	,				225 sacks 60	/40 poz		
	1050'					70 sacks 60/4	40 poz		
	Surface					35 sacks 60/4	40 poz		
			~~···						
TUBING RECORD 2	Size 7/8	Set At 3780'		Packe	r At	Liner Run	Yes No		
Date of First, Resume 02-25-2006	rd Production, SWD or	Enhr.	Producing Me	thod	Flowin	g 🕢 Pump	ing Gas Lift	Oth	ner (Explain)
Estimated Production Per 24 Hours	Oil 48	Bbls.	Gas	Mcf	Wate	er E	3bls. G	as-Oil Ratio	Gravity
Disposition of Gas	METHOD OF	COMPLETI	none ON		100	Production Inte	rval	R	ECEIVED
Vented Sold			Open Hole		erf. 🔲 [Dually Comp.	Commingled	JI	JN 2 6 2006
(ii ventea, S	ubmit ACO-18.)		Other (Spec	cify)				KC	C WICHITA

ALLIED CEMENTING CO., INC. 25042

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665		SERV	ICE POINT:	4
DATE 2/3/06 SEC. 7 TWP. RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
	1/21	9:30 am	COUNTY	STATE,
LEASE Order Kirk WELL# LOCATION ZUT	ch dw 2.	5 /2 W	Kooks	Ks.
OLDOR NEW (Circle one)				
CONTRACTOR Ythere Well Service	OWNER			
TYPE OF JOB	-			
HOLE SIZE T.D.	CEMENT		/ 2	0 -
CASING SIZE 5 DEPTH	_	DERED <u>300</u>	Com J	70 CC
TUBING SIZE 27/8 DEPTH	2-59	nd		
DRILL PIPE DEPTH				
TOOL Pailw/t DEPTH 1865 PRES. MAX MINIMUM	- COMMON	300	@ 879	26100
PRES. MAX MINIMUM MEAS. LINE SHOE JOINT	COMMON POZMIX	300	_@_ 	
CEMENT LEFT IN CSG.	GEL		- [@]	
PERFS.	CHLORIDE	9	@ <u>38</u>	342
DISPLACEMENT 7 10,7 (3,025	ASC		_ <u></u>	
EQUIPMENT	SAW	2	@ 25	1700
EQUIFMENT				
	-		@	
PUMPTRUCK CEMENTER Shore, Ray	-		@	
# 398 HELPER Gay	-		@	
BULK TRUCK			@	
# 396 DRIVER John	-	···	_@	
BULK TRUCK # DRIVER			@	-
# DRIVER	- HANDLING_		@ <u>190</u>	49765
	MILEAGE	6 ¢ /S/	1	707363
REMARKS:		•	TOTAL	45362
B.P 3696 testel tool \$ 15000	ഹ '			
Souther Sand @ 3680		SERVIO	CE .	
Hole 1989 - 2300' Rate				
4661 Join @ Soupsi . Mixed 300 ste		В		
and displaced + squeed to 1000ps	PUMP TRUCK	CHARGE		7850
released as held pulled 35 wasked	EXTRA FOOT	AGE	@	
around tol. presured up tourse	MILEAGE	57	@ 500	_2850
to soops + Shuff in	MANIFOLD_		@	
^			@	
(),	RE	CEIVED	_@	
CHARGE TO: H & B TEtroleum	. IIIN	2 6 2006		
CTDEET	2014	2 0 2000	TOTAL	_1070°=
STREET	KCC	WICHITA		
CITYSTATEZIP			EQUIDATES	TOP.
	1	PLUG & FLOAT	EQUIPMEN	(1
			_@	
To Allied Cementing Co., Inc.				
You are hereby requested to rent cementing equipment	····		. @	
and furnish cementer and helper to assist owner or				
contractor to do work as is listed. The above work was				
done to satisfaction and supervision of owner agent or			TOTAL	<u> </u>
contractor. I have read & understand the "TERMS AND	TAN			
CONDITIONS" listed on the reverse side.	1AX			
		C.F.		
1	TOTAL CHAR	GE		
Thanks!		GE		

PRINTED NAME

FALLIED CEMENTING CO., INC. 25047

	Federal Tax I.D.
REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT:

DATE 2/8/06	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE Ouderkirk		1	LOCATION 2	rich 2w		COUNTY	STATE
OLD OR NEW (Cir			1/2 W		<u> </u>	KOORS	125
OK WEW (Ch	icic one)		1200	Sinto		J	
CONTRACTOR X			Service	OWNER			
TYPE OF JOB	90020						
HOLE SIZE	-1/-	T.D		CEMENT	10		<i>''</i> – <i>'</i>
CASING SIZE 5			PTH STA	AMOUNT OR	DERED /00	Con Ja	59/
TUBING SIZE 2 DRILL PIPE	78		<u>PTH</u>		/00	Com 3	70 CC
TOOL Reinhard	+		TH TH 1869				
PRES. MAX /oa			NIMUM -	COMMON	200	_@_ <u>8_7</u> 0	174000
MEAS. LINE	7-5		DE JOINT	POZMIX			
CEMENT LEFT IN	CSG.		<u> DE VOILVI</u>	GEL		@	
PERFS.		······································		CHLORIDE	3	@ <u>38</u>	114/00
DISPLACEMENT	T 10	03/1	C 3.	ASC		@	
		IPMENT				@	
	LQU			SALT	/100	@ 157 ws	173 25
PUMP TRUCK C	TITA ATTAINT	ER Sha				@	
	JEMEN I I HELPER	_	a c			@	
BULK TRUCK	ILLFLR	<u>Cr/7n</u>					
_	ORIVER	Tole				. @	
BULK TRUCK	JICI V DIC	Sug				. @	
	ORIVER	Dova			. 7,7	.@	22020
		7		— HANDLING	212	<u>@</u>	339 20 725°4
	DEA	AADEC.		MILEAGE	LA JSK/MIL	<u> </u>	205,49
P.B. 369	KEN	MARKS:			•	TOTAL	309149
P.D. 367	6			_			
Hole Q	198	<u> </u>			SERVIC	CE .	
Hole (c)	1 10	7		DEPTH OF JOI			
Tool @ 18	64	مالاً أر عام	1 200 st	, ====================================	CHARGE		70500
		56 -012	-d released				
dored us			ran. pullal	•	57	.@_ _5	7859
Dite Prose	ured -p		53001 sky+			@	
14.						@	
•				RE	CEIVED	@	
CHARGE TO:	4	8.		JUL	N 2 6 2006		
•						TOTAL	107000
STREET				— KCC	WICHITA		, .
CITY	STA	ATE	ZIP				_
				P	PLUG & FLOAT	EQUIPMEN	Γ
•							
						.@	
					- 		
To Allied Cementi	ing Co., I	nc.					
You are hereby red						.@	
and furnish cemen		-				@	
contractor to do w						mom. I	
done to satisfaction						TOTAL	<u></u>
contractor. I have	read & u	nderstand	the "TERMS AN	D			
CONDITIONS" li	sted on th	ne reverse	side.				
./				TOTAL CHARG	GE		
	NKS			DISCOUNT		אם שן) IN 30 DAVC
JV (m)	7			DISCOUNT		—— IL KAIL	, TM 20 DW19
	11//		11_				
SIGNATURE A	*/an	musa	THE STATE OF THE S			DNAME	
					יותיו או מומ	INDIANATO	

ALLIEU CEMENTING CO., INC.

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT: ONKLEY

	SEC	TWP.	RANGE_ 41	CALLED OUT	ON LOCATION	JOB START	IOB FINISH
DATE 2-11-06	SEC 7	10 5	RANGE 4	CALLED GGT	8:45 AM	10:30 AM	
OUDER KIRK LEASE	WELL#	1	LOCATION 24	RICH ZW-2	5-1/2W-5 IN	COUNTY Rooks	STATE
OLDOR NEW (Cir	cle one)				·		
CONTRACTOR	XTRSM	E WE/	I SERUTC	OWNER	5AME		
TYPE OF JOB	SqUEE			OWNER	<i>5</i> C		
HOLE SIZE	,	T.D.		CEMENT			
CASING SIZE	5/2"	DEP	TH	AMOUNT C	RDERED 210	SKS COM	1
TUBING SIZE	21/2'	DEP	TH		7LT IN 200		
DRILL PIPE		DEP					
TOOL PACKE	CR	DEP				~ 00	10000
PRES. MAX			IMUM		210 5Ks		1,827=
MEAS. LINE	000	SHO	E JOINT	POZMIX _		_@	
CEMENT LEFT IN		0 /		GEL CHI OPIDE		_@ @	
DISPLACEMENT	198	7		CHLORIDE ASC		_	
DISPLACEMENT				A3C		_ @	
	EQUI	PMENT	,	541+	175Ks	_ ~	26725
			- 401/		, , _, _,	_	
	CEMENTE		FRRY			@	
	IELPER	J/	4RRocl			@	
BULK TRUCK	ND IX IED	A	(2114				
# .3 4 7 I	DRIVER		(2///			_ @	
	DRIVER						5/524
т	ZICI V LIC			— HANDLING			363 20
				MILEAGE _	64 px	sk/mil_	81720
24		IARKS:	_			TOTAL	3,275
PRESSURE	BACKS	Itale ?	TO 500 P	5.2,			
TUBING A			LOOK DN TA		SERVI	CE	
TUBING MIX	20051	Ks COM	10% SALT/	65K		/000/	
Com, WASh K	Jung +	LINES	DISPIACE	DEPTH OF .		800	<i>m</i>
13,BBL WATE	R. MA	X PRESS	SURE 1000		CK CHARGE		850 CC
ShuT IN A	1 400	PSI,		EXTRA FOO		_ @	
					60 miles		300 00
			THANK YO	MANIFOLD		_@	
		•			RECEIVED	_ @	
CHARGE TO: H	1,00	2-40.1	4			_ @	
CHARGE TO:	4D /	ETROI	eum		JUN 2 6 2006		1 , 00
STREET				1//		TOTAL	1,150=
				• •	CC WICHITA		
CITY	STA	TE	ZIP		PLUG & FLOAT	r FOLIDMEN	T
					Theo a rhom	EQUILIVIEI	•
•							
						_@	
To Allied Cementi	_					@	
You are hereby red				nt —		_	
and furnish cemen							
contractor to do w						TOTAL	
done to satisfactio						IOIAL	
contractor. I have				ND			
CONDITIONS" li	sted on th	e reverse	side.	1AX		-	
				TOTAL CHA	ARGE		
			_	DISCOLING		IE DAI	D IN 30 DAVE
	1	/	7 /	DISCOUNT		Ir rai	D III 30 DVI 3
	1/6/	//	′ /				
SIGNATURE	rich	To	sek				
·	•				PRINT	ED NAME	
						- 11 - 11 - Y	

ALLIED CEMENTING CO., INC. 25097 Federal Tax I.D.!

REMIT TO P.O. I		NSAS 670	565	,	SERVICE POINT:					
DATE 8-/// 6 3	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH			
DUDERKIR			7		i	COUNTY	STATE-			
LEASE 1	WELL#		LOCATION	tich 2W2	SZW	MOOR				
OLD OR NEW (C	ircle one)									
CONTRACTOR	Ette	Em L		OWNER						
TYPE OF JOB	-in en			— CIENTENIO						
HOLE SIZE	· L	<u>T.I</u>		_ CEMENT	DEDED					
CASING SIZE & TUBING SIZE	2_		EPTH EPTH	_ AMOUNT OF	6440 6%	12				
DRILL PIPE			EPTH	3.14.0		o Iméh	•			
TOOL			EPTH		D 09 7 C1					
PRES. MAX			INIMUM	_ COMMON	720	@ 960	115200			
MEAS. LINE			IOE JOINT	POZMIX	දින	@ 529	416 09			
CEMENT LEFT II	V CSG.		,	GEL	70	@ 1500	15000			
PERFS.	•			CHLORIDE_	1 %					
DISPLACEMENT				AŞC						
	EΩ	UIPMEN'	Γ	(D31	7587	@ 67 5	84400			
	LQ	OH WILLIA		DEFORME	N 125#	@ 655	81250			
DUMPTRUCK	CENTENT	red &	s i/			@				
4	CEMENT HELPER	* .	/ ,							
BULK TRUCK	HELFER	<u> </u>	MANIOC	- ,		@				
V7 /	DRIVER	0.				@				
BULK TRUCK	DRIVER		s a y	_		@				
	DRIVER					@				
	<u> </u>	*		HANDLING_		_@ <u>_179</u>	35799			
				MILEAGE	74/5K/	MILE	_ 03(=			
	RE	EMARKS:			·	TOTA	L <u>4589</u>			
Linen De	t e3	725		- -	SERV	ICE				
Partiel	2000	6440	-6				· · · · · · · · · · · · · · · · · · ·			
- CCM - G	23/	6740		_ DEPTH OF JO	K CHARGE		Q1 488			
0100	Dis w	7 7-	L 1/1	EXTRA FOO		@				
- Hand	ALUSC	16	7 700	_ MILEAGE_		@	2959			
Cont de	J Cia	2.C.	Fost hell	_ MANIFOLD _		@ <u></u>				
	, / ,	Λ,								
	HEB	PE+r	olean Corp	· 	RECEIVED					
CITA D CD MO	1191	<u>`</u>			UN 2 6 2006					
CHARGE TO:	H		-		014 2 8 2000	$T \cap T \Lambda$	L 114500			
STREET	0 Bo,	x 27	7 /a . = a	- KC	C WICHITA	IOIA				
CITY E//inwo	s'	TATE _X	5 ZIP 6 75	<u>م</u> ر6	PLUG & FLOA	T EQUIPME	ENT			
•				11110	Lho 1-	@	1000			
				1-45 74	wer !	@	20000			
To Allied Cemen	•			1-48 Butt	well Floot shoe	@	270			
•	-		menting equipment							
and furnish ceme		•				ಆ				
			The above work was			mom+	L 3380			
			n of owner agent or			TOTA	L _ <u> </u>			
			nd the "TERMS ANI	D TAY						
CONDITIONS"	listed on	the revers	se side.	1AX		-				
				TOTAL CHAI	RGE					
		/		DISCOUNT -		IF PA	AID IN 30 DAYS			
	M		, 0							
SIGNATURE	1 1 /	home	world		<u> </u>					
			•		PRINT	TED NAME				