

RECEIVED

MAY 18 2006

KCC WICHITA WELL HISTORY - DESCRIPTION OF WELL & LEASE

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM

ORIGINAL

Form ACO-1 September 1999 Form Must Be Typed

Operator: License # 32639 Name: CORAL PRODUCTION CORP. Address: 1600 STOUT ST, SUITE 1500 City/State/Zip: DENVER, CO 80202 Purchaser: Coffeeville Operator Contact Person: JIM WEBER Phone: (303) 623-3573 Contractor: Name: DISCOVERY DRILLING CO., INC. License: 31548 Wellsite Geologist: TIM LAUER

Designate Type of Completion: [X] New Well [ ] Re-Entry [ ] Workover [X] Oil [ ] SWD [ ] SIOW [ ] Temp. Abd. [ ] Gas [ ] ENHR [ ] SIGW [ ] Dry [ ] Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows: Operator: Well Name: Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to Enhr./SWD Plug Back Plug Back Total Depth Commingled Docket No. Dual Completion Docket No. Other (SWD or Enhr.?) Docket No. 3/22/06 3/29/06 5/21/06 3-29-04 Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - 185-23348-00-00 County: STAFFORD W/2 NE SW NE Sec. 36 Twp. 21 S. R. 14 [ ] East [X] West 1655 feet from S / (N) (circle one) Line of Section 1850 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner: (circle one) (NE) SE NW SW Lease Name: MCGINTY Well #: 5 Field Name: MCGINTY


Producing Formation: LANSING/ Elevation: Ground: 1922' Kelly Bushing: 1930' Total Depth: 3756' Plug Back Total Depth: 3751' Amount of Surface Pipe Set and Cemented at 373.48' Feet Multiple Stage Cementing Collar Used? [ ] Yes [X] No If yes, show depth set Feet If Alternate II completion, cement circulated from feet depth to w/ sx cmt. A11-Dlg-11/04/02

Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content 13,000 ppm Fluid volume 160 bbls Dewatering method used HAUL FREE FLUIDS Location of fluid disposal if hauled offsite: Operator Name: JOHN J. DORAH Lease Name: ANSHUTZ #2 SWD License No.: 5088 Quarter NE Sec. 15 Twp. 21 S. R. 14 [ ] East [X] West County: STAFFORD Docket No.: D-17893

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: J.R. Weber Title: PRESIDENT Date: Subscribed and sworn to before me this 15 day of May 20 06 Notary Public: Stacy R. Springston Date Commission Expires: 21, 2009



KCC Office Use ONLY Letter of Confidentiality Received If Denied, Yes [ ] Date: Wireline Log Received Geologist Report Received UIC Distribution

Operator Name: CORAL PRODUCTION CORP. Lease Name: MCGINTY Well #: 5  
 Sec. 36 Twp. 21 S. R. 14  East  West County: STAFFORD

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>DUAL INDUCTION LOG 3752'-SURFACE</b> <b>COMP. DENSITY/NEUTRON 3730'-2900'</b> <b>MICRO LOG 3753'-2900'</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>HEEBNER</td> <td>3265'</td> <td>-1335</td> </tr> <tr> <td>TORONTO</td> <td>3287'</td> <td>-1357'</td> </tr> <tr> <td>LANSING</td> <td>3397'</td> <td>-1467'</td> </tr> <tr> <td>BKC</td> <td>3618'</td> <td>-1688</td> </tr> <tr> <td>ARBUCKLE</td> <td>3749'</td> <td>-1819'</td> </tr> </table>	Name	Top	Datum	HEEBNER	3265'	-1335	TORONTO	3287'	-1357'	LANSING	3397'	-1467'	BKC	3618'	-1688	ARBUCKLE	3749'	-1819'
Name	Top	Datum																	
HEEBNER	3265'	-1335																	
TORONTO	3287'	-1357'																	
LANSING	3397'	-1467'																	
BKC	3618'	-1688																	
ARBUCKLE	3749'	-1819'																	

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4"	8 5/8"	23	373.48'	COMMON	300	3% CC, 2% GEL
PRODUCTION	7 7/8"	5 1/2"	15.5	3751'	ASC	150	5#/SK KOLSEAL

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose: <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
RECEIVED MAY 18 2006 KCC WICHITA				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	3439'-46'; 3467'-70'; 3518'-26'; 3538'-45'; 3557'-64'	500 gal 15% mud acid each interval;	
	3578'-88'	retreated w/1500 gal 20% HCl;	

TUBING RECORD	Size <b>2 7/8"</b>	Set At <b>3637.62'</b>	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. <b>5/13/06</b>		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls. <b>65</b>	Gas Mcf <b>80</b>	Water Bbls.	Gas-Oil Ratio <b>36</b>

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_



# ALLIED CEMENTING CO., INC.

24132

Federal Tax I.D.#

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

*Mreat Bend*

DATE <u>3-22-06</u>	SEC. <u>36</u>	TWP. <u>21</u>	RANGE <u>14W</u>	CALLED OUT <u>5<sup>00</sup> PM</u>	ON LOCATION <u>9<sup>00</sup> AM</u>	JOB START <u>11<sup>00</sup> AM</u>	JOB FINISH <u>12<sup>00</sup> PM</u>
LEASE <u>McJinty</u>	WELL # <u>5</u>	LOCATION <u>Seward west Edge 1/2 N W4</u>			COUNTY <u>Sto. Co.</u>	STATE <u>K.S.</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Discory Drilling #2

TYPE OF JOB Surface

HOLE SIZE 14 1/2 T.D. 374 #

CASING SIZE 23 # 8 5/8 DEPTH 373 #

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15 #

PERFS. \_\_\_\_\_

DISPLACEMENT 22 bbl

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 300 OR Common

37cc 2 7/8 gal

EQUIPMENT

PUMP TRUCK CEMENTER Mike m

# 120 HELPER J.P. D

BULK TRUCK # 344 DRIVER Don D.

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>300 gal</u>	@	<u>9.60</u>	<u>2880.00</u>
POZMIX		@		
GEL	<u>6 gal</u>	@	<u>15.00</u>	<u>90.00</u>
CHLORIDE	<u>9 gal</u>	@	<u>48.00</u>	<u>378.00</u>
ASC		@		

RECEIVED

MAY 18 2006

KCC WICHITA

HANDLING	<u>315.44</u>	@	<u>1.70</u>	<u>535.50</u>
MILEAGE	<u>315.44</u>	07	<u>14</u>	<u>308.70</u>
TOTAL				<u>4196.20</u>

REMARKS:

Circulate Hole with Rig mud pump  
Mix Cement + Displace it  
Down with water

Cement did Circulate  
To Surface

SERVICE

DEPTH OF JOB	<u>373 #</u>			
PUMP TRUCK CHARGE				<u>735.00</u>
EXTRA FOOTAGE	<u>73'</u>	@	<u>60</u>	<u>4380</u>
MILEAGE	<u>14</u>	@	<u>5.00</u>	<u>70.00</u>
MANIFOLD		@		

CHARGE TO: Coral Production Corp

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TOTAL 8480

PLUG & FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Thomas Alm

SIGNATURE Thomas Alm

PRINTED NAME

# ALLIED CEMENTING CO., INC.

24185

Federal Tax I.D.:

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Creat Bend

DATE <u>3-29-06</u>	SEC. <u>36</u>	TWP. <u>21</u>	RANGE <u>14 W</u>	CALLED OUT <u>7:30 pm</u>	ON LOCATION <u>9:00 pm</u>	JOB START <u>2:20 am</u>	JOB FINISH <u>2:20 am</u>
LEASE <u>McGinty</u>	WELL # <u>#5</u>	LOCATION <u>North end of Seward - west</u>			COUNTY <u>Stafford</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)			<u>to Dead end - West into Location</u>				

CONTRACTOR Discovery Drilling "2"

TYPE OF JOB hang string 5 1/2

HOLE SIZE 7 7/8 T.D. 3751

CASING SIZE 5 1/2 DEPTH 3707

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT

CEMENT LEFT IN CSG. 12'

PERFS. \_\_\_\_\_

DISPLACEMENT 90 1/2 BBLs

EQUIPMENT \_\_\_\_\_

PUMP TRUCK # 120 CEMENTER Jack

BULK TRUCK # \_\_\_\_\_ HELPER J.P.O.

BULK TRUCK # \_\_\_\_\_ DRIVER Steve

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

OWNER Coral Production Corp.

CEMENT

AMOUNT ORDERED 15000 lbs ASC with 5 lbs Kel-seal per sq + 500 gal mixed flush

COMMON	@		
POZMIX	@		
GEL	@	<u>344</u>	<u>4500</u>
CHLORIDE	@		
ASC	@	<u>11.80</u>	<u>1770.00</u>
<u>Kel Seal</u>	@	<u>7.50</u>	<u>487.50</u>
<u>AS Flush</u>	@	<u>5.00</u>	<u>500.00</u>
<u>SALT</u>	@	<u>17.30</u>	<u>155.70</u>

HANDLING	@	<u>1.70</u>	<u>316.20</u>
MILEAGE	@	<u>14</u>	<u>200.00</u>
TOTAL			<u>3474.40</u>

REMARKS:

Run 99' to 8 1/2" casing shown @ 3751  
Circ to Bottom - 12' of fill cement patches  
15' of mouse hole box - Run 500 gal of flush  
cement cas with 125 sq cement Displace plug  
with 90 1/2 BBLs of fresh water - plug below @  
1370'

*Thanks*

CHARGE TO: Coral Production Corp.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB	<u>3751'</u>		
PUMP TRUCK CHARGE			<u>1450.00</u>
EXTRA FOOTAGE	@		
MILEAGE	@	<u>14</u>	<u>70.00</u>
MANIFOLD	@		
TOTAL			<u>1520.00</u>

RECEIVED

MAY 18 2006

KCC WICHITA

PLUG & FLOAT EQUIPMENT

<u>1-5/8 Latch down plug</u>	@	<u>350.00</u>	<u>350.00</u>
<u>1-5/8 Packin Shoe</u>	@	<u>132.50</u>	<u>132.50</u>
<u>1-5/8 Basket</u>	@	<u>140.00</u>	<u>140.00</u>
<u>6-5/8 Centralizers</u>	@	<u>500.00</u>	<u>300.00</u>
TOTAL			<u>215.00</u>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Joe Borla

Joe Borla  
PRINTED NAME