For KCC Use:	10-10-2009
Effective Date:	1010001
District #	<u></u>
SGA2 Vec	Nic

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

SGA? Yes No		ITENT TO DRILL  e (5) days prior to commencing well	planks must be Filled
Name: Carmen Schmitt Inc. Address 1: P.O. Box 47	October 20, 2009  month day year  6569	Spot Description:  SE NE NW Sec. 11 Twp. 17 S. F  (G/G/G/G) 990 feet from N /  2,310 feet from E / [  Is SECTION: Regular Inregular?	S Line of Section
City: Great Bend	State: KS Zip: 67530 + 0047 nmitt	( <b>Note</b> : Locale well on the Section Plat on rever County: Lane Lease Name: Wilkens	
	5929 /	Field Name:  Is this a Prorated / Spaced Field?  Target Formation(s): Mississippian	Yes No
Well Name:	Pool Ext. Air Rotary  Al Xwildcat Cable  Other	Ground Surface Elevation: 2850  Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 180' Depth to bottom of usable water: 180' Surface Pipe by Alternate: I I I I I I I I I I I I I I I I I I I	feet MSL Yes No
Bottom Hole Location:	ontal wellbore? Yes No	Water Source for Drilling Operations:  Well Farm Pond Other:  DWR Permit #:  (Note: Apply for Permit with DWR Will Cores be taken?  If Yes, proposed zone:	
The condensioned barely of		FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq.	RECEIVED
It is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsoli 4. If the well is dry hole, 5. The appropriate distr 6. If an ALTERNATE II	g minimum requirements will be met: e district office <i>prior</i> to spudding of well; ed notice of intent to drill <i>shall be</i> posted on each at of surface pipe as specified below <i>shall be set</i> dated materials plus a minimum of 20 feet into the an agreement between the operator and the dist ict office will be notified before well is either plugg COMPLETION, production pipe shall be cemente	defilling rig; by circulating cement to the top; in all cases surface pipe shade underlying formation. rict office on plug length and placement is necessary prior to get or production casing is cemented in; defined below any usable water to surface within 120 DAYS of	o plugging; i spud date.
must be completed w	ndix "B" - Eastern Kansas surface casing order #1 vithin 30 days of the spud date or the well shall be ements made herein are true and correct to the b		ementing.
Date: 10-3-09	Signature of Operator or Agent:	• Operation	s Manager
For KCC Use ONLY  API # 15 / D/ - O  Conductor pipe required  Minimum surface pipe required  Approved by	Mone feet det 200 feet per ALT. I I	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud dat - File acreage attribution plat according to field proration or - Notify appropriate district office 48 hours prior to workove - Submit plugging report (CP-4) after plugging is completed - Obtain written approval before disposing or injecting salt of this permit has expired (See: authorized expiration date check the box below and return to the address below.	ders; r or re-entry: d (within 60 days); water. ) please
Spud date:	Agent:	Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:	$\overline{\mathbb{Z}}$


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 101 -22199-00-00					
Operator: Carmen Schmitt Inc.  Lease: Wilkens		feet from N / S Line of Section			
Well Number: 1	2,310	feet from N / S Line of Section feet from E / W Line of Section			
Field:	Sec. 11 Twp. 17	S. R. 30 E 🔀 W			
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:  SE . NE . NW	ls Section: Regular or	Irregular			
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NE SE SW				

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Carmen Schmitt Inc.		License Number: 6569					
Operator Address: P.O. Box 47		915	Harrison	Great Bend	KS	67530	
Contact Person: Carmen Schmitt			Phone Number: 620.793.5100				
Lease Name & Well No.: Wilkens	1		Pit Location (QQQQ):				
Type of Pit:	Pit is:		SE NE NW				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 11 Twp. 17 R. 30 East West				
Settling Pit Drilling Pit	If Existing, date constructed:		990 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		2,310 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	1 500	(bbls)	Lane				
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l				
		<u> </u>	(For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?  Yes No	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is not used?  Beat.				
Pit dimensions (all but working pits):	00 Langth /fr	100	Width (feet)		N/A: Stee	i Pits	
	om ground level to de				No Pit	, , , , ,	
If the pit is lined give a brief description of the		F		naintenance and deter	mining		
			including any special monitoring.				
		Visual inspection					
						<u> </u>	
			90 /20				
		Depth to shallowest fresh water 90 120 feet. Source of information:					
SILS feet Depth of water well 184 feet mea			sured   Well owner   electric log   KDWR				
Emergency, Settling and Burn Pits ONLY:			kover and Haul-Off Pits ONLY:				
			terial utilized in drilling/workover: Bentonite				
			Number of working pits to be utilized: 4  Abandonment procedure: Evaporate and backfill				
		Abandonment	procedure: Lyapo	nate and backing			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill		Drill pits must	be closed within 365	days of spud date	DE0-		
I hereby certify that the above state	ements are true and	correct to the bes	st of my knowledge a	nd belief.	RECE	IVED	
, , , , , , , , , , , , , , , , , , ,					OCT 0	5 2009	
10-3-09 Date			Signature of Applicant	or Agent K	CC WI	CHITA	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
Date Received: 10/5/07 Permit Num	nber:	Perm	nit Date: 10/5	Lease Inspectio	n: Yes	K No	