For KCC Use: Effective Date: District #

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

		Must be	approved by KCC five	(5) days prior to commencing well	
Expected Spud Date:	November	5	2009	Spot Description:	
	month	day	year	SE _nw _se _Sec. 5 _Twp. 1 _S.	R. <u>35</u>
	34191			(0/0/0/0) 1.513 feet from N /	
OPERATOR: License# Name: Reeder Operating, LLC	0			1,500 feet from E /	
Address 1: 4925 Greenville A	ve. Suite 1400	-		ls SECTION: Regular Irregular?	_
Address 2:				(Note: Locate well on the Section Plat on rev	erse side)
City: Dallas	State: TX	Zip: <u>7</u>	5206 +	County: Rawlins	100 0100)
Contact Person: Jeffrey J. Ha	arwell		1 to	Lease Name: Walter	Well #: 10-5
Phone: 214-373-7793 (ext 259	<u>)</u>	~ ~~		Field Name: None	
CONTRACTOR: License#	33575			Is this a Prorated / Spaced Field?	Yes XNo
Name: WW Drilling, LLC				Target Formation(s): Lansing-Kansas City	
	Mail Class	π.,,	o Equipment:	Nearest Lease or unit boundary line (in footage): 1500 ft	
Well Drilled For:	Well Class:		e Equipment:	Ground Surface Elevation: 3127 ft	feet MSL
Oil / Enh Re			Mud Rotary	Water well within one-quarter mile:	☐Yes 🗓 No 🖊
Gas Storage			Air Rotary	Public water supply well within one mile:	Yes X No
Disposa # of l	<u> </u>	.17	Cable	Depth to bottom of fresh water: 150 ft	
Seismic ; # of I				Depth to bottom of usable water: 150 ft	
Omer				Surface Pipe by Alternate: XI III	
If OWWO: old well in	formation as follo	ws:		Length of Surface Pipe Planned to be set: 275	
Operator:				Length of Conductor Pipe (if any): None	
Well Name:				Projected Total Depth: 4800 ft	
Original Completion Date				Formation at Total Depth: Base of Kansas City	
Original Completion Date	··	Original Tox	/	Water Source for Drilling Operations:	
Directional, Deviated or Horiz	contal wellbore?		☐Yes∑No	Well Farm Pond Other:	***************************************
If Yes, true vertical depth:				DWR Permit #:	
Bottom Hole Location:				(Note: Apply for Permit with DWR	
KCC DKT #:				Will Cores be taken?	☐Yes XNo
				If Yes, proposed zone:	
eplaces 15-153-20	872-00-00	(Canca	iled \		DE0="
•				IDAVIT	RECEIVED
The undersigned hereby at	firms that the dr	illing, comp	oletion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.	0.000
It is agreed that the following	ng minimum requ	uirements v	vill be met:		OCT 0 8 2009
1. Notify the appropriat	e district office	<i>prior</i> to spu	idding of well;		
2. A copy of the approv	ed notice of inte	ent to drill s	<i>hall be</i> posted on each	drilling rig;	CC WICHITA
The minimum amount	nt of surface pip	e as specifi	ed below shall be set t	drilling rig; by circulating cement to the top; in all cases surface pipe s underlying formation.	Hairbe seti OIIII/
through all unconsol	idated materials	plus a min	imum of 20 feet into the	e underlying formation. rict office on plug length and placement is necessary <i>prior</i>	to plugging:
If the well is dry note The appropriate dist	, an agreement rict office will be	notified he	fore well is either plugg	ed or production casing is cemented in;	to progging,
6. If an ALTERNATE II	COMPLETION.	production	pipe shall be cemented	d from below any usable water to surface within 120 DAYS	of spud date.
Or pursuant to Appe	ndix "B" - Easter	rn Kansas :	surface casing order #1	33,891-C, which applies to the KCC District 3 area, alterna	ate II cementing
				plugged. In all cases, NOTIFY district office prior to any	/ cementing.
I hereby certify that the sta	tements made h	nerein are t	rue and correct to the b	est of my knowledge and belief.	
7 Oct 2009				VP, Ope	rations
Date: 1 Oct 2000	Signature c	of Operator	or Agent	Title:	
			- (/ U/\/	Remember to:	O.
For KCC Use ONLY	2- 002			 File Drill Pit Application (form CDP-1) with Intent to Dril 	The state of the s
API # 15 - /53 -	20882		~	- File Completion Form ACO-1 within 120 days of spud of	
Conductor pipe required	Nor	e.	_ feet	- File acreage attribution plat according to field proration	
	4	00	_feet per ALT.	 Notify appropriate district office 48 hours prior to worke Submit plugging report (CP-4) after plugging is comple 	tod (within 60 days):
Minimum surface pipe rec			Fieer her VET []	Obtain written approval before disposing or injecting sa	
Approved by Lunt 10	10-8-2	MAC		If this permit has expired (See: authorized expiration day)	
This authorization expires	, 		ather of superconduct data.	check the box below and return to the address below.	· ·
(This authorization void if d.	rilling not started v	viania 12 moi	ння от арргочат дате.)	Well Not Drilled - Permit Expired Date:	m
Spud date:	Agent: _			Signature of Operator or Agent:	\boxtimes
I ODUU UAIB.	AUCIII				

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 153-20882-00-00		
Operator: Reeder Operating, LLC	Location of Well: County: Rawlins	
Lease: Walter	1,513 feet from N / X S Line of Section	
Well Number: 10-5	1,500 feet from E / W Line of Section	
Field: None	Sec. <u>5</u> Twp. <u>1</u> S. R. <u>35</u> E X W	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SE _ nw _ se	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SE	

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

		:				: :	.
	• .				-		
					•		•
							•
	: '					:	
	•	•			-		
			. :		•		- 1
	•					•	
				1			
					•	•	•
				1			
				1			
				1			I
	-					1	
			•		•	•	: :
			•				• [
					•		- ,
				1			. !
	•				•	•	
	•		•	1	•	•	
					•		•
	_			1			
	•		•		•	-	
	-		•	1	•		
				1			,
				i .			
				,			
				1			•
				4			. !
	•		-	1	-	•	
				1	•		• 1
				1			• 1
	-			1		-	_
	•		•			•	•
	•		•		•	•	•
	•						
	•				•		•
	•		·	<u> </u>	·	•	•
	•	•		5	•	•	•
				5 —	•		•
	: :	· · ·		5 —	<u> </u>	:	
				5 —	<u> </u>	:	
	•		{	5 —	<u> </u>	:	-
				<u> </u>	<u>'</u>		
	•			5 —	<u>, </u>	:	
		•		5	<u>'</u>		
				5 —	<u>'</u>		
				5	<u>'</u>		
				• — ·	<u>. </u>		
				• ——	<u> </u>		
	•			·			
				· —	·		
		•					
****			,	·			
				·			
			,				
	.,,,,,						
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
			,				
					•••••		00'
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		•••••	15	00'
			,			, , ,	00'
			,			15	00'
			,			, 15	00'
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			4 15	00'
						, / <u>c</u>	00'
						, 15	00'
						, 1 <u>5</u>	00'
						4 / 5	00'
						/5	00'
						15	00'
						/5	00'
						15	100'
						15	00'
						/5	00'
						15	00'
						15	700'
						15	,00°
						/5	00'
						/2	100'
						15	700 '
						15	00'
			3		, ,	15	00'
					, (5)	12	100'
					1,3,	15	00'
					7.3	15	700'
			3		5/3,	15	00'
					5/3'	15	00'
					5/3	/2	.00°
					15/3'	15	,00°
					/5/3/	15	700'
					15/3'	15	.00°
					/5/3/	/ / /	
					/5/3'	/5	100'
					15/3'	12	700 '
					/5/3′	15	00'
					/5/3'	15	00'
					/5/3'	/2	100'

RECEIVED OCT 0 8 2009 KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Reeder Operating, Ll	_C	License Number: 34191					
Operator Address: 4925 Greenville	Ave. Suite 1	Dallas TX 75206					
Contact Person: Jeffrey J. Harwell			Phone Number: 214-373-7793 (ext 259)				
Lease Name & Well No.: Walter	10-	-5	Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>SE</u> . <u>NW</u> . <u>SE</u>				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 5 Twp. 1 R				
Settling Pit Drilling Pit	If Existing, date co	onstructed:	1,513 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		1 500	East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity: (bbls)		Rawlins	County			
Is the pit located in a Sensitive Ground Water	Area? Yes X		Chloride concentration:	mg/l			
is the proposed in a constitute creams reads.				s and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic	liner is not used?			
Yes No	Yes XI	No	Native Clay				
Pit dimensions (all but working pits):	50 Length (fe	et) 50	Width (feet)	N/A: Steel Pits			
	rom ground level to de	eepest point:	(feet)	No Pit			
If the pit is lined give a brief description of the			edures for periodic maintenance	and determining			
material, thickness and installation procedure	е.	liner integrity, i	including any special monitoring.				
Distance to nearest water well within one-mil	e of pit		llowest fresh water 225 feet.				
N/A feet Depth of water well _	Source of information: Main						
Emergency, Settling and Burn Pits ONLY	:	Drilling, Worl	Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of materi	rial utilized in drilling/workover: Drilling Mud orking pits to be utilized:2				
Barrels of fluid produced daily: Abandonment			t procedure: Air dry and back fill				
Does the slope from the tank battery allow all spilled fluids to				以			
flow into the pit? Yes No		Drill pits must	be closed within 365 days of spu	IM			
t hereby certify that the above statements are true and correct to the best of my knowledge and belief.							
		ZKN L	Hatmill	OCT 0 8 2009			
7 Oct 2009 Date			Signature of Applicant or Agent	KCC WICHITA			
	KCC	OFFICE USE C	ONLY Steel Pit	RFAC RFAS			
Date Received: 10/8/09 Permit Nur	mber:	Pern	nit Date: 10/8/09 Lease	Inspection: Yes No			