For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: November 4 2009		
	Spot Description: 60°E of	
month day year	NW_NE _ NE _ Sec. 4 _ Twp. 8 _ S.	B 24W □ E 17 W
ODEDATOR: Linear 33813	(a/a/a/a) 330 feet from XN /	
OPERATOR: License# 53013 V Name: JASON OIL COMPANY	930 feet from X E /	
Address 1: P.O. Box 701	Is SECTION: X Regular Irregular?	-
Address 2:	(Note: Locate well on the Section Plat on reve	erse side)
City: Russell state: KS zip: 67665+	County: Graham	noo alaay
Contact Person, J.L. Schoenberger Phone: (785) 483-4204	Lease Name: GOFF	Well #:1
Filone.	Field Name: Wildcat Nana	<u> </u>
CONTRACTOR: License# 31548	Is this a Prorated / Spaced Field?	Yes X No
Name: Discovery Drilling Co., Inc.	larger Formation(s):	<u> </u>
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):	<u>) </u>
XOil	Ground Surface Elevation: 2389 2325 EGL	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes X No
Disposal XWildcat Cable	Public water supply well within one mile:	Yes X No
Seismic ; # of Holes Other	Depth to bottom of tresh water: 1200	
Other:	Depth to bottom of usable water:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200	-
Operator:	Length of Conductor Pine (if any): None -	•
Well Name:	Projected Total Depth: 4200'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Marmaton	
/	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes X No	Weil X Farm Pond Other:	
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DWR	
	Will Cores be taken? If Yes, proposed zone:	Yes X No
	n les, proposes zone.	
AFFI	DAVIT R	ECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug-		
The dideraigned hereby diffins that the diffining, completion and eventual plug		FOLIVED
It is agreed that the following minimum requirements will be met:		· -
		CT 1 5 2009
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ging of this well will comply with K.S.A. 55 et. seq.	CT 1 5 20 09
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	ging of this well will comply with K.S.A. 55 et, seq. O(Irilling rig; circulating cement to the top; in all cases surface process.	CT 1 5 20 09
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ging of this well will comply with K.S.A. 55 et. seq. Of irilling rig; refrequenting cement to the top; in all cases surface productions of the control of	CT 1 5 2009 CMUCHITA
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the st	ging of this well will comply with K.S.A. 55 et. seq. Of irilling rig: circulating cement to the top; in all cases surface prior anderlying formation. It office on piug length and placement is necessary prior d or production casing is cemented in;	CT 1 5 2009 CiMUCHITA to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the st	pring of this well will comply with K.S.A. 55 et. seq. Of irilling rig: or circulating cement to the top; in all cases surface prior anderlying formation. or office on piug length and placement is necessary prior or production casing is cemented in; from below any usable water to surface within 120 DAYS.	CT 1 5 2009 CalMANCHITA to plugging; of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the drill of the second of the secon	ging of this well will comply with K.S.A. 55 et. seq. Of irilling rig; circulating cement to the top; in all cases surface process underlying formation. It office on piug length and placement is necessary prior or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternated in the complex of the comp	CT 1 5 2009 CalMolCHITA to plugging; of spud date. te II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	drilling rig: circulating cement to the top; in all cases surface prior dor production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternat lugged. In all cases WOTIFY district office prior to any	CT 1 5 2009 CalMolCHITA to plugging; of spud date. te II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the eta. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugger to the spud date or the well shall be plugger.	pring of this well will comply with K.S.A. 55 et. seq. Of circulating cement to the top; in all cases surface prior anderlying formation. It office on piug length and placement is necessary prior or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternating dugged. In all cases WOTIFY district office prior to any set of my knowledge and belief.	CT 1 5 2009 CalMolCHITA to plugging; of spud date. te II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	drilling rig; circulating cement to the top; in all cases surface prior to rorduction casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternating of my knowledge and belief.	CT 1 5 2009 CalMolCHITA to plugging; of spud date. te II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the eta. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugger to the spud date or the well shall be plugger.	Inilling rig; Inilling rig; Incirculating cement to the top; in all cases surface pipes of circulating cement to the top; in all cases surface pipes of control of co	CT 1 5 2009 CalMolCHITA to plugging; of spud date. te II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugger than the statements made herein are true and correct to the best of the contract of the plugger of the spud date or the well shall be plugger to the plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger or the spud date or the well shall be plugger or the spud date or the well shall be plugger or the spud date or the well shall be plugger or the well shall be plugger or the spud date or the well shall be plugger or the spud date or the spud date or the spud date or the sp	Irilling rig; circulating cement to the top; in all cases surface prior dor production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternating at of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	CT 1 5 2009 CalMUCHITA to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugger. I hereby certify that the statements made herein are true and correct to the best of the complete of the plugger. For KCC Use ONLY API #15 - O65 - 23590-0000	Irilling rig; circulating cement to the top; in all cases surface process underlying formation. It office on piug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatingged. In all cases NOTIFY district office prior to any st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud days.	CT 1 5 2009 CaiNALCHITA to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	Irilling rig; circulating cement to the top; in all cases surface prior dor production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatingged. In all cases NOTIFY district office prior to any st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to field proration of	CT 1 5 2009 CalMUCHITA to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the driving all unconsolidated materials plus a minimum of 20 feet into the driving the well is dry hole, an agreement between the operator and the district of the well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. 7. It is a conductor to the best of the productor of the productor pipe required in the productor pi	Irilling rig; circulating cement to the top; in all cases surface process underlying formation. It office on piug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatingged. In all cases NOTIFY district office prior to any st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud days.	ct 1 5 2009 Combile HITA to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office of intent to drill <i>shall be</i> posted on each of the district office of the district office will be notified before well is either of the district of the notified before well is either of the district of the notified before well is either of the district of the notified before well is either of the district of the notified before well is either of the notified before w	Irilling rig; Ir	ct 1 5 2009 CallAblicHITA to plugging; of spud date. te II cementing cementing. te; orders; er or re-entry; ed (within 60 days); t water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	Irilling rig; Ir	ct 1 5 2009 CallAblicHITA to plugging; of spud date. te II cementing cementing. te; orders; er or re-entry; ed (within 60 days); t water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the other will be districted. If the well is dry hole, an agreement between the operator and the districted. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be demented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugger. I hereby certify that the statements made herein are true and correct to the best of the complete of the complete of the plugger. Oct. 11, 2009 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Old 5 - 23 5 9 - OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	Irilling rig; Ir	contact the contact to the contact the con
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the object of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted by that the statements made herein are true and correct to the best of the complete of the post of the production of the prior to drive the production of the prod	Irilling rig; Ir	ct 1 5 2009 CallAblicHITA to plugging; of spud date. te II cementing cementing. te; orders; er or re-entry; ed (within 60 days); t water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the etal of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: 1. hereby certify that the statements made herein are true and correct to the best of the conductor pipe required 2. Signature of Operator or Agent: 2. Conductor pipe required 3. More 4. If the well is dry hole, an agreement between the operator or Agent: 4. If the well is dry hole, an agreement between the operator or the district of the district of the district of the surface of the properties of the spud date or the well shall be plate: 5. The appropriate district office will be notified before well is either plugger of the spud date or the well is either plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of	Irilling rig; Irilling rig; Irilling rig; Iricrculating cement to the top; in all cases surface process Irilling rig; Irilling rig; Iricrculating cement to the top; in all cases surface process Irilling rig; Iril	contact the contact to the contact the con

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 065-235 90-00-00 Operator: JASON OIL COMPANY	Location of Well: County: Graham
Well Number: Wildcat Wildcat	330 feet from
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: X Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used:NENWSESW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:	:	•		:	33 0 '	
	: 	:				9	30 '
!		:				:	:
	• •••••		:			: 	· · · · · · · · · · · · · · · · · · ·
	:						
		: 	: 		: 	: 	:
		:					•
		:	<u> </u>	·	:	:	:
********				**********	********	*******	•
	******		******				···········



NOTE: In all cases locate the spot of the proposed drilling locaton.

Graham Co., KS

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		· · ·	***************************************	
Operator Name: JASON OIL COMPANY		License Number: 33813		
Operator Address: P.O. Box 701	Russell, KS	67665		
Contact Person: J.L. Schoenber	ger		Phone Number: (785)483 - 420	4
Lease Name & Well No.: GOFF # 1			Pit Location (QQQQ): 60 E of	
Type of Pit:	Pit is:		NW NE NE	
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 4 Twp. 8S R. 24W	ast [X] West
Settling Pit X Drilling Pit	If Existing, date constructed:		330 Feet from X North / Sc	outh Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		930 Feet from [X] East / [] W	est Line of Section
(If WP Supply API No. or Year Drilled)	3000	(bbls)	Graham	County
s the pit located in a Sensitive Ground Water	Area? Yes X] No	Chloride concentration:	mg/l
	L Augustina o		(For Emergency Pits and Settling I	
Is the bottom below ground level?	Artificial Liner?	No	Clay soil, native and fres	J
Pit dimensions (all but working pits):			5	A: Steel Pits
Depth fr	om ground level to de	epest point:	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		l	edures for periodic maintenance and determin noluding any special monitoring.	iing
,				
Distance to nearest water well within one-mile	e of pit		owest fresh water \\ \text{\chi_{\chi}} feet.	
Source of ir		Source of informeas:	rmation: ured well owner electric log	(A) KDWR
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	
Producing Formation:			al utilized in drilling/workover: Fresh Mu	ıd
Number of producing wells on lease:		Number of wor	rking pits to be utilized:3	
Barrels of fluid produced daily: Abandonment p		procedure: Allow liquid conter	its to	
Does the slope from the tank battery allow all spilled fluids to		evaporat	e, let cuttings dry and bac	kfill.
flow into the pit? Yes No	op.n.ca ve.ac	Drill pits must	be closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and	correct to the bes	st of my knowledge and belief.	RECEIVED
	\mathcal{C}	/	1 1	NCT 1 5 2000
October 11, 2009		I MIMGA I	U /A	OCT 1 5 2009
Date		\$	Signature of Applicant or Agent K	CC WICHITA
KCC OFFICE USE ONLY				
1 , -				grown grown.
Date Received: 10/15/07 Permit Num	nber:	Perm	nit Date: 10/5/09 ease Inspection:	Yes K No