For KCC Use:	10-26-2009
District #	3
CC42	T./No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

SGA? LYes VNo NOTICE OF IN  Must be approved by KCC five	(5) days prior to commencing well
11 20 2000	
Expected Spud Date:	Spot Description: NE _ SW _ SW _ Sec. 8 _ Twp. 25 _ S. R. 16 _ XE _ W
32709 🗸	(Q/Q/Q/Q) 710 Sec. Wp. 25 S. H. 15 Kec. Wp. 25 S. H. 16 Kec. Wp. 25 S. H
OPERATOR: License#	1,155 feet from E / X W Line of Section
Name: Tim Splechter	Is SECTION: Regular Irregular?
Address 1: 1586 Hwy 54	
Address 2: State: Ks Zip: 66783+	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tim Splechter	County: Woodson
Phone: 620 496 6100	Lease Name: Grisier Well #: 4-09
CONTRACTOR: License#32079	Field Name: Owt Creek
Name: John Leis	Is this a Prorated / Spaced Field?  Target Formation(s): Squirrel
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: NA Lat 996
Oil Chh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 120
Seismic ; # of Holes Other	Depth to bottom of usable water: 230
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40
Operator:	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel
′	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
	(Note: Apply for Permit with DWR
KCC DKT #:	(Note: Apply for Permit with DWR )  Will Cores be taken?  Yes No
KCC DKT #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  PAVIT  Wes No  RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  PAVIT  Wes No  RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  OCT 2 1 2009
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  CCT 2 1 2009  drilling rig;  CCC WICHITA
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  OCT 2 1 2009  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  OCT 2 1 2009  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  CCC WICHITA  circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ct office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  CCC WICHITA  circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  OCT 2 1 2009  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  OCT 2 1 2009  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of the set by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put thereby certify that the statements made herein are true and correct to the best of the spud date.	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  OCT 2 1 2009  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface propriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the surface of the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the surface casing order #13 must be completed	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  OCT 2 1 2009  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the shall be well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE If COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the statements made herein are true and correct to the best paterns.  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:    Compared to the top; in all cases surface pipe   Shall be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the appropriate district office pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the action of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the plant of the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the statements made herein are true and correct to the best paterns.  Signature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:    Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underlying formation.   Compared to the top; in all cases surface pipe shall be set underl
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the shall be well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE If COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the statements made herein are true and correct to the best paterns.  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:    Complete   Proposed zone
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the best Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 207-27521-00-00	Will Cores be taken?  If Yes, proposed zone:    Carrier   Carrier
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the appropriate district office pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the district.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE If COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put to spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the spud date or the well shall be put the sp	Will Cores be taken?  If Yes, proposed zone:    Carrier   Carrier
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the appropriate district office pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the statements made herein are true and correct to the best paterns. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 207-27521-00-00  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:    Pacific Completion Form ACO-1 within 120 days of spud date;   File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;   Notify appropriate district office 48 hours prior to workover or re-entry;   Submit plugging report (CP-4) after plugging is completed (within 60 days);
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the summan amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge of the national summan and the district. The appropriate district office will be notified before well is either plugge of the national summan and the district of the shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  I hereby certify that the statements made herein are true and correct to the best of the statements of the operator of Agent:  For KCC Use ONLY  API # 15 - 207-27521-00-00  Conductor pipe required feet  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:	Will Cores be taken?  If Yes, proposed zone:    Carried   Carried
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the intention o	Will Cores be taken?  If Yes, proposed zone:    Pacific Completion Form ACO-1 within 120 days of spud date;   File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;   Notify appropriate district office 48 hours prior to workover or re-entry;   Submit plugging report (CP-4) after plugging is completed (within 60 days);
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the summan amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge of the national summan and the district. The appropriate district office will be notified before well is either plugge of the national summan and the district of the shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  I hereby certify that the statements made herein are true and correct to the best of the statements of the operator of Agent:  For KCC Use ONLY  API # 15 - 207-27521-00-00  Conductor pipe required feet  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:  Minimum surface pipe required feet per ALT. I Fill Approved by:	Will Cores be taken?  If Yes, proposed zone:    RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the intention o	Will Cores be taken?  If Yes, proposed zone:    RECEIVED

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 207-2 7521-00-00	
Operator: Tim Splechter	Location of Well: County: Woodson
Lease: Grisier	710 feet from N / X S Line of Section
Well Number: 4-09	1,155 feet from E / W Line of Section
Field: Owl Creek	Sec. 8 Twp. 25 S. R. 16 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

### PL AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

:		: :				:	:
:		:					:
:		:				:	•
:		:					
		. ,		l :		•	:
:		:					•
:							:
:		: :	:	:		:	:
	• • • • • • • • •		• • • • • • •		• • • • • • • •	• • • • • • • •	• • • • • • • • •
:		: .				:	
:		:	;			:	:
;		:					•
:		:					
							_
:		:				•	
:		:	:				:
:		: :				:	:
:		: :	•	<b>9</b>		:	:
				<i>-</i>			
:							
:		:					:
:		: :		;			
l ·				l ˈ			
							•
:	1	N-		;	:		
<b>,</b>	n ut	<b>5</b> // <u>:</u>					
	<del>/-</del> /!	8 <del></del>	72				
· · · · · <i>[</i> · · · ·	$\mathcal{C}_{\dots}\mathcal{C}$						
			/h	١ :	:		_
:							
:		:	~	:			:
		:	/2				
· ·			2	l `			
				h .			
			C.	<i>y</i>			
:			1/	1			:
		: :	<i>Y</i>				
:		: :	1.	-			

RECEIVED OCT 2 1 2009 KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

	Suomit in Duplica			
Operator Name: Tim Splechter	License Number: 32709			
Operator Address: 1586 Hwy 54 Yates Center, Ks 66783				
Contact Person: Tim Splechter	Phone Number: 620 496 6100			
Lease Name & Well No.: Grisier 4-09		Pit Location (QQQQ):		
Type of Pit:				
Source of info		owest fresh water		
		over and Haul-Off Pits ONLY:		
		rmation: ured well owner electric log KDWR  kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: shale, limestone, sandstone		
		rking pits to be utilized:1		
Barrels of fluid produced daily: Abandonment		procedure: air dry, backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mus		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
OCT 2 1 2009    O   O   O   O   O   O   O   O   O				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 10/21/09 Permit Number: Permit Date: 10/21/09 Lease Inspection: Yes X No				

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202