

**KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1  
September 1999  
Form Must Be Typed

**ORIGINAL**

Operator: License # 32710  
Name: Laymon Oil II, LLC  
Address: 1998 Squirrel Road  
City/State/Zip: Neosho Falls, KS 66758  
Purchaser: Coffeyville Resources  
Operator Contact Person: Kenneth Laymon  
Phone: (620) 963-2495  
Contractor: Name: company tools  
License: 32710  
Wellsite Geologist: none

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SIOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

<u>08/22/07</u>	<u>08/23/07</u>	<u>08/28/07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 207-27235-00-00  
County: Woodson  
w2-w2-e2-e2 Sec. 29 Twp. 23 S. R. 16  East  West  
2640 feet from S / N (circle one) Line of Section  
1155 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: Robison Well #: 33-07  
Field Name: Vernon  
Producing Formation: Squirrel  
Elevation: Ground: n/a Kelly Bushing: \_\_\_\_\_  
Total Depth: 1123 Plug Back Total Depth: 1114  
Amount of Surface Pipe Set and Cemented at 40' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 40  
feet depth to surface w/ 10 <sup>sq crnt.</sup>

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

*Alt 2-Dig - 1/19/09*

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Kenneth Laymon  
Title: Owner Date: 09-05-07  
Subscribed and sworn to before me this 5<sup>th</sup> day of Sept.  
2007  
Notary Public: Regina Laymon  
Date Commission Expires: \_\_\_\_\_  
NOTARY PUBLIC State of Kansas  
**REGINA LAYMON**  
My Appt. Expires 02-21-09

**KCC Office Use ONLY**

Letter of Confidentiality Attached  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received **RECEIVED**  
 Geologist Report Received **KANSAS CORPORATION COMMISSION**  
 UIC Distribution  
**SEP 11 2007**

CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Laymon Oil II, LLC Lease Name: Robison Well #: 33-07  
 Sec. 29 Twp. 23 S. R. 16  East  West County: Woodson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	40'	common	10	
Production	6 1/4"	2 7/8"	17#	1114'	portland	170 sks	
Tubing		1"	1056'				

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>		Depth
3	1055 - 1082	200 gal 30% HCL acid; frac w/60 sks sand		1055-1082

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr. 08/29/07		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	1				

Disposition of Gas  Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

RECEIVED  
KANSAS CORPORATION COMMISSION  
**SEP 11 2007**

Laymon Oil II, LLC  
1998 Squirrel Road  
Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC  
1998 Squirrel Road  
Neosho Falls, KS 66758

Robison #33-07  
API: 15-207-27235  
Spud Date: 08/22/07  
Comp Date: 08/23/07  
29/23/16 WO CO

Formation	From	To
Soil & Clay	0	8
Shale	8	61
Lime	61	66
Lime & Shale	66	699
Lime	699	708
Big Shale	708	850
Lime & Shale	850	1038
Lime 5'	1038	1043
Black Shale	1043	1045
Mucky Shale	1045	1058
Sand Upper	1058	1080
Shale	1080	1123
Total Depth		1123

Set 40' of 8 5/8" surface, cemented w/10 sks.  
Ran 1114' of 2 7/8" pipe.  
Seating nipple @ 1056'.

RECEIVED  
KANSAS CORPORATION COMMISSION

SEP 11 2007

CONSERVATION DIVISION  
WICHITA, KS

**True Enterprise**  
 Plumbing - Electrical - Heating & Air  
 Trenching & Backhoe - Building Materials  
 1326 Main  
 LeROY, KS 66857  
 (620) 964-2514 • FAX (620) 964-2179

SOLD BY	DATE
	Aug. 22, 2007
NAME Laymon Oil	
ADDRESS	PHONE
CITY Robison	
<input type="checkbox"/> CASH	<input type="checkbox"/> CHARGE
<input type="checkbox"/> C.O.D.	<input type="checkbox"/> PAID-OUT
<input type="checkbox"/> MDSE. RET'D	<input type="checkbox"/> PD. ON ACCT.

QUAN.		DESCRIPTION	PRICE	AMOUNT
10	1	Portland Cement	7.50	75.00
	2			
	3			
6	4	Ice	1.25	7.50
4	5	Gal. Rust Cap	42.99	171.96
	6			
	7			427.16
	8	Tax		22.64
	9			
	10			
	11			
	12			
	13			
	14			
	15			
	16			

Thank you!

RECEIVED BY Samy [Signature]	TOTAL \$449.80
---------------------------------	-------------------

Payment due upon receipt. Minimum finance charge of \$1.00.

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 SEP 11 2007  
 CONSERVATION DIVISION  
 WICHITA, KS

802 N. Industrial Rd.  
 P.O. Box 664  
 Iola, Kansas 66749  
 Phone: (620) 365-5588

**Payless Concrete Products, INC.**



**CONDITIONS**  
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.  
 NOTICE TO OWNER  
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

LAYMON OIL, L.L.C.  
 1998 SQUIRREL RD.

LAYMON OIL  
 54 MI TO WILLOW N TO 200TH RD  
 W 6 MI TO QUAIL RD N 1/2 MI

NEOSHO FALLS KS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	WEIGHT	DRIVER/TRUCK	PLANT/TRANSACTION #
DATE	WELL	LOAD #	YARDS DEL	BATCH #	WATER TRIM	TICKET NUMBER
to Date		5	42.50 yd			

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
 Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.  
 CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.  
 The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.  
 All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.  
 Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.  
 A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.  
 Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**  
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)  
 Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.  
 SIGNED  
 X

**Excessive Water is Detrimental to Concrete Performance**  
**H<sub>2</sub>O Added By Request/Authorized By**  
 GAL X  
 WEIGHMASTER  
 K. J. SOU... 33.07  
 NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.  
 LOAD RECEIVED BY:  
 X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.50	WELL	WELL (10 SACKS PER UNIT)	66.00	561.00
2.00	TRUCKING	TRUCKING CHARGE	40.00	80.00
1.5	TRUCKING			

#15012  
 9/15/07  
 #1298.98

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
417	15:35	15:23	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
LEFT PLANT	ARRIVED JOB	START UNLOADING	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	TIME DUE
148	14:30	14:35		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME
2.5				

Subtotal \$ 641.00  
 Tax % 6.300 40.38  
 Total \$ 681.38  
 ADDITIONAL CHARGE 1 681.38  
 ADD TRUCK TAX 21.26  
 ADDITIONAL CHARGE 2  
**GRAND TOTAL** 702.64

RECEIVED  
 KANSAS CORPORATION COMMISSION

SEP 11 2007

CONSERVATION DIVISION  
 WICHITA, KS

802 N. Industrial Rd.  
 P.O. Box 664  
 Iola, Kansas 66749  
 Phone: (620) 365-5588

**Payless Concrete Products, I.N.C.**



**CONDITIONS**  
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.  
**NOTICE TO OWNER**  
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

LA005  
 LAYMON OIL, L.L.C.  
 1990 SQUIRREL RD.

LA76  
 LAYMON OIL  
 34 W TO WILLIAM N TO 200TH RD  
 3/4 MI TO QUAIL RD N 1/2 MI  
 W 90

MEDSING FALLS KS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	DRIVER/TRUCK	PLANT/TRANSACTION #
01:24:14p	WELL	5	51.00 yd		
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	TICKET NUMBER
08-23-07	5	51.00 yd			
<b>WARNING</b> <b>IRRITATING TO THE SKIN AND EYES</b> Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.  CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.  The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.  All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.  Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.  A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.  Excess Delay Time Charged @ \$50/HR.			<b>PROPERTY DAMAGE RELEASE</b> (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)  Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.  SIGNED X _____		
			<b>Excessive Water is Detrimental to Concrete Performance</b> <b>H<sub>2</sub>O Added By Request/Authorized By</b> GAL X _____  <b>WEIGHMASTER</b> [Signature] #32007  <b>NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.</b>  <b>LOAD RECEIVED BY:</b> X [Signature]		

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.50	WELL	WELL (10 SACKS PER UNIT)	66.00	561.00

3515012  
 9/15/07  
 #119343

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
	15:35	15:23	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
	14:30	14:35		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

Sub Total \$	561.00
Tax @ 6.300	35.34
Total \$	596.34
ADDITIONAL CHARGE 1	1277.72
ADDITIONAL CHARGE 2	
<b>GRAND TOTAL</b>	

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 SEP 11 2007  
 CONSERVATION DIVISION  
 WICHITA, KS