

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

Operator: License # 7117
Name: Colorado Interstate Gas Company
Address: 2 North Nevada
City/State/Zip: Colorado Springs, CO 80903
Purchaser: N/A
Operator Contact Person: Ron Schafer
Phone: (719) 520-4559
Contractor: Name: The Loftis Company
License: 32437
Wellsite Geologist: N/A
Designate Type of Completion:
☐ New Well ☐ Re-Entry ☐ Workover
☐ Oil ☐ SWD ☐ SIOW ☐ Temp. Abd.
☐ Gas ☐ ENHR ☐ SIGW ☒ *Cathodic Protection
☐ Dry ☐ Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: N/A
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
☐ Deepening ☐ Re-perf. ☐ Conv. to Enhr./SWD
☐ Plug Back ☐ Plug Back Total Depth
☐ Commingled ☐ Docket No. _____
☐ Dual Completion ☐ Docket No. _____
☐ Other (SWD or Enhr.?) ☐ Docket No. _____
04/04/07 04/05/07 04/05/07
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 093-21793-0000
County: Kearney
NW NE NE Sec. 29 Twp. 24 S. R. 36 ☐ East ☒ West
640 feet from S (N) (circle one) Line of Section
1250 feet from (E) / W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) (NE) SE NW SW
Lease Name: CIG Well #: C-1091-D
Field Name: El Paso Corporation
Producing Formation: Unknown
Elevation: Ground: 3090' Kelly Bushing: N/A
Total Depth: 50' Plug Back Total Depth: N/A
Amount of Surface Pipe Set and Cemented at 20'/20' Feet
Multiple Stage Cementing Collar Used? ☐ Yes ☒ No
If yes, show depth set N/A Feet
If Alternate II completion, cement circulated from Surface
feet depth to 20' w/ 20 Portland Type I & II 443-1/9/09 1909
Drilling Fluid Management Plan *****NO WET CUTTINGS**
(Data must be collected from the Reserve Pit) Air Rotary Drilling
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: N/A
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Mike Loftis
Title: Owner, Partner Date: 06/24/07
Subscribed and sworn to before me this 24th day of June
202007
Notary Public: May 2
Date Commission Expires: 10-11-2010

KCC Office Use ONLY	
<u>N</u>	Letter of Confidentiality Received
	If Denied, Yes <input type="checkbox"/> Date: _____
	Wireline Log Received
	Geologist Report Received
	UIC Distribution
RECEIVED KANSAS CORPORATION COMMISSION	

JUL 30 2007

M1994
CONSERVATION DIVISION
WICHITA, KS

Operator Name: Colorado Interstate Gas Co. Lease Name: CIG Well #: C-1091-D
 Sec. 29 Twp. 24 S. R. 36 ☐ East ☒ West County: Kearney

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken ☐ Yes ☒ No
 (Attach Additional Sheets)

Samples Sent to Geological Survey ☐ Yes ☒ No

Cores Taken ☐ Yes ☒ No

Electric Log Run ☐ Yes ☒ No
 (Submit Copy)

List All E. Logs Run: N/A

☒ Log Formation (Top), Depth and Datum ☐ Sample
 Name Top Datum
Sandy Soil 0 40
Shale 40 50

CASING RECORD ☒ New ☐ Used
 Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Casing	20"	14"	11.81	20'	Portland	Type I & II	
						20 sacks	

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	N/A			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
N/A			

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input type="checkbox"/> No
N/A					N/A	

Date of First, Resumerd Production, SWD or Enhr.		Producing Method			
N/A		<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
N/A	N/A	N/A	N/A		

Disposition of Gas

METHOD OF COMPLETION

Production Interval

☐ Vented ☐ Sold ☐ Used on Lease
 (If vented, Submit ACO-18.)

☐ Open Hole ☐ Perf. ☐ Dually Comp. ☐ Commingled
☐ Other (Specify) _____

RECEIVED
 KANSAS CORPORATION COMMISSION

JUL 30 2007

CONSERVATION DIVISION
 WICHITA, KS

The Loftis Company
P. O. Box 7847
Midland, Texas 79708

Cementing Report

Cement Date	4/4/2007
Drilled Hole Size(in.)	20"
Drilled Hole Depth(ft.)(Length of Casing/Depth of Cement)	20'
Size of Casing(in.)	14"
Amount of Cement Used	20 sacks
Top of Cement(ft.) Note: Pressure Pumped to Surface	Surface
Slurry Wt.(lbs./gal.)	15.6
Type of Cement	(Neat) Portland Type I & II

CUSTOMER: Colorado Interstate Gas Company

UNIT #: Unit # C-1091-D

LOCATION: Kearney County, Kansas
API #15-093-21793-0000

CEMENTER's REPRESENTATIVE: Mike Loftis/Gilbert Peck

M1994

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 30 2007

CONSERVATION DIVISION
WICHITA, KS