

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32710
 Name: Laymon Oil II, LLC
 Address: 1998 Squirrel Road
 City/State/Zip: Neosho Falls, KS 66758
 Purchaser: Coffeyville Resources
 Operator Contact Person: Kenneth Laymon
 Phone: (620) 963-2495
 Contractor: Name: company tools
 License: 32710
 Wellsite Geologist: none
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
07/31/2007 08/08/03 08/14/07
 Spud Date or Date Reached TD Completion Date or
 Recompletion Date Recompletion Date

API No. 15 - 031-22314-00-00
 County: Coffey
sw - ne - se - ~~se~~ Sec. 3 Twp. 23 S. R. 16 East West
1485 feet from S N (circle one) Line of Section
1155 feet from E W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Bader Well #: 17-07
 Field Name: LeRoy
 Producing Formation: Squirrel
 Elevation: Ground: n/a Kelly Bushing: _____
 Total Depth: 1043 Plug Back Total Depth: 1041
 Amount of Surface Pipe Set and Cemented at 43 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from 43
 feet depth to surface w/ 10 sx cmt.


Alt 2 - Dig - 1/12/04

Drilling Fluid Management Plan
 (Data must be collected from the Reserve Pit)
 Chloride content _____ ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jennith Laymon
 Title: Owner Date: 8/21/07
 Subscribed and sworn to before me this 21 day of August,
2007.
 Notary Public: Regina Laymon
 Date Commission Expires: _____



KCC Office Use ONLY

Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
 KANSAS CORPORATION COMMISSION

AUG 27 2007

Operator Name: Laymon Oil II, LLC Lease Name: Bader Well #: 17-07
 Sec. 3 Twp. 23 S. R. 16 East West County: Coffey

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	43'	portland	10	
Production	6 1/4"	2 7/8"	6.7#	1041'	common	170 sks	2%
Tubing		1"	1.8#	981'			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	
		Amount	Depth
3	984 - 994	200 gal 30% HCL Acid; frac w/60 sks sand	984-994

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enh. 08/14/07			Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	.5				

Disposition of Gas Vented Sold Used on Lease *(If vented, Sumit ACO-18.)*
 METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 27 2007

CONSERVATION DIVISION
 WICHITA, KS

Laymon Oil II, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

Bader # 17-07
API: 15-031-22314
Spud Date: 07/31/07
Comp Date: 08/03/07
3/23/16 CF CO

Formation	From	To
Soil & Clay	0	14
Sand & Gravel	14	32
Shale	32	177
Lime	177	220
Lime & Shale	220	480
Lime	480	545
Big Shale	545	788
Lime & Shale	788	931
Lime 5'	931	936
Shale	936	973
Cap Rock 1 st	973	974
Sandy Shale	974	978
Cap Rock 2 nd	978	979
Sand Lower	979	1043 995
Total Depth <i>Shale</i>	<i>995</i>	1043
	TD	1043

Set 43' of 7" surface, cemented w/10 sks.
Ran 1041' of 2 7/8" pipe.
Seating nipple @ 976'.

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 27 2007

CONSERVATION DIVISION
WICHITA, KS

THE NEW KLEIN LUMBER COMPANY
 201 W. MADISON
 P.O. BOX 805
 IOLA, KS 66749
 PHONE: (620) 365-2201

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	DATE	TIME
3447				NET 10TH OF MONTH SE		6/21/07	10:36

S
O
L
D
T
O
LAYMON OIL II
 1998 SQUIRREL RD
 NEOSHO FALLS KS 66758

S
H
I
P
T
O
PUT IN WEST SHOP

DOCH 85604

 * INVOICE *

TAX : 001 IOLAL IOLA

QUANTITY		UM	SKU	DESCRIPTION	SUGG.	UNITS	PRICE/PER	EXTENSION
SHIPPED	ORDERED							
30		EA	PC	PORTLAND CEMENT		30	8.99 /EA	269.70
1		EA	DELIVERY	DELIVERY CHARGE		1	0.00 /EA	10.00

*OK# 14704
 7/20/07*

X RECEIVED BY	** AMOUNT CHARGED TO STORE ACCOUNT **	300.12	TAXABLE	279.70
			NON-TAXABLE	0.00
			SUBTOTAL	279.70
			TAX AMOUNT	20.42
			TOTAL AMOUNT	300.12

RECEIVED
 KANSAS CORPORATION COMMISSION

AUG 27 2007

CONSERVATION DIVISION
 WICHITA, KS

602 N. Industrial Rd.
 P.O. Box 664
 Iola, Kansas 66749
 Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
 Concrete to be delivered to the nearest accessible point under truck's own power. Due to delivery at owner's discretion, seller assumes no responsibility for damages in any sidewalks, roadways, driveways, buildings, trees, shrubbery, etc. while in use. The maximum allotted time for unloading trucks is 5 minutes. A charge will be made for holding trucks longer. This concrete is subject to strength test when water is added at customer's request.
NOTICE TO OWNER
 Failure of this contractor to pay those persons supplying material to complete this contract can result in the filing of a mechanic's lien on property which is the subject of this contract.

LA005
 LAYMON OIL, L.L.C.
 1998 SQUIRREL RD.

LA873
 LAYMON OIL
 SQUIRREL RD N FOLLOW BRAVEL
 IN TO COFFEE CO 1.5 MI N
 OF TRAILERS E 60
 LEROY, KS 66857

NEOSHO FOL 5 HS
 56738

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL.	DRIVER/TICKET	% AIR	PLANT/TRANSACTION
2:27:35p	WELL	8.50 yd	17.00 yd	0.00	BC 35	0.00	
DATE	LOAD #	YARDS ORDERED	BARCODE	WATER TOL	SLIP	TICKET NUMBER	
8-03-07	1	8.50 yd	2327		4.00	18671	

WARNING
IRRITATING TO THE SKIN AND EYES
 Contains Portland Cement. Wear Rubber Boots and Gloves. PROPER CONTACT MAY CAUSE BURNS. Avoid Contact With Skin and Clothing. Contact With Skin in Case of Contact With Skin or Eyes. Wash Thoroughly With Water. Irritation Persists; Get Medical Attention. KEEP CHILDREN AWAY.
 CONCRETE is a PERISHABLE COMMODITY and BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGE OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.
 The undersigned promise to pay all costs, including reasonable attorneys' fees, incurred in any suits owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 4% per annum.
 Not Responsible for Reactive, Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
 A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
 Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
 (TO BE SIGNED IN DELIVERY TO BE MADE INSIDE CURB LINE)
 Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this we require that you sign this RELEASE. If any damage occurs to the premises and/or adjacent property, including sidewalks, driveways, curbs, etc. by the placement of this material and that you desire us to help you remove the material from the vehicle so that he will not be prosecuted, then as a special consideration, the undersigned agree to indemnify and hold harmless the driver of this truck and the supplier for any and all damage to the premises and/or adjacent property which may be claimed by you to have arisen out of delivery of this material.
 SIGNED: _____

Excessive Water detrimental to Concrete Performance
 H₂O Added By Request/Authorized By

 NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SIGNER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING IN-TIDE CURB LINE.
 LOAD RECEIVED: _____

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.50	WELL	WELL 10 SACKS PER UNIT	66.00	561.00
2.00	TRUCKING	TRUCKING CHARGE	40.00	80.00

TURNTD TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION CY UNDEREST-TAKEN	TIME ALLOWED
		357	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
049	325	327		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

SubTotal \$ 641.00
 Tax % 6.300 40.38
 Total \$ 681.38
 Order \$ 681.38
 ADDITIONAL CHARGE 1 _____
 ADDITIONAL CHARGE 2 _____
GRAND TOTAL ▶

RECEIVED
 KANSAS CORPORATION COMMISSION
 AUG 27 2007
 CONSERVATION DIVISION
 WICHITA, KS

802 N. Industrial Rd
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, I.C.



CONDITIONS:
Concrete to be delivered to the nearest accessible point on a passable road under truck's own power. Due to delivery at owner's or contractor's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc. which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains control water contents for strength as indicated. We do not assume responsibility for strength test when water is tested at customer's request.
NOTICE TO OWNER:
Failure of this contractor to pay those persons supplying materials or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

LA005
LAYMON OIL FIELD CO.
1998 SQUIRREL RD.

NEEDSAD FALLS KS
66758

LA005
LAYMON OIL
SQUIRREL RD N FOLLOW GRAVEL
IN TO OFFICE TO 1.5 MI N
OF TRAILERS E 50
LEROY, KS 66758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	YARDS DEL	BATCH#	DRIVER/TRUCK#	PLANT/TRANSACTION
02:34:37p	WELL	50 yds	17.00 yd	17.00 yd	0:00	DL 35	Y AIR 0:00
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRM	SLUMP	TICKET NUMBER	
08-03-07	2	17.00 yd	2328			10672	

WARNING

IRRITATING TO THE SKIN AND EYES

Concrete is a PERISHABLE COMMODITY and BECOMES THE PROPERTY OF THE BUYER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING.
The undersigned promises to pay all costs, including reasonable attorney's fees, incurred by any party sued.
All accounts not paid within 30 days of delivery will bear interest at the rate of 2% per annum.
Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed. Material is Delivered.
A 2% Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
Excess Delay Time Charged @ \$50/Hr.

PROPERTY DAMAGE RELEASE
TO BE SIGNATURE DELIVERY TO BE MADE INSIDE CURB LINE
Buyer's Signature: _____
Date: _____
I hereby release the seller from all claims for property damage caused by the use of the concrete delivered hereunder, whether or not such damage is caused in whole or in part by the negligence of the seller, its agents, employees, or subcontractors, and I agree to hold the seller, its agents, employees, or subcontractors harmless from all such claims, damages, and expenses, including reasonable attorney's fees, that may be asserted against the seller, its agents, employees, or subcontractors by any third party as a result of the use of the concrete delivered hereunder.

Excessive Water is Detrimental to Concrete Performance
W:0 Added By Request/Authorized By
GA X
WEIGHMASTER
NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.
LOAD RECEIVED BY: _____
X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.50	WELL	WELL (10 BAGS PER YARD)	62.00	527.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION	NO UNDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PLUM 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CIRCULATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING			TIME DUE
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME

Subtotal \$ 561.00
Tax @ 6.000 33.64
Total \$ 594.64
Order \$ 577.72
ADDITIONAL CHARGE 1
ADDITIONAL CHARGE 2
GRAND TOTAL

RECEIVED
KANSAS CORPORATION COMMISSION
AUG 27 2007
CONSERVATION DIVISION
WICHITA KS