

ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WICHITA, KS

WELL COMPLETION FORM — WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33640	API No. 15 - 207- 27285-0000
Name: Haas Petroleum, LLC	County: Woodson
Address: 800 West 47th Street, Suite #409	SE _NW _ NW _ Sec. 18 Twp. 24 S. R. 14
City/State/Zip: Kansas City, MO 64112	4619 feet from S / N (circle one) Line of Section
Purchaser: Plains Marketing, L.P.	4070 feet from (E) / W (circle one) Line of Section
Operator Contact Person: Mark Haas	Footages Calculated from Nearest Outside Section Corner:
Phone: (_816) 531.5922	(circle one) NE SE NW SW
Contractor: Name: Skyy Drilling, LLC	Lease Name: HO Kimbell Well #: 28
License: _33557	Field Name: Winterschied
Wellsite Geologist: David Griffin, RG.	Producing Formation: Mississippian Dolomite
Designate Type of Completion:	Elevation: Ground: 1118.5' Kelly Bushing: 1122.8'
✓ New Well Re-Entry Workover	Total Depth: 1710' Plug Back Total Depth: 1707'
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1707'
Operator:	feet depth to surface w/ 135 sx cmt.
Well Name:	AMD-Dg~ 125k
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
11/13/07 11/18/07 4 12/03/07	Lease Name: Licensé No.:
Spud Date or Recompletion Date Date Reached TD Recompletion Date Recompletion Date	Quarter Sec TwpS. R East West County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workow Information of side two of this form will be held confidential for a period of	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-130 and geologist well report shall be attached with this form. ALL CEMENTING S. Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	Maureen Etten otary Public State of Karisas pt Expires 9 1 5 4 4 5 4 4 5
Signature: / Was based as a signature of the signature of	KCC Office Use ONLY
Title: Agent Date: 5/13/08	
Subscribed and-sworn to before me this 13th day of May	If Denied, Yes Date:
2008	Wireline Log Received RECEIVED Geologist Report Received SCORPORATION COMMISSION
	1110 Disability along
Notary Public:	UIC Distribution MAY 1 6 2008
Date Commission Expires: 9/18/2070	CONSERVATION DIVISION

Side Two

Operator Name: Haas Petroleum, LLC			Lease Nar	Lease Name: HO Kimbell		Well #:		
Sec Twp		✓ East	County:	County: Woodson				
ested, time tool oper emperature, fluid rec	n and closed, flowing overy, and flow rates	nd base of formations p and shut-in pressures if gas to surface test, nal geological well site	, whether shut-ir along with final	n pressure reached	static level, hydros	tatic pressure	es, bottom hole	
Drill Stem Tests Taken				Log Format	on (Top), Depth an	epth and Datum		
Samples Sent to Geological Survey		☐ Yes 🗸 No		Name		Тор	Datum	
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ✓ No ☐ Yes ✓ No	^	⁄lississippian Dolon	nite	1665'	(542)	
List All E. Logs Run:								
			RECORD v-conductor, surface	New Used	ction, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	11 1/4"	8 5/8"	20.5#	41'	Class "A"	20	2% CaCl2, 2% Gel	
Production	6 3/4"	4 1/2"	9.5#	1707'	60/40 Poz Mix	135	8% gel,1/4# flocele	
		ADDITIONA	I CEMENTING	SQUEEZE RECOR	<u> </u>			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Use			orcent Additives		
Shots Per Foot		ON RECORD - Bridge Plu Footage of Each Interval P		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
4 SPF 1662-1666'				500 gal. 15%	500 gal. 15% mud acid 1662-166			
TUBING RECORD	Size 2 3/8"	Set At 1701.13'	Packer At	Liner Run	Yes No			
Date of First, Resumer	d Production, SWD or E	inhr. Producing M		lowing Pump	oing Gas Lift	Oth	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water	Bbls. G	as-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF C	_		Production Inte	_	KANSAS (RECEIVED CORPORATION COMMISSION	
Vented Sold	Used on Lease ubmit ACO-18.)	Open Hole		Dually Comp.	Commingled		1AY 1 6 2008	

CONSERVATION DIVISION WICHITA, KS