

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 8210
Name: Edward E. Birk
Address: 302 South 16th
City/State/Zip: Burlington, Ks 66839
Purchaser: Coffeyville Resources
Operator Contact Person: Edward E. Birk
Phone: (620) 364-2745
Contractor: Name: Edward E. Birk
License: 8210
Wellsite Geologist: None

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>08/28/2007</u>	<u>08/30/2007</u>	<u>08/30/2007</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 207-27257-0000
County: Woodson
SE NW NE Sec. 19 Twp. 23 S. R. 16 East West
4114 feet from S / N (circle one) Line of Section
1870 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Dearinger Well #: 14

Field Name: Tichenor
Producing Formation: Squirrel
Elevation: Ground: n/a Kelly Bushing: _____
Total Depth: 1080' Plug Back Total Depth: 1078'
Amount of Surface Pipe Set and Cemented at 40' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 40'
feet depth to 0 w/ 15 sx cmt.

Drilling Fluid Management Plan AH II NCR 1-14-09
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used evaporation
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Agent Date: 10/18/2007
Subscribed and sworn to before me this 18th day of October, 2007.
Notary Public: [Signature]
Date Commission Expires: Jan. 22, 2008

LAURA C. BIRK
Notary Public - State of Kansas
My Appt. Expires 01/22/2008

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 25 2007
CONSERVATION DIVISION
WICHITA, KS

Operator Name: Edward E. Birk Lease Name: Dearinger Well #: 14
 Sec. 19 Twp. 23 S. R. 16 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Kansas City	260'	
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Squirrel	1042'	

List All E. Logs Run:
Gamma Ray/Neutron

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9 7/8"	7"		40'	Portland	15	Calcium
Long string	6"	2 7/8"		1078'	Portland	160	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
3 shots/ft	Perfs: 44 perfs. 1045-1059'	Spot 15% acid, frac w/105 sx. sand	1045-1059

TUBING RECORD		Size 1" pipe	Set At 1044	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 9/19/2007		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. 0.5	Gas Mcf	Water Bbls. 5	Gas-Oil Ratio	Gravity

Disposition of Gas METHOD OF COMPLETION Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
(If vented, Submit ACO-18.) Other (Specify) _____

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 25 2007
 CONSERVATION DIVISION
 WICHITA, KS

OCT 25 2007

CONSERVATION DIVISION
WICHITA, KS

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength of mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

0401 0402
0403 0404
0405 0406
0407 0408
0409 0410
0411 0412
0413 0414
0415 0416
0417 0418
0419 0420
0421 0422
0423 0424
0425 0426
0427 0428
0429 0430
0431 0432
0433 0434
0435 0436
0437 0438
0439 0440
0441 0442
0443 0444
0445 0446
0447 0448
0449 0450
0451 0452
0453 0454
0455 0456
0457 0458
0459 0460
0461 0462
0463 0464
0465 0466
0467 0468
0469 0470
0471 0472
0473 0474
0475 0476
0477 0478
0479 0480
0481 0482
0483 0484
0485 0486
0487 0488
0489 0490
0491 0492
0493 0494
0495 0496
0497 0498
0499 0500
0501 0502
0503 0504
0505 0506
0507 0508
0509 0510
0511 0512
0513 0514
0515 0516
0517 0518
0519 0520
0521 0522
0523 0524
0525 0526
0527 0528
0529 0530
0531 0532
0533 0534
0535 0536
0537 0538
0539 0540
0541 0542
0543 0544
0545 0546
0547 0548
0549 0550
0551 0552
0553 0554
0555 0556
0557 0558
0559 0560
0561 0562
0563 0564
0565 0566
0567 0568
0569 0570
0571 0572
0573 0574
0575 0576
0577 0578
0579 0580
0581 0582
0583 0584
0585 0586
0587 0588
0589 0590
0591 0592
0593 0594
0595 0596
0597 0598
0599 0600
0601 0602
0603 0604
0605 0606
0607 0608
0609 0610
0611 0612
0613 0614
0615 0616
0617 0618
0619 0620
0621 0622
0623 0624
0625 0626
0627 0628
0629 0630
0631 0632
0633 0634
0635 0636
0637 0638
0639 0640
0641 0642
0643 0644
0645 0646
0647 0648
0649 0650
0651 0652
0653 0654
0655 0656
0657 0658
0659 0660
0661 0662
0663 0664
0665 0666
0667 0668
0669 0670
0671 0672
0673 0674
0675 0676
0677 0678
0679 0680
0681 0682
0683 0684
0685 0686
0687 0688
0689 0690
0691 0692
0693 0694
0695 0696
0697 0698
0699 0700
0701 0702
0703 0704
0705 0706
0707 0708
0709 0710
0711 0712
0713 0714
0715 0716
0717 0718
0719 0720
0721 0722
0723 0724
0725 0726
0727 0728
0729 0730
0731 0732
0733 0734
0735 0736
0737 0738
0739 0740
0741 0742
0743 0744
0745 0746
0747 0748
0749 0750
0751 0752
0753 0754
0755 0756
0757 0758
0759 0760
0761 0762
0763 0764
0765 0766
0767 0768
0769 0770
0771 0772
0773 0774
0775 0776
0777 0778
0779 0780
0781 0782
0783 0784
0785 0786
0787 0788
0789 0790
0791 0792
0793 0794
0795 0796
0797 0798
0799 0800
0801 0802
0803 0804
0805 0806
0807 0808
0809 0810
0811 0812
0813 0814
0815 0816
0817 0818
0819 0820
0821 0822
0823 0824
0825 0826
0827 0828
0829 0830
0831 0832
0833 0834
0835 0836
0837 0838
0839 0840
0841 0842
0843 0844
0845 0846
0847 0848
0849 0850
0851 0852
0853 0854
0855 0856
0857 0858
0859 0860
0861 0862
0863 0864
0865 0866
0867 0868
0869 0870
0871 0872
0873 0874
0875 0876
0877 0878
0879 0880
0881 0882
0883 0884
0885 0886
0887 0888
0889 0890
0891 0892
0893 0894
0895 0896
0897 0898
0899 0900
0901 0902
0903 0904
0905 0906
0907 0908
0909 0910
0911 0912
0913 0914
0915 0916
0917 0918
0919 0920
0921 0922
0923 0924
0925 0926
0927 0928
0929 0930
0931 0932
0933 0934
0935 0936
0937 0938
0939 0940
0941 0942
0943 0944
0945 0946
0947 0948
0949 0950
0951 0952
0953 0954
0955 0956
0957 0958
0959 0960
0961 0962
0963 0964
0965 0966
0967 0968
0969 0970
0971 0972
0973 0974
0975 0976
0977 0978
0979 0980
0981 0982
0983 0984
0985 0986
0987 0988
0989 0990
0991 0992
0993 0994
0995 0996
0997 0998
0999 1000

BB0010:
B & B COOPERATIVE VENTURES
900 S. FOURTH ST.
BURLINGTON KS
66839

B18/23
SHIP TO:
B&B COOP VENT/BIRK OIL/DEARINGE
54 W TO WILLOW N TO 200TH RD
W 7M TO PRARIE RD N 1.75M, W SD
GATE N OF TANKS/DEARINGER #14
NEQSHO FALLS, KS 66758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
09:15:35a	WELL	8.00 yd	16.00 yd	0.00	35	0.00	
DATE	To Date	LOAD #	YARDS DELIVERED	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
08-30-07	Today	2	16.00 yd	2840		4.00 in	19044

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.
CONCRETE IS PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.
The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.
All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.
Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
Excess Delay Time Charged @ \$50HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
SIGNED
X _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By
GAL X _____
WEIGHMASTER
NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.
LOAD RECEIVED BY:
X _____

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 SACKS PER UNIT)	66.00	528.00

11 24 11 12


RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	Subtotal \$
1157	1112	1065	1. JOB NOT READY 2. SLOW POUR OR PLUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		528.00
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE	Tax % 6.300 33.26
					Total \$ 561.26
					Order \$ 1207.56
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 1 _____
					ADDITIONAL CHARGE 2 _____
					GRAND TOTAL ▶ _____

OCT 25 2007

CONSERVATION DIVISION
WICHITA, KS

...rial Rd.
...ola, Kansas 649
Phone: (620) 360-5588

Payless Concrete Products, Inc.



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

BB001
B & B COOPERATIVE VENTURES
900 S. FOURTH ST.

BURLINGTON KS
66839

B18/23
B&BCOOP.VENT/BIRK OIL/DEARINGE
54 W TO WILLOW N TO 200TH RD
W 7M TO PRARIE RD N 1.75M, W SD
GATE N OF TANKS/DEARINGER #14
NEOSHO FALLS, KS 66758

SHIP TO:

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	PLANT/TRANSACTION #
09:04:36a	WELL	8.00 yd	16.00 yd	0.00	BC	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	TICKET NUMBER
08-30-07	To Date	5	40.00 yd			
	Today	1	8.00 yd	2839		
					4.00 in.	19043

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST BE TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE, relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X *[Signature]*

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 SACKS PER UNIT)		
2.00	TRUCKING	TRUCKING CHARGE	8.00	56.00
.50	TRUCK		2.00	80.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
1207	H12	1053	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
936	D13	102055	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		
205				

SubTotal \$	608.00
Tax % 6.300	38.30
Total \$	646.30
Order \$	646.30
ADDITIONAL CHARGE 1	
ADDITIONAL CHARGE 2	21.26
GRAND TOTAL	667.56