

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 3532  
Name: CMX, Inc.  
Address: 1551 N. Waterfront Parkway, Suite 150  
City/State/Zip: Wichita, KS 67206  
Purchaser: Semcrude  
Operator Contact Person: Douglas H. McGinness II  
Phone: (316) 269-9052  
Contractor: Name: WW Drilling, LLC  
License: 33575  
Wellsite Geologist: Douglas H. McGinness II

Designate Type of Completion:

New Well     Re-Entry     Workover  
 Oil     SWD     SIOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

<u>1/12/07</u>	<u>1/20/07</u>	<u>3/19/07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 195-22413-0000  
County: Trego  
NE SW NE Sec. 14 Twp. 11 S. R. 23  East  West  
1500 feet from S / N (circle one) Line of Section  
1410 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW  
Lease Name: Pale Rider Well #: 1  
Field Name: Wildcat

Producing Formation: \_\_\_\_\_  
Elevation: Ground: 2208 Kelly Bushing: 2214  
Total Depth: 3933 Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 237 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set 3927' Feet

If Alternate II completion, cement circulated from 1688  
feet depth to surface w/ 450 sx cmf.

At 2-Dg - 1/14/09

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: President Date: 10/16/07

Subscribed and sworn to before me this 16<sup>th</sup> day of October

20 07  
Notary Public: Donna L. May-Murray

Date Commission Expires: 2/7/08

DONNA L. MAY-MURRAY  
Notary Public - State of Kansas  
My Appt. Expires 2/7/08

KCC Office Use ONLY

Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

RECEIVED  
KANSAS CORPORATION COMMISSION  
OCT 17 2007  
CONSERVATION DIVISION  
WICHITA, KS

Operator Name: CMX, Inc. Lease Name: Pale Rider Well #: 1  
 Sec. 14 Twp. 11 S. R. 23  East  West County: Trego

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

Bond, DIL,CNDL

Log Formation (Top), Depth and Datum  Sample

Name	Top	Datum
Stone Coral	1676	(+538)
Heebner	3435	(-1221)
Toronto	3456	(-1242)
Lansing	3472	(-1258)
B/KC	3696	(-1482)
Marmaton	3798	(-1584)
LTD	3932	(-1718)

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	24#	237	Common	150	2% gel, 3% cc
Production	7 7/8	4 1/2	10.5#	3921	ASC & Lite	150 & 450	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	3542-3546		

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2 3/8"	3863		<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method		
			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	20	0	10		

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

RECEIVED  
 KANSAS CORPORATION COMMISSION

OCT 17 2007

CONSERVATION DIVISION  
 WICHITA, KS

# ALLIED CEMENTING CO., INC.

33130

Federal Tax I.D.#

TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>1-12-07</u>	SEC. <u>14</u>	TWP. <u>11</u>	RANGE <u>23</u>	CALLED OUT	ON LOCATION	JOB START <u>8:30 PM</u>	JOB FINISH <u>9:30 PM</u>
LEASE <u>Pole Rider</u>	WELL # <u>1</u>	LOCATION <u>WAKEENEY BX 2E</u>				COUNTY <u>Trego</u>	STATE <u>KANSAS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)				<u>1S 1W 1S 1E</u>			

CONTRACTOR W-W DRLG. RIG#4

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4 T.D. 238

CASING SIZE 8 5/8 DEPTH 238

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 5'

PERFS.

DISPLACEMENT 14 1/4 BBL

OWNER

CEMENT

AMOUNT ORDERED 160 SK COM

390 CC

2% GEL

EQUIPMENT

PUMP TRUCK CEMENTER [Signature]

# 398 HELPER [Signature]

BULK TRUCK

# 345 DRIVER [Signature]

BULK TRUCK

# DRIVER

COMMON	<u>160</u>	@	<u>1065</u>	<u>1704.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>1665</u>	<u>4995</u>
CHLORIDE	<u>5</u>	@	<u>4660</u>	<u>23300</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>168</u>	@	<u>190</u>	<u>31920</u>
MILEAGE	<u>65</u>	@	<u>94/SK/MILE</u>	<u>98200</u>
TOTAL				<u>328895</u>

REMARKS:

Cement CIRCULATED

THANKS

CHARGE TO: CMX Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>815.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>65</u>	@	<u>6.00</u>
MANIFOLD		@	
		@	
TOTAL			<u>1205.00</u>

PLUG & FLOAT EQUIPMENT RECEIVED  
KANSAS CORPORATION COMMISSION

@ OCT 17 2007

@ CONSERVATION DIVISION  
WICHITA, KS

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME

# ALLIED CEMENTING CO., INC.

33138

Federal Tax I.D.#

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>1-2007</u>	SEC. <u>14</u>	TWP. <u>11</u>	RANGE <u>23</u>	CALLED OUT	ON LOCATION	JOB START <u>7:30am</u>	JOB FINISH <u>8:30am</u>
LEASE <u>Pale Rider</u>	WELL # <u>1</u>	LOCATION <u>WAKEENEY 7N 2E</u>		COUNTY <u>rego</u>	STATE <u>KANSAS</u>		
OLD OR <u>(NEW)</u> (Circle one)		<u>IS 1W 1S 1E + N INTO</u>					

CONTRACTOR W-W Rig # 4  
 TYPE OF JOB PRODUCTION STRING (D-V)  
 HOLE SIZE 7 7/8 T.D. 3933'  
 CASING SIZE 4 1/2 New DEPTH 3927'  
 TUBING SIZE 10.5 # DEPTH  
 DRILL PIPE DEPTH  
 TOOL LATCH DOWN Plug DEPTH @ 3908  
 PRES. MAX 1200 # MINIMUM  
 MEAS. LINE SHOE JOINT 19.28  
 CEMENT LEFT IN CSG. 19.28  
 PERFS.  
 DISPLACEMENT 62.34 / BBL

OWNER  
 CEMENT  
 AMOUNT ORDERED 150 SK ASC. 2% GEL  
10% SALT  
500 GAL WFR-2 FLUSH

COMMON	@		
POZMIX	@		
GEL	<u>3 SK</u>	@ <u>16.65</u>	<u>49.95</u>
CHLORIDE	@		
ASC	<u>150 SK</u>	@ <u>13.10</u>	<u>1965.00</u>
WFR-2 FLUSH	<u>500 GAL</u>	@ <u>1.00</u>	<u>500.00</u>
Salt	<u>1400 POUNDS</u>	@ <u>19.20</u>	<u>268.80</u>

EQUIPMENT

PUMP TRUCK CEMENTER [Signature]  
 # 398 HELPER [Signature]  
 BULK TRUCK  
 # 378 DRIVER [Signature]  
 BULK TRUCK  
 # DRIVER

CONSERVATION DIVISION  
WICHITA, KS

OCT 17 2007

HANDLING	<u>167 TOTAL SK</u>	@ <u>1.90</u>	<u>317.30</u>
MILEAGE	<u>23 Ton Mile</u>	@ <u>.094</u>	<u>1097.19</u>
TOTAL			<u>4198.24</u>

REMARKS:

**(BOTTOM STAGE)**

LAND LATCH DOWN Plug @ 1200 #  
OPEN D.V. TOOL @ 800 #  
CIRCULATE 2 HR

THANK'S!

CHARGE TO: CMX Inc.  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB	<u>3927'</u>		
PUMP TRUCK CHARGE			<u>1610.00</u>
EXTRA FOOTAGE	@		
MILEAGE	<u>23</u>	@ <u>6.00</u>	<u>438.00</u>
MANIFOLD	@		
TOTAL			<u>2048.00</u>

4 1/2 PLUG & FLOAT EQUIPMENT

FLOAT Shoe	@	<u>200.00</u>	
LATCH DOWN Plug Assy	@	<u>325.00</u>	
10-CENTRALIZERS	@ <u>45.00</u>	<u>450.00</u>	
2-BASKETS	@ <u>130.00</u>	<u>260.00</u>	
2-STAGE (D.V.) TOOL	@	<u>3250.00</u>	
TOTAL			<u>4485.00</u>

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

*Faxed 1-22-07*

SIGNATURE [Signature]

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME

# ALLIED CEMENTING CO., INC.

33139

Federal Tax I.D.#

REMIT TO <sup>11-7-118</sup> P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>1-20-07</u>	SEC. <u>14</u>	TWP. <u>11</u>	RANGE <u>23</u>	CALLED OUT	ON LOCATION	JOB START <u>11:00 AM</u>	JOB FINISH <u>12:00 PM</u>
LEASE <u>PAK RIDER</u>	WELL # <u>1</u>	LOCATION <u>WAKEENEY 7N 2E</u>		COUNTY <u>Trego</u>	STATE <u>KANSAS</u>		
OLD OR <u>NEW</u> (Circle one)		<u>IS 1W 1S 1E 4N INTO</u>					

CONTRACTOR W-W RIG #4  
 TYPE OF JOB PRODUCTION STRING (D.V.)  
 HOLE SIZE 7 7/8 T.D. 3933'  
 CASING SIZE 4 1/2 New DEPTH 3927'  
 TUBING SIZE 10.5 # DEPTH  
 DRILL PIPE DEPTH  
 TOOL DV Tool @ DEPTH 1688'  
 PRES. MAX MINIMUM  
 MEAS. LINE SHOE JOINT  
 CEMENT LEFT IN CSG.  
 PERFS.  
 DISPLACEMENT 26.92 / 88L

OWNER

CEMENT

AMOUNT ORDERED 450 SK 60 1/40 6 2/3 GEL  
1/4 # F10 Seal  
PER SK

COMMON	<u>270 SK</u>	@	<u>10.65</u>	<u>2875.50</u>
POZMIX	<u>180 SK</u>	@	<u>5.80</u>	<u>1044.00</u>
GEL	<u>24 SK</u>	@	<u>16.65</u>	<u>399.60</u>

EQUIPMENT

PUMP TRUCK CEMENTER Alan  
 # 398 HELPER Larry  
 BULK TRUCK  
 # 396 DRIVER Brandon  
 BULK TRUCK  
 # DRIVER

CHLORIDE @  
 ASC @  
 F10-Seal 112 # @ 2.00 LB 224.00  
 RECEIVED @  
 KANSAS CORPORATION COMMISSION @  
 OCT 17 2007 @  
 CONSERVATION DIVISION @  
 WICHITA KS @

HANDLING 415 TOTAL SK @ 1.90 902.50  
 MILEAGE 73 TON Miles @ .094 3120.75  
 TOTAL 8566.35

(TOP STAGE) REMARKS:

DV TOOL ON #56 JT. (1688)  
OPEN DV TOOL @ 800 #,  
CLOSE DV TOOL @ 1500 #  
15 SK @ RAT Hole THANKS!

SERVICE

DEPTH OF JOB 1688  
 PUMP TRUCK CHARGE 955.00  
 EXTRA FOOTAGE @  
 MILEAGE @ - NC -  
 MANIFOLD @  
~~\_\_\_\_\_~~ @  
~~\_\_\_\_\_~~ @  
 TOTAL 955.00

CHARGE TO: CMX Inc.  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

\_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Arnold J. Pellerine

PRINTED NAME