Greensty

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINA Form ACO-1
September 1999
Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #33019	API No. 15 - 023-20627-0000
Name: Rosewood Resources, Inc.	County: Cheyenne
Address: 2711 N. Haskell Ave., Suite 2800, LB 22	NW -NW - NE - NW Sec. 26 Twp. 3 S. R. 41 ☐ East ✓ West
City/State/Zip: Dallas, TX 75201	763 feet from S / (N) (circle one) Line of Section
Purchaser:	1419 feet from E / (circle one) Line of Section
Operator Contact Person: Tom Roelfs	Footages Calculated from Nearest Outside Section Corner:
Phone: (_785) _332-0374	(circle one) NE SE (NW) SW
Contractor: Name: Advanced Drilling Technologies LLC	Lease Name: Isernhagen Well #: 21-26
License: 33532	Field Name: St. Francis
Wellsite Geologist: Steven VonFeldt	Producing Formation: Niobrara
Designate Type of Completion:	Elevation: Ground: 3555 Kelly Bushing: 3567
✓ New Well Re-Entry Workover	Total Depth: 1520' Plug Back Total Depth: 1513'
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 283' csg @ 295 Feet
GasENHRSIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth to
Well Name:	HI4 1-DQ-12/2
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 5000 ppm Fluid volume 220 bbls
Plug BackPlug Back Total Depth	Dewatering method used_ Evaporation
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
9/30/2005 10/2/2005 10/22/2005	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulations are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: Kathy Rolls	KCC Office Use ONLY
Title Much Sst. Date: 10-13-0 Car	Letter of Confidentiality Received
Subscribed and sworn to before me this 37H day of	If Denied, Yes Date:
20.06.	Wireline Log Received  Geologist Report Received  RECEIVED
Notary Public: Sull Hunsen	UIC Distribution OCT 1 6 2006
	KCC WICHITA

Operator Name: Rosewood Resources, Inc.					Lease Name: Isernhagen			Well #: 21-26		
* • • • • • • • • • • • • • • • • • • •	S. R. <u>41</u>				y: Cheye		······································		MATERIAL TO SERVICE TO	
NSTRUCTIONS: Shested, time tool open emperature, fluid recellectric Wireline Logs	and closed, flowin overy, and flow rate	g and shut- s if gas to s	in pressures, surface test, a	whether states	hut-in pre	essure reach	ed static level, hydi	rostatic pressur	es, bottom hole	
Drill Stem Tests Taken				✓ Log Formation (Top), D			Depth and Datum Sample			
Samples Sent to Geological Survey		Yes ✓ No			Name			Тор		
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ☑ No ☑ Yes ☐ No		Niot	Niobrara		1380'	КВ		
ist All E. Logs Run: Platform Expre	ess Resitivity	Porosit								
		Report	CASING all strings set-	RECORD conductor, s	✓ N surface, int		duction, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)			ight . / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	7 7/8"	5 1/2"		15.5#		295'	Neat	52		
Production	4 3/4"	2 7/8"		6.5#		1513' <b>Neat</b> 60		60	2% Cal.	
			ADDITIONAL	L CEMENT	ING / SQ	JEEZE RECO	) DRD			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement		#Sack	s Used	Used		Percent Additives	3	
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
2		Frac w/ 57,576 ga			,576 gals MavFoar	Is MavFoam &100,600#				
						16/30 Brady Sand & 310,000 scf N2				
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes V N	0		
Date of First, Resumero	· · · · · · · · · · · · · · · · · · ·	Enhr.	Producing Me		<b>√</b> Flowin	a Pu	mping Gast		er (Explain)	
Estimated Production Per 24 Hours	n Oil Bbls. Gas I			Mcf	Water Bbls.			Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF	COMPLETIO	N	,	parente	Production I		RF	CEIVED	
Vented ✓ Sold (If vented, Su	Used on Lease bmit ACO-18.)		Open Hole Other (Spec		rf.	Dually Comp.	Commingled		T 1 6 2006	

KCC WICHITA