## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## WELL COMPLETION FORM RIGINAL

WELL HISTORY - DESCRIPTION OF WELL & LEASE

i Office/	. 2/12/
Operator: License # 32309	API NO. 15- 187-22121-0000
Name: Presco Western, LLC	County Stanton
Address 5665 FLATIRON PARKWAY	S2 - SW - NW - NW Sec. 5 Twp. 30 S. R. 39 EXW
City/State/Zip BOULDER CO 80301	1,276 Feet from S(N)(circle one) Line of Section
Purchaser: High Sierra Crude (oil)/BP (gas)	Feet from EM (circle one) Line of Section
Operator Contact Person: Randy M. Verret	Footages Calculated from Nearest Outside Section Corner:
Phone ( 303) 305-1163	(circle one) NE SE NW SW
Contractor: Name: H2 Drilling RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RANGES CORPORATION COMMISSION RANGES CORPORAT	Lease Name Hauser Trust Well #_4-D5-30-39
License: 33793 KANBAS CORPORT  AND DEC 19 4 2008	Field Name Wildcat
Wellsite Geologist: Not Applicable CONSERVATION DIVISION CONSERVATION DIVISION	Producing Formation
Designate Type of Completion	Elevation: Ground 3,220' Kelley Bushing 3,231'
χ New Well Re-Entry Workover	Total Depth 5,900' Plug Back Total Depth
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at1,711'Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes X No
χ Dry Other (Core, WSW, Expl., Cathodic, etc.)	If yes, show depth setFeet
f Workover/Reentry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Well Name:	Drilling Fluid Management Plan P+A AI+ I NOC
Original Comp. Date Original Total Depth	(Data must be collected from the Reserve Pit) 1-12-09
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 2,000 ppm Fluid volume 4,500 bbls
—— Plug Back ———— Plug Back Total Depth	Dewatering method used Air Evaporation
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name Not Applicable
Other (SWD or Enhr?) Docket No	Lease Name License No
5/22/2008 5/31/2008 5/31/2008	Quarter Sec Twp S R E \[ \]
Spud Date or Date Reached TD Completion Date or Recompletion Date	County Docket No
Kansas 67202, within 120 days of the spud date, recompletion, wo Information on side two of this form will be held confidential for a per 82-3-107 for confidentiality in excess of 12 months). One copy of al CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with	rith the Kansas Corporation Commission, 130 S. MarkeT - Room 2078, Wichita, rkover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Friod of 12 months if requested in writing and submitted with the form (see rule wireline logs and geologist well report shall be attached with this form. ALL the all plugged wells. Submit CP-111 form with all temporarily abandoned wells. Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	juiate the on and gas modelly have been fully complied. With and the statements
Signature /leli flores & -	KCC Office Use ONLY
Title Regulatory Assistant	Letter of Confidentiality Attached
Subscribed and sworn to before me this 3rd day of December	r If Denied, Yes Date:
20 08	Wireline Log Received
Notary Public / State	Geologist Report Received  UIC Distribution
Date Commission Expires	Fypires 02/12/2011

Side Two

Operator Name Pres	co Western,	LLC .			Lease Nam	e <u>Hauser</u>	Trust	Well	# 4-D5-30-39 ·
Sec. <u>5</u> Twp. <u>30</u>	s.r. <u>39</u>	East	χ West		County _	Stanton			•
INSTRUCTIONS: Sho tested, time tool open a temperature, fluid reco Electric Wireline Logs si	and closed, flow very, and flow	ing and shut-in rates if gas t	pressure o surface	s, wl	nether shut-in ring test. Atta	pressure read	ched static level,	hydrostatic	pressures, bottom hole
Drill Stem Tests Taken (Attach Additional Sh	neets.)	Yes	X No		X Log		Formation (Top),	Depth and	Datums Sample
Samples Sent to Geologi	ical Survey	X Yes	☐ No		Name		Тор	D	atum
Cores Taken	\	☐ Yes	X No						
Electric Log Run (Submit Copy.)	\	VX Yes	□ No		Heebner Lansing		3,777		557 655
List All E.Logs Run:					Marmaton		4,448		1,228'
Spectral Density C Compensated Resist				,	Atoka		4,920		1,700'
Sonic Log.	LIVILY LOG, I	MICPOIDG, A	rray		Morrow		5,174		1,954'
		CASING F		_	New U				
	Repor	t all strings set-	conductor	r, sur	face, intermed ————	r	on, etc.		Γ
Purpose of String	Size Hole Drilled	Size Casir Set (In O.f			Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"		24	.0	1.711'	65/35/C1 C	600/150	6%ge1/3%CC
Production	N/A								
	T =	ADDI <sup>-</sup>	TIONAL C	EME	NTING/SQUE	EZE RECORI	)		
Purpose Perforate	Depth Top Bottom	Type of 0	Cement	;	#Sacks Used		Type and P	ercent Addit	tives
Protect Casing Plug Back TD						Please s	<u>ee attached r</u>	lugging	record.
Plug Off Zone		,			,				
Shots Per Foot	PERFORATION Specify Foot	RECORD - Brid age of Each Into					ure, Shot, Cement od Kind of Material	•	cord Depth
	N/A								
TUBING RECORD	Size N/A	Set At		P	acker At	Liner Run	☐ Yes 🛚	] No	L
Date of First, Resumed unsuccessful comp	,	VD or Enhr.	Produc	-	Method Flowing P	umping G	Gas Lift   Ot	her (Explain	)
Estimated Production Per 24 Hours N/A	Oil	Bbls.	Gas	<del></del>	Mcf Wate	er Bbls.	Gas-Oil	Ratio	Gravity
Disposition of Gas:		OF COMPLETIC	N				Production Inte	rval	
☐ Vented ☐ Sold	Used on Le			ole ſ	χ Perforation	Dually (	Comp. Commi		
(If vented, submit A	_		Other (	-	<del>-</del> 1		, 🗀	-	
		L	۱ ۱۰۰۰۰۰ ر	-,	··· <i>,</i>				

## ALLIED CEMENTING CO., LLC. 30380

REMIT TO	P.O. BOX 31
	RUSSELL, KANSAS 67665

SERVICE POINT:	
L. BERAL	45

Troubland in the second	
DATE 24 ON SECT TWP. RANGE W	CALLED OUT ON LOCATION JOB START JOB FINISH ON LOCATION
WELL # 4- US- POCATION	Big Bow 73 2W SANTES
OLD OR NEW (Circle one)	K-ta
	OWNER SAME
CONTRACTOR H-2 Dalg TYPE OF JOB 81/2 SURFACE	UWNER -AME
HOLE SIZE 12% T.D. 170	CEMENT
CASING SIZE S LA 3024" DEPTH 171	AMOUNT ORDERED 400 65/35/64 GLL
TUBING SIZE DEPTH	3% CARO/50 C 134/CC
DRILL PIPE DEPTH	
TOOL DEPTH PRES. MAX MINIMUM	COMMON /50'C" @ /735 760250
MEAS. LINE SHOE JOINT 4	POZMIX@
CEMENT LEFT IN CSG. 42	GEL @
PERFS.	CHLORIDE ( 24 @ 52.47 /254-78
DISPLACEMENT /67	ASC /600 (TIE @/3.35 80/000
EQUIPMENT	
A STATE OF THE STA	
PUMPTRUCK CEMENTER BUS HELPER DEN	Floral 1506B @ 2.25 33750
BULK TRUCK	
DRIVER AMANUM	
BULK TRUCK	
456 DRIVER GEORGE/AN	HANDLING 81 @2.15 774365
	MILEAGE 095/201 5985
REMARKS:	TOTAL 19937.63
BREOK CIAC	
My 650 SK LITE	SERVICE
Mix 1508K C'	DEDUI OF IOD 1701
and they to fish Con	DEPTH OF JOB 706  PUMP TRUCK CHARGE 1872
Kon HELD	EXTRA FOOTAGE @
Cipe Approx 30 BBC Con	75 MILEAGE 82 . @ 700 57900
SURIAL "TRANK YOU	MANIFOLD HEAD @ 1/3" 1/3"
<i>n</i> .	@ · · · · · · · · · · · · · · · · · · ·
Poron Later.	
CHARGE TO: KESCE SUES/ELL	TOTAL 2 499
STREET	TOTAL P. F.
CITYSTATEZIP_	DE FIG. 0. DE A LOS DATIONS AND
	PLUG & FLOAT EQUIPMENT
	1. C. P. el
	10-CENTENCIELS @ 62" 620"
To Allied Comenting Co. 11 C	1. FCON COLLAR @ 6750 6750
To Allicd Cementing Co., LLC. You are hereby requested to rent cementing equi	21/00 2400
and furnish cementer and helper(s) to assist own	
contractor to do work as is listed. The above wo	ork was
done to satisfaction and supervision of owner ag	gent or TOTAL//30
contractor. I have read and understand the "GEN	NERAL
TERMS AND CONDITIONS" listed on the reve	CISC SIDE.
	KANSAS CORPORATION COMMISSION
PRINTED NAME	DISCOUNT IF PAID IN 30 DAYS
1111 n 10.11	DEC 0 4 2008
SIGNATURE NACQ COLSO	
	CONSERVATION DIVISION
1	WICHITA, KS

ALLIED CEIVIEN				26902
REMIT TO P.O. BOX 31 PUSSELL KANSAS 67665		SERV	ICE POINT:	A VO
RUSSELL, KANSAS 67665 \			Libera	<u> </u>
	ALLED OUT	ON LOCATION	JOB START	JOB FINISH
			800 pm	9200 pm
LEASE TOUST WELL # 4-DELOCATION BIA BOWL	15-75 2K/	al Cinto	Hawon	1 6 C
	And and a	wy-secution	BWON	
OLD OR (SEW) (Circle one)				
CONTRACTOR H2 Drilling #1	OWNER			
TYPE OF JOB 412 Plus				
HOLE SIZE 7/8 T.D. 5900	CEMENT			
CASING SIZE DEPTH	AMOUNT ORDI	ERED 145	sks 60/	4018% Ge
TUBING SIZE DEPTH				, ,
DRILL PIPE 4/2 DEPTH (710 660,60)				
TOOL DEPTH				
PRES. MAX MINIMUM	COMMON		_`@	· · · · · · · ·
MEAS, LINE SHOE JOINT	POZMIX	-		
CEMENT LEFT IN CSG.	GEL		_@	
PERFS.	CHLORIDE		_@	
DISPLACEMENT	ASC		_@	
EQUIPMENT	Like	1455K	2 @ <b>*/)</b> @\$	4/834.20
MAN WALL			@	
	-		_	
PUMP TRUCK CEMENTER Alach, Licou				
# 472 HELPER Gabe			_ @	
BULK TRUCK			•	
# 470 DRIVER JOYAL				
BULK TRUCK 0			_ @	4
# DRIVER	HANDLING	145	@ <u>\$</u> 2,15	311.75
	MILEAGE	94/3KS/W		* 687.2 <u>5</u>
REMARKS:			TOTAL	9 273325
Mix 50 sts @ 1710'			- 4	
		CEDVI	CE	
My 50 sts @ 660'		SERVI	CE	
Mho 20 sts C 60 to surface	DEPTH OF IOD		· · · · · · · · · · · · · · · · · · ·	
Plug at - nouse hole	DEPTH OF JOB		4000	18-CC-01-2
	PUMP TRUCK ( EXTRA FOOTA		@	100000
	MILEAGE	GE	[ @ ] <u>B</u>	\$250
-Thank-gou	•		le @	_ 50.7
- them a gua	MANIFOLD			
N. A. A. Jane				
CHARGE TO: Presco Western				#1232m
STREET			TOTAL	L <u>' 1424'</u>
CITYSTATEZIP	Pì	LUG & FLOA	T FOLUPME	NT '
		ood a i bon	I DQCII III	
				RECEIVED
			_ @KAI	NSAS CORPORATION CO
To Allied Cementing Co., Inc.			@	DEC 04 200
You are hereby requested to rent cementing equipment			(Q)	
and furnish cementer and helper to assist owner or			@	CONSERVATION DIVIS
contractor to do work as is listed. The above work was				WICHIIA, KS
done to satisfaction and supervision of owner agent or			TOTA	L
contractor. I have read & understand the "TERMS AND				
CONDITIONS" listed on the reverse side.	TAX			
COMPLETORS LISTED OR THE TEVELSE SIDE.	TOTAL CHARG	r		
	DISCOUNT -		IF PA	ID IN 30 DAYS
			, 1	
CICMATURE C	MARK	1001	and I	
SIGNATURE	- FINICK-		ED NAME	
		PRINT	EUNAME	