KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

September 1999 Form Must Be Typed

KC WICHITA

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32710	API No. 15 - 207-27473-00-00
Name: _Laymon Oil II, LLC	County: Woodson
Address: 1998 Squirrel Rd	NW - NW - NW Sec. 12 Twp. 24 S. R. 16 East West
City/State/Zip: Neosho Falls, 66758	5115 feet from S N (circle one) Line of Section
Purchaser: Coffeyville Resources	5115 feet from (E)/ W (circle one) Line of Section
Operator Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963-2495	
Contractor: Name: company tools	(circle one) NE (SE) NW SW Lease Name: Link Well #: 5-09
License: 32710	Vernon
i i	Producing Formation: Mississippi
Wellsite Geologist: none	Elevation: Ground: NA Kelly Bushing:
Designate Type of Completion:	
New Well Re-Entry Workover	Total Depth: 1400 Plug Back Total Depth: 1315
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented atFeet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 47
Operator:	feet depth to surface w/ 12 sx cmt.
Well Name:	Drilling Fluid Management Plan Alt TI NUR 9-28-00
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	cocation of hulu disposal if hadied offsite.
Other (SWD or Enhr.?) Docket No	Operator Name:
05-13-2009 05-16-2009 05-22-2009	Lease Name: License No.:
Spud Date or Recompletion Date Date Reached TD Recompletion Date Completion Date Recompletion Date	Quarter Sec TwpS. R East West County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the bast of my knowledge.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
Signature: Marka Date: 9-209	KCC Office Use ONLY Letter of Confidentiality Received
Subscribed and sworn to before me this 2 day of September	If Denied, Yes Date:
	Wireline Log Received
20.09	Geologist Report Received
Notary Public: Tachelle Faymon	UIC Distribution RECEIVED
Date Commission Expires: 7/11/10	SF 1 2009

RACHELLE LAYMON
My Appt. Expires 7/11/12

Operator Name: Lay	mon Oil II, LLC			Leas	se Name:	Link		Well #: _5-09	
Sec. 12 Twp. 2		✓ East	West	Cour	nty: Wood	son			
tested, time tool ope temperature, fluid re	show important tops on and closed, flowin covery, and flow rate is surveyed. Attach	g and shut-in s if gas to su	pressures, rface test, a	whether along with	shut-in pro	essure reached	static level, hyd	rostatic pressure	es, bottom hole
Drill Stem Tests Take		☐ Yes	√ No		[V]L	og Formati	on (Top), Depth	and Datum	Sample
			✓ No		Nam	ie		Тор	Datum
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ☑ Yes	✓ No No		See	attached			
List All E. Logs Run:									
Gamma Ray	Neutron /								
		Danasta		RECORD	_	ew Used	A!A-		
Purpose of String	Size Hole Drilled	Size C	asing O.D.)	W	eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"		24#	.,	47'	common	12	
Production	6 1/8"	2 7/8"		6.7#		1398'	portland	225	
Tubing		1"		1.8#		131 9 '			
		, , , , , , , , , , , , , , , , , , ,	DDITIONAL	CEMEN	TING / SQI	JEEZE RECORD)		
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of	Cement	#Sac	ks Used		Type and	Percent Additives	
Shots Per Foot		ON RECORD			е		cture, Shot, Cerne		d Depth
2	1318 - 1328			- thisteries are a section		1000 gas	1. 15%	Acid	
			- 1 114 114 114 114 114 114 114 114 114				•		
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes N	0	
Date of First, Resumer 05-23-2009	rd Production, SWD or E	Enhr. P	roducing Met	hod	Flowing	g 📝 Pumpi	ng 🗌 Gas L	ift Othe	er (Explain)
Estimated Production Per 24 Hours	Oil 1	Bbis.	Gas	Mcf	Wate	er B	bls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF (COMPLETION				Production Inter	vai		
Vented Sold	Used on Lease		Open Hole	Pe	orf. 🔲 C	Dually Comp.	Commingled		RECEIVED
		L	Juliel (Spec	"# 				(SEr 1 1 2009

KCC WICHITA

Laymon Oil II, LLC 1998 Squirrel Road Neosho Falls, KS. 66758

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC 1998 Squirrel Road Neosho Falls, KS. 66758

Link #5-09

API: 15-207-27473-00 Spud Date: 05- 13- 2009 Comp. Date: 05- 16-2009 12-24-16 WO CO

Formation	From	То
Soil	0	19
Shale	19	107
Lime	107	189
Shale	189	220
Lime	220	350
Sandy lime	350	380
Shale	380	440
Lime	440	525
Shale	525	535
Lime	535	615
Big Shale	615	850
Lime	850	900
Shale	900	925
Black Shale	925	928
Shale	928	975
Cap Rock	975	976
Sandy Shale	976	978
Cap Rock	978	979
Lower Sand	979	981
Shale	981	1312
Mississippi Lime	1312	1317
Lime	1317	1400
Total Depth		1400

Set 47' of 8 5/8" surface, cemented with 12 sks. Ran 1398' of 2 7/8" pipe Seating nipple @ 1315

Phone 365-2201

Locally Owned and Operated "Courtesy" - "Quality" - "Service"

Since 1903

THE NEW KLEIN LUMBER CO., INC.

PO#				9	- Ci
SOLD TO	BILLING ADDRESS		<u> </u>	<u> </u>	<i>D</i> /
Delivered To	Loaded By	He	uled By		
QUANTITY	DESCRIPTION	FEET	PRICE	TOTAL	
75	Portland Coment	75	899 tox	723	25 22 47
DECEMENT AND					
RECEIVED ABO	OVE IN GOOD ORDER				Ravia 3958

Link 5-09 12 Dacks.



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which ere at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for hoding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER.

NOTICE TO OWNER!

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LABOS LAYMON DIL, L.L.C. 1998 SQUIRREL RD.

> NEOSHO FALLS KS 66750

HEL AYHON OIL 54 W TO WILLOW N TO 180TH RD 4 5 MI TO TURKEY

NEOSHO FALLS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	of Dan	DRIVER/TRUCK	₹ OTR	PLANT/TRANSACTION #
δυ:51:45p	IEL I.	5. जेले ५व	32.50 va	ด. ดด	3.0	0.00	
DATE	'n Date	LOAD# 🔥	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
Ø5 -18- Ø3	oday	4	82.50 74	8902		4.00 in	23489

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Gement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, if Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting arm sums owed.

All accounts not paid within 30 days of delivery will beer interest at the rate of 24% per annum.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

Not Responsible for Reactive Aggregate or Color Quelity. No Claim Allowed Unless Made at Time Material is Delivered.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) beer Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises endfor adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but is, order to do this order in requesting theit-layer light this RELEASE releving then and this supplier from any responsibility from any damage than may occur to the premises and/or adjacent property buildings, sidently, sidently, sidently, sidently, sidently, sidently, and the property of the material, and their you also the will not all the property of the material, and their you also the will not all time the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have sirken up of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

UNIT PRICE

76.00

LOAD RECEIVED BY:

EXTENDED PRICE

BURE YO

CODE 5.00 WE! !

QUANTITY

WELL (16 SALKS PER UNIT)

32.50

380.00

		11.20	1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT	1	1 1 2 1 300 m	∂3.94
	<u> </u>	17.30	2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION 4. CONTRACTOR BROKE DOWN 9. OTHER		Lital 1	463.94
LEFT PLANT	ARRIVED JOB	START UNLOADING	5. ADDED WATER	TIME DUE ,	2 der t	2030 34
3:09	1. 7	255	- f		ADDITIONAL CHARGE 1	
TOTAL ROUND TRIP	-/ TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2	·
·			<u>-</u>	4	GRAND TOTAL	



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO QWHEE.

RETILE TO UNINEM

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's fien on the property which is the subject of this contract.

LA005

QUANTITY

J. VIVI

2.00

LAYMON OIL, L.L.C. 1998 SQUIRREL RD.

> NEOSHO FALLS KS 66758

> > TRUCKING CHARGE

1 HE! AYMON OIL "14 !I TO WILLOW N TO 180TH RD 11 5 MI TO TURKEY

NEUSHO FALLS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	or propag	DRIVER/TRUCK	34.55.54	PLANT/TRANSACTION #
й0:44:45p	VELT.	5.00 yd	22.50 yd	0,00	7. h	0.00	
DATE	'o Date	LOAD# ¬	4 -YARDS-DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
05 18 09	oday	7,	.7.50 yd	80%)		4.00 in	23489

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Porland Cement. Wear Rubber Bodts and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS: Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes. Flush Thioroughly With Water, if Imitation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will beer interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR. CODE

TRUCKING

Mr.L.L

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE). Deer Custome-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause demage to the premises and/or adjacent property it is placen she metatial in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the other is requesting that you sign this RELEASE reflexing him and this supplier from any responsibility from any demage that may occur to be premises and/or adjacent property, buildings, sidewalks, drivervays, curbs, etc., by the delivery of this material, and that you also agree to help him remove much from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indept and host harmless the driver to it is truck and this supplier from any and eld damage to the pramises and/or adjacent property whitch may be claimed by suryone to have arisen out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

50.00

380 00

100.00

LOAD RECEIVED BY:

4.00

UNIT PRICE EXTENDED PRICE HELL (IU SACKS PER UNIT) 17.50 76. 00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN		Subfotal :	483, 99
		4:30	JOB NOT READY 6. TRUCK BROKE SLOW POUR OR PUMP 7. ACCIDENT TRUCK AHEAD ON JOB 8. CITATION		Tax 4 6.300 Total 4	30.24 510.24
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	Urder 1	11. Oak 48
3:09	3:30	3:55			ADDITIONAL CHARGE 1	· . · ·
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2	
					GRAND TOTAL	

Payless Co

nauways, driveways, buildings, trees, shrubbery, etc., which fisk. The maximum allotted time for unloading trucks is 5 mi charge will be made for holding trucks longer. This concret water contents to strength or mix indicated. We do not assum strength test when water is added at customer's request. NOTICE TO OWNER

LA005 LAYMON DEL, L.L.C. 1998 SOLLIRREL RD.

NEOSHO FALLS KS

DESCRIPTION

Ac/ LAYMON OIL

14 IV TO WILLOW N TO 180TH RD N 5 MI TO TURKEY

NEDSHO FALLS

1	No.		Navistr		 Transportation 		<u> Programment de la companya del companya del companya de la compa</u>
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
აე•3 9:39 p	ELL O Date	6.25 yd	82.50 yd	n.do	38.	0,00	·
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
05-18-09	oday	ä	18.50 yd 4	69.73		-4(00'in	£3487
			. , ,		~	· '	

WARNING

IRRITATING TO THE SKIN AND EYES
riband Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY

CAUSE BURNIS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Rush Thoroughly With Water, It Imitation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEARNING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE TO ADMISSTARTS Y

All accounts not paid within 30 days of delivery will beer interest at the rate of 24% per annum Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR. CODE

Customer: The other of this bruck in presenting this RELEASE to for your signature is of the opinion that the size and weight of his k may possibly cause damage to the principles another algorithms that the process another adjacent width in help you in every way that we can, but in order to do this other is requesting that you sign this RELEASE relieving him and

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

475.00

QUANTITY **UNIT PRICE** EXTENDED PRICE 12.50 €. 25 WELL WELL (10 SACKS PER UNIT) 76.00

RETURNED TO PLANT **LEFT JOB** FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED ibiotal 5-4/5.00 29.93 3x × 6.300 1. JOB NOT READY 2. SLOW POUR OR PUMP 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN stal \$ 504.93 LEFT PLANT ARRIVED JOB START UNLOADING TIME DUE 1110.1F . ADDED WATER **ADDITIONAL CHARGE 1 TOTAL ROUND TRIP** TOTAL AT JOB UNLOADING TIME **DELAY TIME ADDITIONAL CHARGE 2** GRAND TOTAL



assumes in responsioning or canadages in the control of the contro

LAGOS LAYMON OIC, L.L.C. 1998 SQUIRREL RD.

> MEOSHO FALLS KS 66758

LHE LAYMON BIL 54 W TO WILLOW N TO 180TH RD H 5 MI TO TURKEY 5 1/2 MI

"IEOSHO FALLS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
00: ₩:25p	WELL.	6.85 od	22.50 yd	0.00	35	0.00	
DATE	n hala	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
05 19 09	oday	1	6.25 yd	, P917		4.00 in	234 8 8

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Fush Thoroughly With Water, If Imitation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY FIRE BECOMES THE PROPERTY of the PURCHASER UPON LEAVING THE PLANT JUNY CHANGES OR CRACELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' tees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Defivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The other of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the invariet in this load where you dealer is. It is our wish to help you in 'every way that yee can, but in order to do this the other is requesting/first you sign this RELEASE relating him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property. bublings, sidewalks, of inversers, curbs, etc., by the deliver of little material, and that or inversers, curbs, etc., by the deliver of little material and that or diversers, curbs, etc., by the deliver of little material and that the premises and/or adjacent property.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

DESCRIPTION UNIT PRICE **EXTENDED PRICE** QUANTITY CODE 6, 25 WELL WELL IN SACKS PER UNIT! 76,00 475.90 6. 25 199 99 2.00 TRUCK ING TRUCKING CHARGE 2.00 50.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	ibrotal t 575, 96
	٠.٤	420	1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	I	18 % 6.300 36.60 141 8 611.23
LEFT PLANT	ARRIVED JOB.	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE	rder \$. Olive?
J:02	3.34		à. 5		ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL