KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION



WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #33190	API No. 15 - 023-20983-00-00
Name: Noble Energy, Inc.	County: Cheyenne
Address: _1625 Broadway, Suite 2200	N2 -SW - NW - SW Sec. 16 Twp. 4 S. R. 41 East West
City/State/Zip: Denver, CO 80202	1,840' feet from S/ N (circle one) Line of Section
Purchaser:	feet from E /(W)(circle one) Line of Section
Operator Contact Person: Erin Joseph	Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 228-4089 RECEIVED	(circle one) NE SE NW (SW)
Contractor: Name: Excell Services Inc., Wray, CO	Lease Name: Douthit Well #: 13-16
9272 CCD () 3 2009	Charry Creek Nightara Gas Area
Wellsite Geologist: none	AProducing Formation: Elevation: Ground: 3386' Kelly Bushing: 3395'
Designate Type of Completion:	Elevation: Ground: 3386' Kelly Bushing: 3395'
New Well Re-Entry Workover	Total Depth: 124' Plug Back Total Depth: 110'
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 124',cmt w/ 43 sx Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from n/a
Operator: n/a	feet depth to sy cmt
Well Name:	Alt 1-Dig-9
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perl Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	•
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
8/12/2008 8/12/2008	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1: 107 for confidentiality in excess of 12 months). One copy of all wireline logs of TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING
nerein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: VVV SON	KCC Office Use ONLY
Title: Regulatory Specialist Date: 8/27/2009	Letter of Confidentiality Received
day of SEPTEMBE	If Denied, Yes Date:
	Wireline Log Received
votary Public: Block are	Geologist Report Received
· Pupi C · · · · · ·	UIC Distribution
My Commission Expires 09/11/2016	}

perator Name: No	oble Energy, Inc.		Lease Nam	e: Douthit		_ Well #: _13-1	6
ec. 16 Twp. 4	S. R. 41	☐ East	County:C	heyenne			
sted, time tool oper mperature, fluid rec	and closed, flowing overy, and flow rate	and base of formations pe g and shut-in pressures, v s if gas to surface test, al final geological well site re	whether shut-in ong with final c	pressure reached	static level, hydro	static pressur	es, bottom hole
rill Stem Tests Take	•	Yes No		Log Formation		n (Top), Depth and Datum	
amples Sent to Geo	1 1	Yes 🗸 No		ame		Тор	Datum
ores Taken	. 1	☐ Yes 🗸 No		4 €			
lectric Log Run (Submit Copy)		Yes No	2	A . A size			
ist All E. Logs Run:	j i	. ^	,				
ļ'o,				,	e.		
	l I	CASING Report all strings set-c		New Used	etion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9 7/8"	7"	17 Lbs/F	t. 12 4 '	50/50 POZ	43 sx	3% CaCl, .25% Flo-cele
i I		ADDITIONAL	CEMENTING /	SQUEEZE RECOR	D		
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Used	1	Type and I	Percent Additive	s
Chata Day Foot	PERFORAT	ION RECORD - Bridge Plug	gs Set/Type ^		acture, Shot, Cemer		
Shots Per Foot	* Specify	Footage of Each Interval Per	forated	(/	Amount and Kind of M	laterial Used)	Depth
	h						
i 							
:							
TUBING RECORD	Size	Set At	Packer At	Liner Run	Yes V	0	
Date of First, Resume	rd Production, SWD or	Enhr. Producing Me		owing Pum	ping Gas L	ift 🔲 Ot	her <i>(Explain</i>)
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf S 33	Water いみごじょうかご	Bbls.	Gas-Oil Ratio	Gravity Gravity
Disposition of Gas	METHOD OF	COMPLETION	- 12	f Production Int	erval		O STOCK IN
Vented Sold	Used on Lease	Open Hole	Perf.	Dually Comp.	Commingled	1 Cost 1	N D CIMON.

BISON OIL WELL CEMENTING, INC. 1738 Wynkoop St., Ste. 102 LOCATION River Denver, Colorado 80202 Phone: 303-296-3010 FOREMAN ELO, Tonu, Just-Fax: 303-298-8143 E-mail: bisonoll1@qwest.net TREATMENT REPORT FORMATION WELL NAME OWNER CHARGE TO MY OPERATOR MAILING ADDRESS CONTRACTOR DISTANCE TO LOCATION STATE ZIP CODE TIME LEFT LOCATION TIME ABRIVED ON LOCATION ... PRESSURE LIMITATIONS WELL DATA INSTRUCTED THEORETICAL TUBING SIZE SHOTS/FT TUBING DEPTH OPEN HOLE STRING TUBING WEIGHT TUBING CONDITION TYPE OF TREATMENT BREAKDOWN BPM SURFACE PIPE CASING WEIGHT [4 PRODUCTION CASING INITIAL BPM FINAL BPM SQEEZE CEMENT PRESSURE SUMMARY MINIMIM BPM T JACID BREAKDOWN AVERAGE BREAKDOWN or CIRCULATING OST MAXIMUM BPM () ACID STIMULATION FINAL DISPLACEMENT TACID SPOTTING AVERAGE BPM ANNULUS 5 MIN SIP MISC RUMP ... MUMIXAM 1 OTHER HYD,HHP = RATE X PRESSURE X 40.8 MUMINIM JOB SUMMARY SCRIPTION OF JOB EVENTS MITE DISTAND SOCIETY SIR) EN ELECTO 36) MIPE (6:30) DISPOSE (6:33) self wash en to pit (6:36 of estimed up to 300 ps; @ Est circ. Casina RECEIVED SEP 0 3 2009 KCC WICHITA

Customers hereby acknowledges and specifically agrees to the terms and conditions on this work order including, without limitation, the provisions on the reverse side hereof which include the release and Indemnity.

diller

AUTHORIZATION TO PROCEED