

WELL PLUGGING RECORD

STATE OF KANSAS STATE CORPORATION COMMISSION

FORMATION PLUGGING RECORD

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission 800 Bittling Building Wichita, Kansas

Strike out upper line when reporting plugging of formations.

Rooks County. Sec. 14 Twp. 10S Rge. (E) 19 (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines SW SE SE

Lease Owner Darby & Bothwell, Inc.

Lease Name Vohs "B" Well No. 1

Office Address 2003 Philtower Bldg., Tulsa, 3, Oklahoma.

Character of Well (completed as Oil, Gas or Dry Hole) Dry hole.

Date well completed 12/6/47 19

Application for plugging filed 12/8/47 19

Application for plugging approved 12/9/47 19

Plugging commenced 1/9/48 19

Plugging completed 1/12/48 19

Reason for abandonment of well or producing formation Dry hole.

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes.

Name of Conservation Agent who supervised plugging of this well C. D. Stough, Hays, Kansas.

Producing formation Depth to top Bottom Total Depth of Well 3575 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Table with 7 columns: Formation, Content, From, To, Size, Put In, Pulled Out. Rows include Heebner, Kansas City-Lansing, and Arbuckle.

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Lane Wells plug set at 3397, filled hole with crushed rock to 3260, dumped 5 sacks cement, shot pipe at 2800', pulled 5 1/2" casing and filled hold with mud to 1420', dumped 15 sacks of cement, filled hole with mud to 200', dumped 10 sacks of cement, filled hole with mud to 12', dumped 5 sacks cement for cap.

(SEE REVERSE SIDE FOR FORMATION RECORD)

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Darby & Bothwell, Inc., 2003 Philtower Bldg., Tulsa, 3, Oklahoma.

STATE OF Oklahoma, COUNTY OF Tulsa, ss. W. H. Barclay (employee of owner) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God


(Signature) W. H. Barclay 2003 Philtower Bldg., Tulsa, 3, Oklahoma. (Address)

SUBSCRIBED AND SWORN to before me this 27th day of JAN 28 1948 January 19 48

My commission expires March 1, 1950.

J. E. Wailes Notary Public.

PLUGGING FILE SEC 14 T 10 R 19D BOOK PAGE 3 LINE 42



FORMATION RECORD

	<u>FROM</u>	<u>TO</u>
Post rock & clay	0	65
Blue shale, sand strks	65	180
Blk shale	180	310
Shale, sand & shells	310	535
Shale & shells	535	760
Shale	760	790
Shells, iron, shale	790	825
Shale & lime	825	900
Sand	900	1085
Shale, lime & sand	1085	1140
Shale & shells	1140	1210
Shale, red bed	1210	1260
Sand, red bed	1260	1315
Red bed	1315	1408
Anhydrite	1408	1440
Red bed, shale, shells	1440	1770
Shale, shells	1770	1800
Salt, shale	1800	1915
Lime, shale	1915	2125
Lime, sandy	2125	2255
Shale & lime	2255	2622
Lime	2622	2700
Lime & shale	2700	3085
Lime	3085	3489
Conglomerate	3489	3505
Shale, sand (Simpson)	3505	3569
Arbuckle Lime	3569	3575 T.D.