

**KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

**ORIGINAL**

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 5316  
 Name: FALCON EXPLORATION, INC.  
 Address: 125 N. MARKET, SUITE 1252  
 City/State/Zip: WICHITA, KS 67202  
 Purchaser: \_\_\_\_\_  
 Operator Contact Person: RONALD S. SCHRAEDER  
 Phone: (316) 262-1378  
 Contractor: Name: VAL ENERGY INC.  
 License: 5822  
 Wellsite Geologist: KEITH REAVIS  
 Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SIOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_  

<u>8/15/07</u>	<u>8/31/07</u>	
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - <sup>21423</sup>~~025-21424~~-0000  
 County: CLARK  
 NW NE SW SW Sec. 35 Twp. 30 S. R. 22  East  West  
1180 feet from  (S)  (N)  (E)  (W) (circle one) Line of Section  
680 feet from  Ex  (W) (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one) NE SE NW  (SW)  
 Lease Name: GILES LAND Well #: 1-35(SW)  
 Field Name: \_\_\_\_\_  
 Producing Formation: \_\_\_\_\_  
 Elevation: Ground: 2203 Kelly Bushing: 2213  
 Total Depth: 6470 Plug Back Total Depth: \_\_\_\_\_  
 Amount of Surface Pipe Set and Cemented at 871 Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from \_\_\_\_\_  
 feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan** P+A AH I NCL  
 (Data must be collected from the Reserve Pit) 1-16-09  
 Chloride content 17000 ppm Fluid volume 1000 bbls  
 Dewatering method used HAULED TO DISPOSAL WELL  
 Location of fluid disposal if hauled offsite:  
 Operator Name: GENE R DILL  
 Lease Name: REGIER SWD License No.: 6652  
 Quarter \_\_\_\_\_ Sec. 17 Twp. 33 S. R. 27  East  West  
 County: MEADE Docket No.: C21232

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Rosann M Schippers  
 Title: ENGINEER Date: 11/14/07  
 Subscribed and sworn to before me this 14TH day of NOVEMBER,  
 20 07.  
 Notary Public: Rosann M Schippers  
 Date Commission Expires: 9/28/11

**ROSANN M. SCHIPPERS  
NOTARY PUBLIC  
STATE OF KANSAS  
My Appt. Exp. 9/28/11**

**KCC Office Use ONLY**

Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_ **RECEIVED**  
 Wireline Log Received **KANSAS CORPORATION COMMISSION**  
 Geologist Report Received **NOV 15 2007**  
 UIC Distribution  
**CONSERVATION DIVISION  
WICHITA, KS**

Operator Name: FALCON EXPLORATION, INC. Lease Name: GILES LAND Well #: 1-35(SW)  
 Sec. 35 Twp. 30 S. R. 22  East  West County: CLARK

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>DIL;MEL;BHCS;CNL/CDL</b>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td><input checked="" type="checkbox"/> Log</td> <td>Formation (Top), Depth and Datum</td> <td><input type="checkbox"/> Sample</td> </tr> <tr> <td>Name</td> <td>Top</td> <td>Datum</td> </tr> <tr> <td>PAWNEE</td> <td>4996</td> <td>-2783</td> </tr> <tr> <td>CHEROKEE</td> <td>5053</td> <td>-2840</td> </tr> <tr> <td>MORROW SH</td> <td>5162</td> <td>-2949</td> </tr> <tr> <td>MISSISSIPPIAN</td> <td>5198</td> <td>-2985</td> </tr> <tr> <td>KINDERHOOK</td> <td>5824</td> <td>-3611</td> </tr> <tr> <td>VIOLA</td> <td>6032</td> <td>-3819</td> </tr> <tr> <td>SIMPSON</td> <td>6244</td> <td>-4031</td> </tr> <tr> <td>ARBUCKLE</td> <td>6396</td> <td>-4183</td> </tr> </table>	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample	Name	Top	Datum	PAWNEE	4996	-2783	CHEROKEE	5053	-2840	MORROW SH	5162	-2949	MISSISSIPPIAN	5198	-2985	KINDERHOOK	5824	-3611	VIOLA	6032	-3819	SIMPSON	6244	-4031	ARBUCKLE	6396	-4183
<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample																													
Name	Top	Datum																													
PAWNEE	4996	-2783																													
CHEROKEE	5053	-2840																													
MORROW SH	5162	-2949																													
MISSISSIPPIAN	5198	-2985																													
KINDERHOOK	5824	-3611																													
VIOLA	6032	-3819																													
SIMPSON	6244	-4031																													
ARBUCKLE	6396	-4183																													

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12-1/4	10-3/4"	32.75	462	CLASS A	200	2% GEL, 3% CC
SURFACE	9-7/8	8-5/8"	23	871	LITE/CLASS A	200	2% GEL, 3% CC

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	
				Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
---------------	------	--------	-----------	--

Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	---

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

Disposition of Gas:  Vented  Sold  Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION:  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval: \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

32538

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
*Medicine Lodge*

DATE <u>8-16-07</u>	SEC. <u>35</u>	TWP. <u>20S</u>	RANGE <u>22W</u>	CALLED OUT <u>10:00 PM</u>	ON LOCATION <u>2:00 AM</u>	JOB START <u>3:00 PM</u>	JOB FINISH <u>4:30 PM</u>
LEASE <u>Griles Land</u>		WELL # <u>1-35</u>	LOCATION <u>Sitka, KS, N to Ashland Feeders</u>		COUNTY <u>CLARK</u>	STATE <u>KS.</u>	
OLD OR (NEW) (Circle one)			<u>sign, 2 1/2 N, 3 N to "Y", 1/2 W, 3 N to E to Loc.</u>				

CONTRACTOR VAL #2

TYPE OF JOB SURFACE

HOLE SIZE 14" T.D. 473'

CASING SIZE 10 3/4" 32.75" DEPTH 463

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2" DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 500 MINIMUM 100

MEAS. LINE \_\_\_\_\_ SHOE JOINT 41.63'

CEMENT LEFT IN CSG. 41.63'

PERFS. \_\_\_\_\_

DISPLACEMENT 4 3/4 Bbl Freshwater

OWNER FALCON EXPLORATION

CEMENT

AMOUNT ORDERED 300SK 65135.6 + 32cc + 1/4"  
Flo Seal, 200 SK CLASS A + 32cc + 28 Gal  
(DID NOT USE 200SK 65135.6 + 32cc + 1/4" Flo Seal)

COMMON <u>200 A</u>	@ <u>11.10</u>	<u>2220.00</u>
POZMIX _____	@ _____	_____
GEL <u>4</u>	@ <u>16.65</u>	<u>66.60</u>
CHLORIDE <u>10</u>	@ <u>46.60</u>	<u>466.00</u>
ASC _____	@ _____	_____
<u>ALW 100</u>	@ <u>10.45</u>	<u>1045.00</u>
<u>Flo Seal 25"</u>	@ <u>2.00</u>	<u>50.00</u>
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
HANDLING <u>540</u>	@ <u>1.90</u>	<u>1026.00</u>
MILEAGE <u>65 X 540 X .09</u>		<u>3159.00</u>
TOTAL		<u>8032.60</u>

EQUIPMENT

PUMP TRUCK CEMENTER Thomas Demerou  
# 414 HELPER Greg G.

BULK TRUCK  
# 421 DRIVER Heath M.

BULK TRUCK  
# \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:

pipe on bottom, pump 10 Bbl Fresh water  
Ahead, pump 160 SK CLASS A + 32cc + 28  
Gal, stop pumps release plug start displacement  
slow rate pump plug shut FW, w/ no returns  
pump 50 SK CLASS A + 32cc + 28 Gal + 100SK 65135.6  
+ 32cc + 1/4" Flo Seal, cement circulated to  
SURFACE,

SERVICE

DEPTH OF JOB <u>473'</u>		
PUMP TRUCK CHARGE <u>0-300'</u>		<u>815.00</u>
EXTRA FOOTAGE <u>173'</u>	@ <u>.65</u>	<u>112.45</u>
MILEAGE <u>65</u>	@ <u>6.00</u>	<u>390.00</u>
MANIFOLD _____	@ _____	_____
<u>HEAD RENT 1</u>	@ <u>100.00</u>	<u>100.00</u>
<u>WAITING TIME 5</u>	@ <u>200.00</u>	<u>1000.00</u>
TOTAL		<u>2417.45</u>

CHARGE TO: FALCON EXPLORATION

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

10 3/4" PLUG & FLOAT EQUIPMENT

BASKETS <u>2</u>	@ <u>235.00</u>	<u>470.00</u>
CENTRALIZERS <u>2</u>	@ <u>68.00</u>	<u>136.00</u>
BAFFLE PLATE <u>1</u>	@ <u>155.00</u>	<u>155.00</u>
TOP RUBBER PLUG <u>1</u>	@ <u>145.00</u>	<u>145.00</u>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

ANY APPLICABLE TAX  
WILL BE CHARGED  
UPON INVOICING TOTAL 906.00

SIGNATURE Ron Moon

TAX \_\_\_\_\_

TOTAL CHARGE ~~\_\_\_\_\_~~

DISCOUNT ~~\_\_\_\_\_~~

PRINTED NAME Ron Moon

RECEIVED  
KANSAS CORPORATION COMMISSION  
NOV 15 2007  
CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO., INC.

31168

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Med Lodge

DATE <u>8-17-07</u>	SEC. <u>35</u>	TWP. <u>20s</u>	RANGE <u>22W</u>	CALLED OUT <u>2:45 AM</u>	ON LOCATION <u>6:30</u>	JOB START <u>6:30 AM</u>	JOB FINISH <u>8:00 PM</u>
LEASE <u>Land</u>	WELL # <u>1-25</u>	LOCATION <u>Sitka K. N to Ashland</u>			COUNTY <u>Cloud</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			feed in seg 2 1/2 W 3 to Y. 6 W 3 in E into				

CONTRACTOR Val #2

TYPE OF JOB Surface

HOLE SIZE 8 5/8 T.D. 871

CASING SIZE 8 5/8 DEPTH 871

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX 400 MINIMUM 100

MEAS. LINE SHOE JOINT 40 ft

CEMENT LEFT IN CSG. 40 ft

PERFS.

DISPLACEMENT 54 bbls water

OWNER Falcon Exp

CEMENT

AMOUNT ORDERED 150 x 65 / 35.6 bbls  
32 cc + 150 x A 3+2  
(Use 50 x lite + 150 x A 3+2)  
2 x Am Chloride

COMMON	<u>150 A</u>	@	<u>11.10</u>	<u>1665.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>16.65</u>	<u>49.95</u>
CHLORIDE	<u>7</u>	@	<u>46.60</u>	<u>326.20</u>
ASC		@		
Ammonium Chloride	<u>2</u>	@	<u>40.30</u>	<u>80.60</u>
ALW 50		@	<u>10.45</u>	<u>522.50</u>
Flo Seal 13 #		@	<u>2.00</u>	<u>26.00</u>
		@		
		@		
		@		
HANDLING	<u>325</u>	@	<u>1.90</u>	<u>617.50</u>
MILEAGE	<u>65 x 325 x .09</u>			<u>1901.25</u>
TOTAL				<u>5189.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Mark S

# 372 HELPER Darin

BULK TRUCK

# 364 DRIVER Carl

BULK TRUCK

# DRIVER

REMARKS:

Pipe on bottom + circulate  
 Mix 50.0 / 65 / 35.6 35 cc + 1/4 # flo seal  
 + 150 x A 3+2 + 15 Am Chloride start  
 down pumps + release plug start  
 displacement slow rate at 40 bbls  
 bump plug at 54 bbls + 400 psi +  
 shut in cement did not circulate  
 up down

SERVICE

DEPTH OF JOB	<u>871</u>		
PUMP TRUCK CHARGE	<u>0-300'</u>		<u>815.00</u>
EXTRA FOOTAGE	<u>571'</u>	@	<u>.65</u> <u>371.15</u>
MILEAGE	<u>65</u>	@	<u>6.00</u> <u>390.00</u>
MANIFOLD		@	
Head Rental		@	<u>100.00</u> <u>100.00</u>
		@	
TOTAL <u>1676.15</u>			

CHARGE TO: Falcon

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

<u>8 5/8</u>			
1-Rubber plug	@	<u>100.00</u>	<u>100.00</u>
1-Baffle plate	@	<u>135.00</u>	<u>135.00</u>
	@		
	@		

ANY APPLICABLE TAX  
 WILL BE CHARGED  
 UPON INVOICING

TOTAL 235.00

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment  
 and furnish cementer and helper to assist owner or  
 contractor to do work as is listed. The above work was  
 done to satisfaction and supervision of owner agent or  
 contractor. I have read & understand the "TERMS AND  
 CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_

SIGNATURE x

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 NOV 15 2007  
 PRINTED NAME \_\_\_\_\_  
 CONSERVATION DIVISION  
 WICHITA, KS

# ALLIED CEMENTING CO., INC.

31196

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

8/31/07

Medicine Lodge, KS

DATE 9-1-07	SEC. 35	TWP. 20S	RANGE 22W	CALLED OUT 8:00 P.M.	ON LOCATION 9:30 P.M.	JOB START 9:00 AM	JOB FINISH 10:00 A.M.
LEASE Gilesland	WELL # 1-25	LOCATION Sitka, KS, N to fooders sign			COUNTY Clark	STATE KS.	
OLD OR <input checked="" type="radio"/> NEW (Circle one)		3W, 3N, lowest 3W/E into					

CONTRACTOR Wal #2  
 TYPE OF JOB Rot. Plug  
 HOLE SIZE 7 7/8 T.D.  
 CASING SIZE 10 3/4, 8 3/8 DEPTH 463, 871  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE 4 1/2 DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT Mud/Water

OWNER Falcon Explo.  
 CEMENT AMOUNT ORDERED 250 sx 60' 40' 4% gel

EQUIPMENT  
 PUMP TRUCK # 352 CEMENTER Mark C. HELPER Clint W.  
 BULK TRUCK # 364 DRIVER Raymond P.  
 BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>150</u>	A	@	<u>11.10</u>	<u>1665.00</u>
POZMIX	<u>100</u>		@	<u>6.20</u>	<u>620.00</u>
GEL	<u>9</u>		@	<u>16.65</u>	<u>149.85</u>
CHLORIDE			@		
ASC			@		
			@		
			@		
			@		
			@		
			@		
			@		
HANDLING	<u>259</u>		@	<u>1.90</u>	<u>492.10</u>
MILEAGE	<u>65 x 259</u>		X	<u>.09</u>	<u>1515.15</u>
TOTAL					<u>4442.10</u>

REMARKS:

Spot plug @ 6300' w/50sx. displac w/mud.  
 Spot plug @ 900' w/75sx disp w/float  
 Plug @ 240' w/30sx, plug @ 60' w/20sx  
 plug Rot w/15sx, plug mouse w/10sx

SERVICE

DEPTH OF JOB	<u>6300'</u>			
PUMP TRUCK CHARGE				<u>2200.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>65</u>	@	<u>6.00</u>	<u>390.00</u>
MANIFOLD		@		
		@		
		@		

TOTAL 2590.00

CHARGE TO: Falcon Explo.  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

	@		
	@		
	@		
	@		

ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING TOTAL \_\_\_\_\_

TAX \_\_\_\_\_  
 TOTAL CHARGE [scribble]  
 DISCOUNT [scribble]

RECEIVED  
IF RANSAS CORPORATION COMMISSION

NOV 15 2007

PRINTED NAME CONSERVATION DIVISION WICHITA, KS

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE X

X