



Operator Name: Tomlinson Operating, LLC Lease Name: Joy Well #: 1  
 Sec. 13 Twp. 12 S. R. 19  East  West County: Ellis

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>Log-Tech ran Radiation Guard Log and Sonic Log</b>	<input checked="" type="checkbox"/> Log    Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Anhydrite</td> <td>1544</td> <td>+647</td> </tr> <tr> <td>Anhydrite base</td> <td>1585</td> <td>+633</td> </tr> <tr> <td>Topeka</td> <td>3239</td> <td>-1021</td> </tr> <tr> <td>Heebner</td> <td>3469</td> <td>-1251</td> </tr> <tr> <td>Lansing</td> <td>3513</td> <td>-1295</td> </tr> <tr> <td>Base Kansas City</td> <td>3746</td> <td>-1528</td> </tr> <tr> <td>Arbuckle</td> <td>3874</td> <td>-1656</td> </tr> <tr> <td>TD</td> <td>3900</td> <td>-1682</td> </tr> </table>	Name	Top	Datum	Anhydrite	1544	+647	Anhydrite base	1585	+633	Topeka	3239	-1021	Heebner	3469	-1251	Lansing	3513	-1295	Base Kansas City	3746	-1528	Arbuckle	3874	-1656	TD	3900	-1682
Name	Top	Datum																										
Anhydrite	1544	+647																										
Anhydrite base	1585	+633																										
Topeka	3239	-1021																										
Heebner	3469	-1251																										
Lansing	3513	-1295																										
Base Kansas City	3746	-1528																										
Arbuckle	3874	-1656																										
TD	3900	-1682																										

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	28	327	common	190	2% gel, 3% CaCl

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr.				Producing Method			
				<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours		Oil    Bbls.	Gas    Mcf	Water    Bbls.	Gas-Oil Ratio	Gravity	

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	_____

**RECEIVED**  
KANSAS CORPORATION COMMISSION

**NOV 26 2008**

CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO., LLC. 34556

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

*KFC*  
*11/26/08* SERVICE POINT: Russell

DATE <u>9-4-08</u>	SEC <u>13</u>	TWP. <u>12</u>	RANGE <u>19 W</u>	CALLED OUT	ON LOCATION	JOB START <u>3:38pm</u>	JOB FINISH <u>4:00pm</u>
LEASE <u>Jay</u>	WELL # <u>1</u>	LOCATION <u>Hays N Buckeye Rd</u>			COUNTY <u>Ellis</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>			<u>3 1/2" E N into</u>				

CONTRACTOR C-U  
 TYPE OF JOB Surface  
 HOLE SIZE \_\_\_\_\_ T.D. 330  
 CASING SIZE 8 5/8 DEPTH 327  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. 15'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 19 BL

OWNER \_\_\_\_\_  
 CEMENT AMOUNT ORDERED 190 com 30/0cc  
20/0cc

EQUIPMENT  
 PUMP TRUCK # 417 CEMENTER Craig  
 HELPER Matt  
 BULK TRUCK # 410 DRIVER Mark  
 BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON <u>190</u>	@ <u>13.50</u>	<u>2565.00</u>
POZMIX _____	@ _____	_____
GEL <u>4</u>	@ <u>20.25</u>	<u>81.00</u>
CHLORIDE <u>7</u>	@ <u>51.50</u>	<u>360.50</u>
ASC _____	@ _____	_____
HANDLING <u>20</u>	@ <u>2.25</u>	<u>450.00</u>
MILEAGE <u>SK/mi/1.10</u>		<u>603.00</u>
TOTAL		<u>400.75</u>

RECEIVED  
 KANSAS CORPORATION COMMER. S-C  
 NOV 26 2008  
 CONSERVATION DIVISION  
 WICHITA, KE

REMARKS:  
Cement Circulated!  
Thanks!

SERVICE  
 DEPTH OF JOB \_\_\_\_\_  
 PUMP TRUCK CHARGE \_\_\_\_\_ 99.00  
 EXTRA FOOTAGE @ \_\_\_\_\_  
 MILEAGE 30 @ 7.50 225.00  
 MANIFOLD @ \_\_\_\_\_  
 TOTAL 1216.00

CHARGE TO: Tomlinson Operating  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT  
185wood @ \_\_\_\_\_ 66.00  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment

# ALLIED CEMENTING CO., LLC. 34564

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

*KC*  
*M*  
*11/26/08*  
SERVICE POINT: Russell

DATE <b>9-11-08</b>	SEC. <b>13</b>	TWP. <b>12</b>	RANGE <b>19W</b>	CALLED OUT	ON LOCATION	JOB START <b>3:30pm</b>	JOB FINISH <b>4:00pm</b>
LEASE <b>Joy</b>	WELL # <b>1</b>	LOCATION <b>Buckeye Rd 3 1/2 W</b>			COUNTY <b>#71.5</b>	STATE <b>KS</b>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR **L.D**  
 TYPE OF JOB **Rotary Plug**  
 HOLE SIZE \_\_\_\_\_ T.D. **3900**  
 CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_  
 CEMENT AMOUNT ORDERED **225 60/40 40% F/L**  
**14750**

COMMON	<u>135</u>	@	<u>13.50</u>	<u>1822.50</u>
POZMIX	<u>90</u>	@	<u>7.50</u>	<u>679.50</u>
GEL	<u>8</u>	@	<u>20.25</u>	<u>162.00</u>
CHLORIDE		@		
ASC		@		
<b>Flo seal</b>	<b>56 lbs</b>	@	<u>2.45</u>	<u>137.20</u>
RECEIVED				
@ KANSAS CORPORATION COMMISSION				
@ <b>NOV 26 2008</b>				
@ CONSERVATION DIVISION				
@ WICHITA, KS				
HANDLING	<u>233</u>	@	<u>2.25</u>	<u>524.25</u>
MILEAGE	<u>SK/mi/10</u>			<u>699.00</u>
				TOTAL <u>4024.00</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER **Craig**  
 # **417** HELPER **Matt**  
 BULK TRUCK DRIVER **Rocky**  
 # **378**  
 BULK TRUCK DRIVER \_\_\_\_\_  
 # \_\_\_\_\_

**REMARKS:**

<b>1st</b>	<b>3833</b>	<b>25SK</b>
<b>2nd</b>	<b>1510</b>	<b>25SK</b>
<b>3rd</b>	<b>860</b>	<b>100SK</b>
<b>4th</b>	<b>380</b>	<b>40SK</b>
<b>5th</b>	<b>40'</b>	<b>10SK</b>
<b>Rathole 25SK</b>		

Thanks!

CHARGE TO: Tomlinson Operating  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>991.00</u>
EXTRA FOOTAGE	@		
MILEAGE	<u>30</u>	@	<u>7.50</u> <u>225.00</u>
MANIFOLD	@		
TOTAL <u>1216.00</u>			

**PLUG & FLOAT EQUIPMENT**

<b>18 5/8 wooden plug</b>			<u>39.00</u>
	@		
	@		
	@		
	@		

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment