

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Handwritten: KCC
M
02/08/10

OPERATOR: License # 33979
Name: Clipper Energy LLC
Address 1: 3838 Oak Lawn
Address 2: _____
City: Dallas State: TX Zip: 75219 + _____
Contact Person: Bill Robinson
Phone: (214) 220-1080
CONTRACTOR: License # 33493
Name: American Eagle
Wellsite Geologist: Bill Robinson
Purchaser: Coffeyville
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW
 Gas ENHR SIGW
 CM (Coal Bed Methane) Temp. Abd.
 Dry Other _____
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr. Conv. to SWD
 Plug Back: _____ Plug Back Total Depth _____
 Commingled Docket No.: _____
 Dual Completion Docket No.: _____
 Other (SWD or Enhr.?) Docket No.: _____
11-15-08 11-21-08 P/A 11-22-08
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - 065-23492-0000
Spot Description: _____
SW NE SE NW Sec. 23 Twp. 7S S. R. 21 East West
1750 Feet from North / South Line of Section
2180 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Graham
Lease Name: Alexander-Dowdell Well #: 4
Field Name: na
Producing Formation: none
Elevation: Ground: 2082 Kelly Bushing: 2087
Total Depth: 3664 Plug Back Total Depth: na
Amount of Surface Pipe Set and Cemented at: 221 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: na Feet
If Alternate II completion, cement circulated from: na
feet depth to: na w/ na sx cmt.

Drilling Fluid Management Plan P+A AIT I NCR
(Data must be collected from the Reserve Pit) 1-8-09
Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: geologist Date: 12-31-08
Subscribed and sworn to before me this 31st day of December,
20 08.
Notary Public: Sheryl Axelson
Date Commission Expires: 7-24-12



KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received **RECEIVED**
 UIC Distribution
KANSAS CORPORATION COMMISSION
JAN 02 2009

Operator Name: Clipper Energy LLC Lease Name: Alexander-Dowdell Well #: 4
 Sec. 23 Twp. 7s S. R. 21 East West County: Graham

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: RAG	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum T/Anhydrite RECEIVED 1699 388 B/K GAS CORPORATION COMMISSION 3522 -1435 <div style="text-align: center; font-weight: bold; font-size: 1.2em;"> JAN 02 2009 CONSERVATION DIVISION WICHITA, KS </div>
--	--

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4	8 5/8	23	221	common	160	3% cc + 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD: Size: na Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or Enhr. na Producing Method: Flowing Pumping Gas Lift Other (Explain) _____

Estimated Production Per 24 Hours	Oil Bbls. <u>na</u>	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	---------------------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

ALLIED CEMENTING CO., LLC. 32242

ATTN TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>1-21-08</u>	SEC <u>23</u>	TWP. <u>7</u>	RANGE <u>21</u>	CALLED OUT	ON LOCATION	JOB START <u>9:30pm</u>	JOB FINISH <u>10:30pm</u>
LEASE <u>Dowdell</u>	WELL # <u>4</u>	LOCATION <u>Nicodemus 3N</u>			COUNTY <u>Graham</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR American Eagle
 TYPE OF JOB PTA
 HOLE SIZE 5 7/8 T.D.
 CASING SIZE _____ DEPTH _____
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 4 1/2 DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER _____
 CEMENT
 AMOUNT ORDERED
230 64/40 4 7/8 gal
1/4 # F76 Seal

COMMON	<u>138</u>	@	<u>13.50</u>	<u>1863.00</u>
POZMIX	<u>92</u>	@	<u>7.55</u>	<u>694.60</u>
GEL	<u>8</u>	@	<u>20.25</u>	<u>162.00</u>
CHLORIDE		@		
ASC		@		
<u>Flo Seal 57 #</u>		@	<u>2.45</u>	<u>139.65</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>238</u>	@	<u>2.25</u>	<u>535.50</u>
MILEAGE	<u>10.516/mile</u>			<u>1547.00</u>
TOTAL				<u>4,941.75</u>

EQUIPMENT

PUMP TRUCK CEMENTER Bill
 # 417 HELPER Chris H
 BULK TRUCK
 # 481 DRIVER Rocky
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

1st plug c 3568 w/ 20 lbs
2nd plug c 1700 w/ 25 lbs
3rd plug c 900 w/ 100 lbs
4th plug c 200 w/ 40 lbs
1/2' w/ 10 lbs
Rat hole 30 lbs

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>990.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>65</u>	@	<u>7.00</u> <u>455.00</u>
MANIFOLD		@	
		@	
		@	
RECEIVED			
KANSAS CORPORATION			
JAN 02 2009			TOTAL <u>1445.00</u>

CHARGE TO: Clippen Energy
 STREET _____
 CITY _____ STATE _____ ZIP _____

CONSERVATION DIV.
 WISHTA GAS & FLOAT EQUIPMENT

<u>1-8 3/4 wood</u>	@	<u>39.00</u>
	@	
	@	
	@	
	@	
TOTAL		<u>39.00</u>

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____
 SIGNATURE Don Morris

ALLIED CEMENTING CO., LLC. 034953

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell KS

DATE <u>11-15-08</u>	SEC. <u>23</u>	TWP. <u>7</u>	RANGE <u>21</u>	CALLED OUT	ON LOCATION	JOB START <u>7:00am</u>	JOB FINISH <u>7:30am</u>
ALEXANDER LEASE <u>Dowdell</u>		WELL# <u>4</u>		LOCATION <u>Nicodemus KS Vic. 29th N on Rd</u>		COUNTY <u>Graham</u>	STATE <u>KS</u>
OLD OR <u>NEW</u> (Circle one)			<u>390 West into</u>				

CONTRACTOR American Eagle Drilling Rig #2
 TYPE OF JOB Surface
 HOLE SIZE 12 1/4 T.D. 221'
 CASING SIZE 8 5/8 DEPTH 221'
 TUBING SIZE DEPTH 220'
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. 15'
 PERFS.
 DISPLACEMENT 13.11

EQUIPMENT

PUMP TRUCK CEMENTER John Roberts
 # 409 HELPER Robert
 BULK TRUCK
 # 396 DRIVER Chad
 BULK TRUCK
 # DRIVER

REMARKS:

Est. Circulation Mix 160 sk cement
Displace w/ 13.11 Bbl H₂O
Cement Did Circulate!
Thanks!

CHARGE TO: Clipper Energy
 STREET
 CITY STATE ZIP

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME
 SIGNATURE [Signature]

OWNER
 CEMENT
 AMOUNT ORDERED 160 cum 3' cell 2' bbl

COMMON	<u>1160</u>	@	<u>13.50</u>	<u>2160.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>20.25</u>	<u>60.75</u>
CHLORIDE	<u>6</u>	@	<u>51.50</u>	<u>309.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>169</u>	@	<u>2.25</u>	<u>380.25</u>
MILEAGE	<u>104/sk/mile</u>			<u>1098.00</u>
				<u>TOTAL 4008.00</u>

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>991.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>65</u>	@	<u>7.00</u> <u>455.00</u>
MANIFOLD		@	
		@	
		@	

4008.00
1446.00
66.00
5520.00 TOTAL 1446.00

PLUG & FLOAT EQUIPMENT

	@	
	@	
<u>8 5/8 Woodm plug</u>	@	<u>66.00</u>
	@	
	@	

RECEIVED
 KANSAS CORPORATION

JAN 02 2009

SALES TAX (If Any)
 TOTAL CHARGES
 DISCOUNT IF PAID IN 30 DAYS

CONSERVATION DIV.
 WICHITA, KS

TOTAL 66.00

ALLIED CEMENTING CO., LLC. 32242

ATTN TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>1-21-08</u>	SEC <u>23</u>	TWP. <u>7</u>	RANGE <u>21</u>	CALLED OUT	ON LOCATION	JOB START <u>9:30am</u>	JOB FINISH <u>10:30pm</u>
LEASE <u>Dowdell</u> WELL# <u>4</u> LOCATION <u>Nicodemus 3N</u>						COUNTY <u>Graham</u>	STATE <u>Ks</u>
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR American Eagle

TYPE OF JOB PTA

HOLE SIZE 7 7/8 T.D.

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE 4 1/2 DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT AMOUNT ORDERED 230 64/40 4 7/8 601

1/4 # 17 1/2 Seal

COMMON	<u>138</u>	@	<u>13.50</u>	<u>1863.00</u>
POZMIX	<u>92</u>	@	<u>7.55</u>	<u>694.60</u>
GEL	<u>8</u>	@	<u>20.25</u>	<u>162.00</u>
CHLORIDE		@		
ASC		@		
<u>Fl. Seal 57 #</u>		@	<u>2.45</u>	<u>139.65</u>
RECEIVED				
KANSAS CORPORATION				
JAN 02 2009				
CONSERVATION DIVISION				
WICHITA, KS				
HANDLING	<u>238</u>	@	<u>2.25</u>	<u>535.50</u>
MILEAGE	<u>10/51/mile</u>			<u>1547.00</u>
				TOTAL <u>4,941.75</u>

EQUIPMENT

PUMP TRUCK CEMENTER Bill

417 HELPER Chris H

BULK TRUCK DRIVER Rocky

481 DRIVER _____

REMARKS:

1st plug c 3568 w/ 20 pbs

2nd plug c 1700 w/ 25 pbs

3rd plug c 900 w/ 100 pbs

4th plug c 260 w/ 40 pbs

40' w/ 10 pbs

Kat hole 30 pbs

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>990.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>65</u>	@	<u>7.00</u> <u>455.00</u>
MANIFOLD		@	
TOTAL <u>1445.00</u>			

CHARGE TO: Clippen Energy

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>1-8 7/8 wood</u>	@	<u>39.00</u>
_____	@	
_____	@	
_____	@	
_____	@	
TOTAL <u>39.00</u>		

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

SIGNATURE Don Morris

ALLIED CEMENTING CO., LLC. 034953

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell Ks

DATE <u>11-15-02</u>	SEC. <u>23</u>	TWP. <u>7</u>	RANGE <u>21</u>	CALLED OUT	ON LOCATION	JOB START <u>7:00am</u>	JOB FINISH <u>7:30am</u>
ALEXANDER LEASE <u>Dowdell</u>		WELL# <u>4</u>		LOCATION <u>Nicodemus KS Vic 274 N on Rd</u>		COUNTY <u>Graham</u>	STATE <u>KS</u>
OLD OR NEW (Circle one) <u>NEW</u>			<u>390 West into</u>				

CONTRACTOR American Eagle Drilling Rgt 2
 TYPE OF JOB Surface
 HOLE SIZE 12 1/4 T.D. 221'
 CASING SIZE 8 5/8 DEPTH 221'
 TUBING SIZE DEPTH 221'
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. 15'
 PERFS.
 DISPLACEMENT 13.11

EQUIPMENT

PUMP TRUCK CEMENTER John Roberts
 # 409 HELPER Robert
 BULK TRUCK
 # 396 DRIVER Chad
 BULK TRUCK
 # DRIVER

REMARKS:

Est Circulation Mix 160 sk cement
Displace w/ 13.11 Bbl H2O
Cement Did Circulate!
Thanks!

CHARGE TO: Clipper Energy
 STREET
 CITY STATE ZIP

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME
 SIGNATURE [Signature]

OWNER
 CEMENT
 AMOUNT ORDERED 160 com 3 1/2" 2 1/2" bbl

COMMON	<u>160</u>	@	<u>13.55</u>	<u>2160.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>20.25</u>	<u>60.75</u>
CHLORIDE	<u>6</u>	@	<u>51.50</u>	<u>309.00</u>
ASC		@		

HANDLING 169 @ 2.25 380.25
 MILEAGE 109 @ 10.00 1098.50
 TOTAL 4008.50

KANSAS CORPORATION COMMISSION

JAN 02 2009

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>991.00</u>
EXTRA FOOTAGE	@		
MILEAGE	<u>65</u>	@	<u>7.00</u> <u>455.00</u>
MANIFOLD	@		

4008.50
1446.00
66.50
5520.50
 TOTAL 1446.00

PLUG & FLOAT EQUIPMENT

	@		
<u>8 5/8 Wooden plug</u>	@		<u>66.00</u>
	@		
	@		
	@		
			TOTAL <u>66.00</u>

SALES TAX (If Any)
 TOTAL CHARGES
 DISCOUNT IF PAID IN 30 DAYS