

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33335
Name: IA Operating, Inc
Address: 9915 w. 21st Street, Suite B
City/State/Zip: Wichita, KS 67205
Purchaser: Coffeyville Resources
Operator Contact Person: Hal Porter
Phone: (316) 721-0036
Contractor: Name: Murfin Drilling Co., Inc
License: 30606

Wellsite Geologist: Randall Kilian
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>8/15/07</u>	<u>08/21/07</u>	<u>09/14/07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 065-23315-0000
County: Graham
SW NW NW Sec. 33 Twp. 8 S. R. 25 East West
1080 feet from S / (N) (circle one) Line of Section
550 feet from E / (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Culley Trust Well #: 33-1

Field Name: Wildcat
Producing Formation: LKC
Elevation: Ground: 2463' Kelly Bushing: 2469'
Total Depth: 4030' Plug Back Total Depth: 4004'
Amount of Surface Pipe Set and Cemented at 219' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 2218 Feet
If Alternate II completion, cement circulated from 2218
feet depth to Surface w/ 295 sx cmt.

Drilling Fluid Management Plan AH II NUR 1-12-09
(Data must be collected from the Reserve Pit)

Chloride content 10,000 ppm Fluid volume 400 bbls
Dewatering method used Evaporation/Backfill

Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Hal Porter
Title: President Date: 10/11/07

Subscribed and sworn to before me this 11 day of October, 2007.

Notary Public: Julie Burrows
Date Commission Expires: March 10, 2009

KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: RECEIVED
 Wireline Log Received **KANSAS CORPORATION COMMISSION**
 Geologist Report Received **OCT 12 2007**
 UIC Distribution

JULIE BURROWS
NOTARY PUBLIC
STATE OF KANSAS
My Appt. Exp. 3-10-09

CONSERVATION DIVISION
WICHITA, KS



Operator Name: IA Operating, Inc Lease Name: Culley Trust Well #: 33-1
 Sec. 33 Twp. 8 S. R. 25 East West County: Graham

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

Geologist's Well Report, Microresistivity Log, Sonic Cement Bond Log, Dual Compensated Porosity Log, Dual Induction Log

Log Formation (Top), Depth and Datum Sample

Name	Top	Datum
Anhydrite	2180'	+289
Base	2216'	+253
Topeka	3504'	-1035
Toronto	3740'	-1271
Lansing	3754'	-1285
Base KC	3975'	-1506
Total Depth	4030'	-1561

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	23#	219'	Common	150	3% CC, 2% gel
Production	7 7/8"	5 1/2"	15.5#	4024'	Common	125	10% salt, 500 gal WFR-2

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone		60/40	295	6 % gel, 1/4# flo-seal

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 12 2007
CONSERVATION DIVISION
WASHBURN, KS

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	3941'-45', 3920'-28'	250 gal 15% MCA, retreat w/500 gal 15% MCA	
4	3941'-45', 3920'-28'	1500 gal 15% MCA & 250# rock salt, retreat w/750 gal 15% MCA 250# rock salt	
4	3830'-34'	250 gal 15% MCA, retreat w/500 gal 15% MCA	
4	3785'-88'	250 gal 15% MCA, retreat w/500 gal 15% MCA	

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 7/8"	3960'	3960'	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method
9/14/07	<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	50	0	20		40

Disposition of Gas METHOD OF COMPLETION Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
 (If vented, Submit ACO-18.) Other (Specify) _____

ALLIED CEMENTING CO., INC.

31706

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

*Trucks
12:00 p.m.*

Oakley

DATE <i>8-28-07</i>	SEC. <i>33</i>	TWP. <i>8</i>	RANGE <i>25W</i>	CALLED OUT	ON LOCATION <i>1:00 p.m.</i>	JOB START <i>1:30 p.m.</i>	JOB FINISH <i>2:30 p.m.</i>
<i>Culley Trust</i> LEASE	WELL # <i>33-1</i>	LOCATION <i>mortland 2W 2 1/2 S EINTO</i>			COUNTY <i>Graham</i>	STATE <i>KS</i>	
OLD OR NEW (Circle one)							

CONTRACTOR *Chitos well service*

OWNER *Same*

TYPE OF JOB *Port collar*

HOLE SIZE _____ T.D. _____

CASING SIZE *5 1/2* DEPTH _____

TUBING SIZE *2 7/8* DEPTH *2172'*

DRILL PIPE _____ DEPTH _____

TOOL *Port collar* DEPTH *2172'*

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

EQUIPMENT

PUMP TRUCK CEMENTER *Andrew*

417 HELPER *Kelly*

BULK TRUCK _____

399 DRIVER *Lonnie*

BULK TRUCK _____

_____ DRIVER _____

REMARKS:

*Pressure system to 1000# open
 tool take injection rate @ 4 gal
 min 500# mix 295 sks disp
 Close tool pressure to 1000# held
 run 5 joints reverse clean
 cement did circulate*

Thank you

CHARGE TO: *JA Operating inc*

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE *M. D. ...*

CEMENT

AMOUNT ORDERED *400 sks 60% 60 g/gel*

1/4" flo-seal

Used 295 sks

COMMON *172 sks @ 12.60 = 2230.20*

POZMIX *118 sks @ 6.40 = 755.20*

GEL *15 sks @ 16.65 = 249.75*

CHLORIDE _____ @ _____

ASC _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

FLO-seal 74# @ 2.00 = 148.00

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING *424 sks @ 1.90 = 805.60*

MILEAGE *98 55/mile = 2289.60*

TOTAL *6478.35*

SERVICE

DEPTH OF JOB *2172'*

PUMP TRUCK CHARGE _____ *955.00*

EXTRA FOOTAGE _____ @ _____

MILEAGE *60 miles @ 6.00 = 360.00*

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL *1315.00*

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ *1.70*

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

ALLIED CEMENTING CO., INC. 25972

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE <u>8-15-07</u>	SEC. <u>33</u>	TWP. <u>8S</u>	RANGE <u>25W</u>	CALLED OUT	ON LOCATION <u>5:00 PM</u>	JOB START <u>11:30 PM</u>	JOB FINISH <u>11:45 PM</u>
LEASE <u>Cully Trust</u>	WELL # <u>33-1</u>	LOCATION <u>Studley 1E-1S-1E-2 1/2 S</u>			COUNTY <u>Graham</u>	STATE <u>Kan</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Mur Fin Dels Co #16

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 220'

CASING SIZE 8 5/8 DEPTH 219

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 13- BBL

OWNER Same

CEMENT

AMOUNT ORDERED 150 sks com

3% cc - 2% Gel

COMMON	<u>150 - sks @</u>	<u>12.60</u>	<u>1890.00</u>
POZMIX	@		
GEL	<u>3 - sks @</u>	<u>16.65</u>	<u>49.95</u>
CHLORIDE	<u>5 - sks @</u>	<u>46.60</u>	<u>233.00</u>
ASC	@		
	@		
	@		
	@		
	@		
	@		
	@		
HANDLING	<u>1.58 sks @</u>	<u>1.90</u>	<u>300.20</u>
MILEAGE	<u>94 per sk/mile</u>		<u>853.20</u>

EQUIPMENT

PUMP TRUCK CEMENTER Walt

417 HELPER Kelly

BULK TRUCK

399 DRIVER Larene

BULK TRUCK

DRIVER

TOTAL	<u>3,326.35</u>
-------	-----------------

REMARKS:

Cement Die/Circ

Thank You

CHARGE TO: I.A. Operating, Inc

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>815.00</u>
EXTRA FOOTAGE	@		
MILEAGE <u>60-miles</u>	@	<u>6.00</u>	<u>360.00</u>
MANIFOLD	@		
	@		
	@		

TOTAL	<u>4,175.00</u>
-------	-----------------

PLUG & FLOAT EQUIPMENT

1 Surface Plug	@		
	@		
	@		
	@		
	@		
	@		

TOTAL	<u>0.00</u>
-------	-------------

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Andy Dinkel

Andy Dinkel
PRINTED NAME

ALLIED CEMENTING CO., INC.

25605

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>8-21-07</u>	SEC. <u>33</u>	TWP. <u>8S</u>	RANGE <u>25W</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>8:15a.m.</u>
LEASE <u>Cully Trust</u>	WELL# <u>33-1</u>	LOCATION <u>Morland 3W to Rd 110</u>	COUNTY <u>Graham</u>	STATE <u>Ks.</u>			
<input checked="" type="radio"/> OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>15 1E 2 1/4 Sinto</u>				

CONTRACTOR Munich Drilling Rig # 16

TYPE OF JOB Production String

HOLE SIZE 7 3/8 T.D. 4030

CASING SIZE 5 1/2 DEPTH 4022.93'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL P.C. DEPTH 2218'

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 18.92'

CEMENT LEFT IN CSG. 18.92'

PERFS.

DISPLACEMENT 95.29 661

OWNER

CEMENT

AMOUNT ORDERED 150 Com 10% Salt

500 Gal WFR-2

COMMON	<u>150</u>	@	<u>12.60</u>	<u>1890.00</u>
POZMIX		@		
GEL		@		
CHLORIDE		@		
ASC		@		
<u>Salt</u>	<u>14</u>	@	<u>19.20</u>	<u>268.80</u>
<u>WFR²</u>	<u>500</u>	@	<u>1.00</u>	<u>500.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>164</u>	@	<u>1.90</u>	<u>311.60</u>
MILEAGE	<u>SK/mi/09</u>			<u>885.60</u>
TOTAL				<u>3856.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Shane

366 HELPER John Roberts

BULK TRUCK

410 DRIVER Chris Beck

BULK TRUCK

DRIVER

REMARKS:

Rat Hole 15 sks Mouse Hole 10 sks
Insert @ 4004.01'

Landed Plug @ 1200 psi
Float Held!

CHARGE TO: IA Operating INC.

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Thanks!
M.D. [Signature]

SIGNATURE

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 1610.00

EXTRA FOOTAGE @ _____

MILEAGE 60 @ 6.00 360.00

MANIFOLD @ _____

TOTAL 1970.00

PLUG & FLOAT EQUIPMENT

18 Recip Scrachers 65.00 1170.00

Port Collar Blue @ 1750.00

Guide Shoe @ 170.00

AFU-Insert @ 260.00

75-Centralizer @ 50.00 350.00

1-Basket @ 165.00 165.00

3 1/2 Rubber Plug 65.00

TOTAL 3930.00

TAX _____

TOTAL CHARGE _____

DISCOUNT _____

IF PAID IN 30 DAYS
KANSAS CEMENTING CO. INC.

OCT 12 2007

PRINTED NAME