

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 34158  
 Name: O'Brien Resources, LLC  
 Address: PO Box 6149  
 City/State/Zip: Shreveport LA, 71136  
 Purchaser: none  
 Operator Contact Person: Byron E. Trust  
 Phone: (318) 865-8568  
 Contractor: Name: WW Drilling, LLC  
 License: 33575  
 Wellsite Geologist: Kim Shoemaker  
 Designate Type of Completion:  
 \_\_\_ New Well \_\_\_ Re-Entry \_\_\_ Workover  
 \_\_\_ Oil \_\_\_ SWD \_\_\_ SLOW \_\_\_ Temp. Abd.  
 \_\_\_ Gas \_\_\_ ENHR \_\_\_ SIGW  
 Dry \_\_\_ Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 \_\_\_ Deepening \_\_\_ Re-perf. \_\_\_ Conv. to Enhr./SWD  
 \_\_\_ Plug Back \_\_\_ Plug Back Total Depth  
 \_\_\_ Commingled Docket No. \_\_\_\_\_  
 \_\_\_ Dual Completion Docket No. \_\_\_\_\_  
 \_\_\_ Other (SWD or Enhr.?) Docket No. \_\_\_\_\_  

11/08/08	11/15/08	11/16/08
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
		P/A

API No. 15 - 101-22143-00-00  
 County: Lane  
 SE \_\_\_ SW \_\_\_ SE \_\_\_ NW Sec. 6 Twp. 18s S. R. 28w  East  West  
2569 feet from S /  (circle one) Line of Section  
1857 feet from E /  (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one) NE SE  NW SW  
 Lease Name: Redburn Well #: 6-2  
 Field Name: Wildcat  
 Producing Formation: none  
 Elevation: Ground: 2702 Kelly Bushing: 2707  
 Total Depth: 4600 Plug Back Total Depth: \_\_\_\_\_  
 Amount of Surface Pipe Set and Cemented at 226 Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from \_\_\_\_\_  
 feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan P/A AH I NCR  
 (Data must be collected from the Reserve Pit) 1-12-09  
 Chloride content 11,800 ppm Fluid volume 1,000 bbls  
 Dewatering method used Airdry, backfill  
 Location of fluid disposal if hauled offsite: \_\_\_\_\_  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_ Sec. \_\_\_ Twp. \_\_\_ S. R. \_\_\_  East  West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Byron E. Trust  
 Title: V.P. OF OPERATIONS Date: 11/25/08  
 Subscribed and sworn to before me this 25<sup>th</sup> day of November  
20 08  
 Notary Public: Dianne L. Beers  
 Date of Commission Expires: \_\_\_\_\_ Notary Public  
 Notary ID # 26510  
 Caddo Parish, Louisiana  
 My Commission is for Life

KCC Office Use ONLY  
 Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
 RECEIVED  
 KANSAS CORPORATION COMMISSION  
 DEC 01 2008

CONSERVATION DIVISION  
WICHITA, KS

Operator Name: O'Brien Resources, LLC Lease Name: Redburn Well #: 6-2  
 Sec. 6 Twp. 18s S. R. 28w  East  West County: Lane

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy)  
 List All E. Logs Run:

Log Formation (Top), Depth and Datum  Sample  
 Name Top Datum

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	24#	226	Common	175	3%cc, 2%gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run
					<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method			
		<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

RECEIVED  
 KANSAS CORPORATION COMMISSION

DEC 01 2008

# ALLIED CEMENTING CO., LLC. 33401

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
NESSETTY

DATE <u>11-8-08</u>	SEC. <u>6</u>	TWP. <u>18S</u>	RANGE <u>28W</u>	CALLED OUT <u>2:00pm</u>	ON LOCATION <u>5:30pm</u>	JOB START <u>6:00pm</u>	JOB FINISH <u>7:00pm</u>
LEASE <u>Redburn</u>		WELL # <u>6-2</u>	LOCATION <u>Dighton 4 way stop</u>		COUNTY <u>Leone</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>3 1/2 N Elliott</u>				

CONTRACTOR WWR Rig 2  
 TYPE OF JOB SURFACE  
 HOLE SIZE 12 1/4 T.D. 225'  
 CASING SIZE 8 5/8 DEPTH 285.05'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE 4 1/2 DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX 200 MINIMUM 100  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 15'  
 CEMENT LEFT IN CSG. 15'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT FRESH WATER 13 1/2 BBLs  
 EQUIPMENT

OWNER Obrine Energy  
 CEMENT  
 AMOUNT ORDERED 175sx common + 3y.c.c + 2y.gel

PUMP TRUCK CEMENTER Dwayne W  
 # 181 HELPER Carl S  
 BULK TRUCK  
 # 3418 DRIVER Jack B  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>175</u>	@	<u>13.65</u>	<u>2388.75</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>20.40</u>	<u>61.20</u>
CHLORIDE	<u>5</u>	@	<u>52.15</u>	<u>285.75</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>183</u>	@	<u>2.25</u>	<u>411.75</u>
MILEAGE	<u>183x.34x.10</u>			<u>622.20</u>
			TOTAL	<u>3269.65</u>

REMARKS:

Pipe on bottom break circulation  
pump 175sx common + 3y.c.c + 2y.gel  
pump threw a swadge and valve  
Disp with 13 1/2 BBLs of fresh water  
shut in cement did circulate

Rig down

CHARGE TO: Obrine Energy  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB	<u>225'</u>			
PUMP TRUCK CHARGE				<u>999.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>34</u>	@	<u>7.00</u>	<u>238.00</u>
MANIFOLD		@		
		@		
		@		
			TOTAL	<u>1237.00</u>

PLUG & FLOAT EQUIPMENT

	@			
	@			
	@			
	@			
	@			
			TOTAL	_____

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

*Thank you*

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME x Lonnie Lang  
 SIGNATURE x Lonnie Lang

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 DEC 11 2008  
 CONSERVATION DIVISION  
 WICHITA, KS

# ALLIED CEMENTING CO., LLC. 32959

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Ness City, Ks

DATE <u>11-16-08</u>	SEC. <u>6</u>	TWP. <u>18S</u>	RANGE <u>28W</u>	CALLED OUT <u>11:00 PM</u>	ON LOCATION <u>3:00 AM</u>	JOB START <u>7:30 AM</u>	JOB FINISH <u>8:00 AM</u>
LEASE <u>Redburn</u>	WELL # <u>6-2</u>	LOCATION <u>Dighton, Ks - 2 1/2 N, E/S</u>			COUNTY <u>Lane</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR W-W #2

TYPE OF JOB Rotary plug

HOLE SIZE 7 7/8" T.D. 9600'

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2" DEPTH 2100'

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 200# MINIMUM 0

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT Freshwater + Rig mud

OWNER O'Brien Resources, LLC

CEMENT

AMOUNT ORDERED 275 SX 60/40 4% Gel  
4# Flo-seal

COMMON	<u>165 sq. ft.</u>	@	<u>13.65</u>	<u>2252.25</u>
POZMIX	<u>110 sq. ft.</u>	@	<u>7.60</u>	<u>836.00</u>
GEL	<u>9 sq. ft.</u>	@	<u>20.40</u>	<u>183.60</u>
CHLORIDE		@		
ASC		@		
<u>FLO-SEAL</u>	<u>69 #</u>	@	<u>2.45</u>	<u>169.05</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>287 sq. ft.</u>	@	<u>2.25</u>	<u>645.75</u>
MILEAGE	<u>287 sq. ft.</u>	<u>10 3/4</u>		<u>975.80</u>
TOTAL				<u>5067.45</u>

EQUIPMENT

PUMP TRUCK CEMENTER Rick H.

# 181 HELPER Gailen D.

BULK TRUCK

# 482-170 DRIVER Ron H.

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

2100' - 50 SX

1350' - 80 SX

690' - 50 SX

270' - 50 SX

60' - 20 SX Cement did Circulate

Rathole - 15 SX

Mouse hole - 10 SX

275 SX 60/40 4% Gel 4# Flo-seal

**SERVICE**

DEPTH OF JOB	<u>2100'</u>			
PUMP TRUCK CHARGE				<u>1170.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>34</u>	@	<u>7.00</u>	<u>238.00</u>
MANIFOLD		@		
		@		
		@		
TOTAL				<u>1408.00</u>

CHARGE TO: O'Brien Resources, LLC

STREET P.O. Box 6149

CITY Shreveport STATE LA ZIP 71136

**PLUG & FLOAT EQUIPMENT**

	RECEIVED
	KANSAS CORPORATION COMMISSION
	DEC 01 2008
	CONSERVATION DIVISION
	WICHITA, KS

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME X Lonnie Hwang

SIGNATURE X Lonnie Hwang

TOTAL \_\_\_\_\_

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

# ALLIED CEMENTING CO., LLC. 33401

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
NESS CITY

DATE <u>11-8-08</u>	SEC. <u>6</u>	TWP. <u>18S</u>	RANGE <u>28W</u>	CALLED OUT <u>2:00PM</u>	ON LOCATION <u>5:30PM</u>	JOB START <u>6:00PM</u>	JOB FINISH <u>7:00PM</u>
LEASE <u>Redburn</u> WELL # <u>6-2</u>			LOCATION <u>Dighton Hwy STOP</u>		COUNTY <u>Leone</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>3 1/2 N Eliato</u>				

CONTRACTOR W W & Rig 2  
 TYPE OF JOB SURFACE  
 HOLE SIZE 12 1/4 T.D. 225'  
 CASING SIZE 8 5/8 DEPTH 285.05'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE 4 1/2 DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX 200 MINIMUM 100  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 15'  
 CEMENT LEFT IN CSG. 15'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT FRESH WATER 13 1/2 BBLs

EQUIPMENT

PUMP TRUCK CEMENTER Dwayne W  
 # 181 HELPER Carl S  
 BULK TRUCK \_\_\_\_\_  
 # 3410 DRIVER Jack B  
 BULK TRUCK \_\_\_\_\_  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

OWNER Obrine Energy

CEMENT  
 AMOUNT ORDERED 175sx Common + 3% CC + 2% GEL

COMMON <u>175</u>	@ <u>13.65</u>	<u>2388.75</u>
POZMIX _____	@ _____	_____
GEL <u>3</u>	@ <u>20.40</u>	<u>61.20</u>
CHLORIDE <u>5</u>	@ <u>52.15</u>	<u>285.75</u>
ASC _____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
HANDLING <u>183</u>	@ <u>2.25</u>	<u>411.75</u>
MILEAGE <u>183 x 34 x .10</u>		<u>622.20</u>
TOTAL		<u>3269.65</u>

REMARKS:

pipe on bottom break circulation  
pump 175sx common + 3% cc + 2% gel  
pump threw a swadge and valve  
disp with 13 1/2 BBLs of fresh water  
shut in cement dip circulate

Rig down

CHARGE TO: Obrine Energy  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB 225'  
 PUMP TRUCK CHARGE \_\_\_\_\_ 999.00  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE 34 @ 7.00 238.00  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL 1237.00

PLUG & FLOAT EQUIPMENT

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 DEC 01 2008  
 CONSERVATION DIVISION  
 WICHITA, KS

TOTAL \_\_\_\_\_

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

*Thank you*

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Lonnie Lang  
 SIGNATURE Lonnie Lang

# ALLIED CEMENTING CO., LLC. 32959

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Ness City, Ks

DATE <u>11-16-08</u>	SEC. <u>6</u>	TWP. <u>18S</u>	RANGE <u>28W</u>	CALLED OUT <u>11:00 PM</u>	ON LOCATION <u>3:00 AM</u>	JOB START <u>7:30 AM</u>	JOB FINISH <u>8:00 AM</u>
LEASE <u>Redburn</u>	WELL # <u>6-2</u>	LOCATION <u>Dighton, Ks - 2 1/2 N, E/S</u>			COUNTY <u>Lane</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR W-W #2

TYPE OF JOB Rotary plug

HOLE SIZE 7 7/8" T.D. 9600'

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2" DEPTH 2100'

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 200# MINIMUM 0

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT Freshwater + Rig mud

OWNER O'Brien Resources, LLC

CEMENT

AMOUNT ORDERED 275 SY 60/40 4% Gel  
1/4# Flo-seal

EQUIPMENT

PUMP TRUCK CEMENTER Rick H.

# 181 HELPER Gailen D.

BULK TRUCK

# 482-170 DRIVER Ron H.

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>165 sy</u>	@	<u>13.65</u>	<u>2252.25</u>
POZMIX	<u>110 sy</u>	@	<u>7.60</u>	<u>836.00</u>
GEL	<u>9 sy</u>	@	<u>20.40</u>	<u>183.60</u>
CHLORIDE		@		
ASC		@		
<u>FLO-SEAL</u>	<u>69 #</u>	@	<u>2.45</u>	<u>169.05</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>287 sy</u>	@	<u>2.25</u>	<u>645.75</u>
MILEAGE	<u>287 sy, 10 sy</u>	@		<u>975.00</u>
TOTAL				<u>5067.45</u>

**REMARKS:**

- 2100' - 50 sy
- 1350' - 80 sy
- 690' - 50 sy
- 270' - 50 sy
- 60' - 20 sy Cement did Circulate
- Rat hole - 15 sy
- Mouse hole - 10 sy
- 275 sy 60/40 4% Gel 1/4# Flo-seal

**SERVICE**

DEPTH OF JOB 2100'

PUMP TRUCK CHARGE \_\_\_\_\_ 1170.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 34 @ 7.00 238.00

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 1408.00

CHARGE TO: O'Brien Resources, LLC

STREET P.O. Box 6149

CITY Shreveport STATE LA ZIP 71136

**PLUG & FLOAT EQUIPMENT**

RECEIVED

\_\_\_\_\_ @ KANSAS CORPORATION COMMISSION

\_\_\_\_\_ @

\_\_\_\_\_ @ **DEC 01 2008**

\_\_\_\_\_ @ CONSERVATION DIVISION

\_\_\_\_\_ @ WICHITA, KS

TOTAL \_\_\_\_\_

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME X Lonnie Hang

SIGNATURE X Lonnie Hang

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

# ALLIED CEMENTING CO., LLC. 33401

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
NESS CITY

DATE <u>11-8-08</u>	SEC. <u>6</u>	TWP. <u>18S</u>	RANGE <u>28W</u>	CALLED OUT <u>2:00PM</u>	ON LOCATION <u>5:30PM</u>	JOB START <u>6:00PM</u>	JOB FINISH <u>7:00PM</u>
LEASE <u>Redburn</u>		WELL # <u>6-2</u>		LOCATION <u>Dighton 4 way stop</u>		COUNTY <u>Leone</u>	STATE <u>KS</u>
OLD OR <u>NEW</u> (Circle one)				<u>3 1/2 N E 1/4</u>			

CONTRACTOR WNB Rig 2  
 TYPE OF JOB SURFACE  
 HOLE SIZE 12 1/4 T.D. 225'  
 CASING SIZE 8 5/8 DEPTH 285.05'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE 4 1/2 DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX 200 MINIMUM 100  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 15'  
 CEMENT LEFT IN CSG. 15'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT FRESH WATER 13 1/2 BBLs

OWNER Obrine Energy  
 CEMENT  
 AMOUNT ORDERED 175sx common + 3% cc + 2% gel

EQUIPMENT  
 PUMP TRUCK CEMENTER Dwayne W  
 # 181 HELPER carl S  
 BULK TRUCK  
 # 3410 DRIVER Jack B  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>175</u>	@	<u>13.65</u>	<u>2388.75</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>20.40</u>	<u>61.20</u>
CHLORIDE	<u>5</u>	@	<u>52.15</u>	<u>285.75</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>183</u>	@	<u>2.25</u>	<u>411.75</u>
MILEAGE	<u>183x34x.10</u>			<u>622.20</u>
TOTAL				<u>3269.65</u>

REMARKS:

PIPE ON BOTTOM BREAK CIRCULATION  
PUMP 175sx common + 3% cc + 2% gel  
PUMP THREW A SWADGE AND VALVE  
DISP WITH 13 1/2 BBLs OF FRESH WATER  
SHUT IN CEMENT DID CIRCULATE

Rig DOWN

SERVICE

DEPTH OF JOB	<u>225'</u>			
PUMP TRUCK CHARGE				<u>999.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>34</u>	@	<u>7.00</u>	<u>238.00</u>
MANIFOLD		@		
		@		
		@		

TOTAL 1232.00

CHARGE TO: Obrine Energy  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

RECEIVED	
KANSAS CORPORATION COMMISSION	
@	<u>DEC 8 12008</u>
@	CONSERVATION DIVISION
@	WICHITA, KS

TOTAL \_\_\_\_\_

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

*Thank you*

To Allied Cementing Co., LLC  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Lonnie Lang  
 SIGNATURE Lonnie Lang

# ALLIED CEMENTING CO., LLC. 32959

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Ness City, Ks

DATE <u>11-16-08</u>	SEC. <u>6</u>	TWP. <u>18S</u>	RANGE <u>28W</u>	CALLED OUT <u>11:00 PM</u>	ON LOCATION <u>3:00 AM</u>	JOB START <u>7:30 AM</u>	JOB FINISH <u>8:00 AM</u>
LEASE <u>Redburn</u>	WELL# <u>6-2</u>	LOCATION <u>Dighton, Ks - 2 1/2 N, E/S</u>			COUNTY <u>Lane</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR W-W #2

TYPE OF JOB Rotary plug 4% Gcl

HOLE SIZE 7 7/8" T.D. 9600'

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2" DEPTH 2100'

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 200# MINIMUM 0

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT Freshwater + Rig mud

OWNER O'Brien Resources, LLC

CEMENT AMOUNT ORDERED 275 sx 60/40 4% Gcl  
4# Flo-seal

EQUIPMENT

PUMP TRUCK CEMENTER Rick H.

# 181 HELPER Gailen D.

BULK TRUCK DRIVER Ron H.

# 482-170

BULK TRUCK DRIVER \_\_\_\_\_

COMMON	<u>165</u>	@	<u>13.65</u>	<u>2252.25</u>
POZMIX	<u>110</u>	@	<u>7.60</u>	<u>836.00</u>
GEL	<u>9</u>	@	<u>20.40</u>	<u>183.60</u>
CHLORIDE		@		
ASC		@		
<u>FLO-SEAL</u>	<u>69</u>	@	<u>2.45</u>	<u>169.05</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>287</u>	@	<u>2.25</u>	<u>645.75</u>
MILEAGE	<u>287</u>	@	<u>3.4</u>	<u>975.80</u>
TOTAL				<u>5067.45</u>

**REMARKS:**

- 2100' - 50 sx
- 1380' - 80 sx
- 690' - 50 sx
- 270' - 50 sx
- 60' - 20 sx Cement did Circulate
- Rathole - 15 sx
- Mouse hole - 10 sx
- 275 sx 60/40 4% Gcl 4# Flo-seal

**SERVICE**

DEPTH OF JOB	<u>2100'</u>		
PUMP TRUCK CHARGE			<u>1170.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>34</u>	@	<u>7.00</u>
MANIFOLD		@	
		@	
		@	
TOTAL <u>1408.00</u>			

CHARGE TO: O'Brien Resources, LLC

STREET P.O. Box 6149

CITY Shreveport STATE LA ZIP 71136

**PLUG & FLOAT EQUIPMENT**

@ RECEIVED  
KANSAS CORPORATION COMMISSION

@ DEC 01 2008

@ CONSERVATION DIVISION

TOTAL \_\_\_\_\_

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME X Lonnie Hang

SIGNATURE X Lonnie Hang

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS