KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION ORIGINAL Form Must Be Typed

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 34158	API No. 15 - 101-22144-00-00
Name: O'Brien Resources, LLC	
Address: PO Box 6149	
City/State/Zip: Shreveport LA, 71136	SW SW NE NE Sec. 26 Twp. 16 S. R. 30 ☐ East ✓ West
Purchaser:_none	1054 feet from S (N) circle one) Line of Section
Operator Contact Person: Byron E. Trust	feet from E/ W (circle one) Line of Section
Phone: (_318) _865-85\$8	Footages Calculated from Nearest Outside Section Corner:
Contractor: Name: WW Drilling, LLC	(circle one) NE SE NW SW Lease Name: J. Schmitt Well #: 26-1
License: 33575	
Wellsite Geologist: Kim Shoemaker	
Designate Type of Completion:	Producing Formation: none Elevation: 2848 Kelly Bushing: 2853
New Well Re-Entry Workover	
— Oil — SWD — SIOW — Temp. Abd.	Total Depth: 4664 Plug Back Total Depth:
Gas SIGW Terrip. Abd.	Amount of Surface Pipe Set and Cemented at 219 Feet
✓ Dry — Other (Core, WSW, Expl., Cathodic, etc)	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth setFeet
	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Well Name:Original Total Depth:	Drilling Fluid Management Plan P+A AH I NCR
Deepening Re-perf Conv. to Enhr./SWD	(Data must be collected from the Reserve Pit)
Plug BackPlug Back Total Depth	Chloride content 14,000 ppm Fluid volume 800 bbls
_	Dewatering method used_Air dry, Backfill
	Location of fluid disposal if hauled offsite:
	·
	Operator Name:
10/28/08 11/6/08 11/7/08 Spud Date or Date Reached TD Completion Date or	Lease Name: License No.:
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date Pre-	Quarter Sec. Twp. S. R. East West County: Docket No.:
Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged well	
nerein are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements
Signature: Ben E. Dal	
	KCC Office Use ONLY
Title: V.P. of OPERATIONS Date: 11/25/08	Letter of Confidentiality Received
Subscribed and sworn to before me this 25th day of Novembee	If Denied, Yes Date:
20 08	Wireline Log Receive RANSAS CORPORATION COMMISSIO
Hotary Public & Clarine & Bosso	Geologist Report Received
votally rubility	UIC Distribution DEC 0 1 2008
Date Commission Expires: W/ Lufe	
DIANNE L. BEERS, Notary Public Notary ID # 26510	CONSERVATION DIVISION WICHITA, KS

Cades Farish, Louisiana My Commission is for Life

Side Two

Operator Name: O'Br	ien Resources, LI	-C		Lea	ase Name	J. Schmitt		Well #: 26	-1		
ec. 26 Twp. 16	S. R. 30	_	✓ West			-					
NSTRUCTIONS: Shested, time tool open emperature, fluid rec electric Wireline Logs	overy, and flow rat	es if nee to e	urface teet	-1	d. Detail r shut-in p th final ch	all cores. Repo ressure reached art(s). Attach ex	rt all final copie I static level, hy tra sheet if mod	s of drill stems drostatic pressure space is need	tests givir res, botto ded. Atta	ng interval om hole ch copy of a	
orill Stern Tests Taker (Attach Additional S		✓ Yes	. □ No			Log Format	tion (Top), Dept	h and Datum		Sample	
Samples Sent to Geological Survey			Na	ne	Тор		Datum				
ores Taken lectric Log Run (Submit Copy)		☐ Yes ✓ ✓ Yes	/-								
st All E. Logs Run:						·					
		Panaria	CASING	RECORD)	ew Used				·	
Purpose of String	Size Hole	Size (Casing		surface, in	ermediate, produc	tion, etc.	#01	Т		
Surface	Drilled	8 5/8	O.D.)	T	s. / Ft.	Depth	Cement	# Sacks Used		Type and Percent Additives	
		0 3/0		24#		219	Common	165	3 %cc,	2% gel	
									<u> </u>	· ————	
		Δ	DDITIONAL	CEMENT	TING / SOI	IEEZE DEGODO					
Purpose: Depth Top Bottom Type of Cement #Sacks Us Protect Casing											
Plug Back TD Plug Off Zone					•	,					
Shots Per Foot	PERFORATI Specify I	ON RECORD - cotage of Each	Bridge Pluge Interval Perf	s Set/Type orated	9	Acid, Frac	ture, Shot, Ceme	nt Squeeze Recor Material Used)	d	Depth	
								·			
BING RECORD	Size	Set At		Packer A	At	Liner Run	Yes No				
te of First, Resumerd Pr	oduction, SWD or Er	nhr. Pro	ducing Metho	od [Flowing	Pumping	Gas Li	# Da.			
imated Production Per 24 Hours	Oil E	Bbls.	Gas M	1cf	Water			π Other	(Explain)	Gravity	
position of Gas	METHOD OF CO	OMPLETION			-	Production Interva					
Vented Sold (If vented, Submit	Used on Lease		Open Hole	Perf.	_	ally Comp.	Commingled _	KANSAS (RECE	IVED TION COMMIS	
			Other (Specify))			- _		EC 0	1 2008	

CONSERVATION DIVISION WICHITA, KS

ALLIED CEMENTING CO., LLC. 32180

ATT TO P.O. BOX 31

SERVICE POINT:

RUSSELL, KANSAS 67665 ON LOCATION 5:500~ JOB START CALLED OUT JOB EINISH RANGE COUNTY J Schm: # Leis OLD OR NEW (Circle one) Jame OWNER CONTRACTOR TYPE OF JOB CEMENT AMOUNT ORDERED 165 Com 3 70 CC T.D. **HOLE SIZE CASING SIZE DEPTH** DEPTH TUBING SIZE DRILL PIPE **DEPTH** DEPTH TOOL COMMON PRES. MAX **MINIMUM POZMIX** SHOE JOINT MEAS. LINE **GEL** CEMENT LEFT IN CSG. @ **CHLORIDE** PERFS. @ ASC_ DISPLACEMENT @ **EQUIPMENT** @ @ CEMENTER **PUMP TRUCK** @ 422 **HELPER** @ BULK TRUCK # 347 @ DRIVER @ **BULK TRUCK** DRIVER HANDLING MILEAGE 104 TOTAL 9920 **REMARKS:** SERVICE DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE_ @ @ MILEAGE 57 @ MANIFOLD . @ **@** TOTAL 14/>0 STREET. ZIP STATE CITY_ PLUG & FLOAT EQUIPMENT RECEIVED KA SAS CORPORATION COMMISSION @ DEC 0 1 2008 To Allied Cementing Co., LLC. CONSERVATION DIVISION You are hereby requested to rent cementing equipment WICHITA, KS and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was TOTAL _ done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL SALES TAX (If Any) -TERMS AND CONDITIONS" listed on the reverse side. TOTAL CHARGES _____ __ IF PAID IN 30 DAYS DISCOUNT _ PRINTED NAME_ SIGNATURE

ALLIED CEMENTING CO., INC. 24080

REMIT TO P.O. I	BOX 31 SELL, KAN	NSAS 6766	55	SERVICE POINT:					
11-7-08 DATE	SEC. 26	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH		
J. SCHMITT	WELL#		,	4/4 /E-3N		COUNTY	STATES		
OLD OR NEW C		<u> </u>	LOCATION // ZI	4// /E-5/2	142 3 210	LANE	// 3		
000 0111110				1241		j			
CONTRACTOR			RIG# 2	OWNER	SAME				
TYPE OF JOB	PT								
HOLE SIZE CASING SIZE	77/8			CEMENT	DDEDED				
TUBING SIZE		DEF DEF		_ AMOUNT OF	KDERED LOCALDEZ	418 ac 1 1/2	7 -		
DRILL PIPE	4/2	" DEF			s Elitaber	116 3014	/ /C->EH /		
TOOL		DEF							
PRES. MAX		MIN	IMUM	_ COMMON_	154 SKs	@ 1525	24565		
MEAS. LINE		SHC	DE JOINT	POZMIX	106 SKS	@ 5″ 🛣	848		
CEMENT LEFT II	N CSG.			_ GEL _	9 5K.5	@ 20 82	187 2		
PERFS.	•		Hart Control of the C	_ CHLORIDE _	V-W-A	_@			
DISPLACEMENT				_ ASC		@			
	EQU	IPMENT		£4	.1 //#	-@- 	11.00		
				F/0-58A	1 66 #	@ <u>2 %</u>	1652		
• /	CEMENTI		RRY			- @ ———			
	HELPER	W	AYNE	_		@			
BULK TRUCK	DDUIED		1 //			@			
# 394 BULK TRUCK	DRIVER	u	!I//			@			
	DRIVER					@			
11	DRIVER			HANDLING_		@ 24	662 4		
				MILEAGE 🗹	od per sx/1		1573		
		MARKS:				TOTAL	5892 3		
50 SKS A	224	50'		_			4.		
80 SK3 AT	/ // / / /	5'		_	SERVI	CE			
SC SKS AT		/				1250			
20 5KS AT					OB		ر حدد درون		
	+ HOLE	-		PUMP IRUC	K CHARGE	//8	2 7		
10 SKS Mo	USE HOL	٤		MIL FAGE	TAGE	- (a)	300 09		
				MANIFOLD	3,7,72	(a)	344.05		
						@			
CHARGE TO:	BRIEN	KESZU	RCES, LLC						
				_		TOTAL	1584 9		
CITY	ST/	ATE	ZIP	_	DI LIC & FLOAT	'EOUIDMEN'	т		
					PLUG & FLOAT	EQUIPMEN	1		
					•	- @ ———			
	ting Co. I								
To Allied Cemen			enting equipment			@			
and furnish ceme						@			
			e above work was						
			of owner agent or						
			the "TERMS ANI)					
CONDITIONS"				TAX					
		1		TOTAL CHAI	RGE				
	, .	/							
<i>, , , , , , , , , , , , , , , , , , , </i>	•	_ / ,	•	DISCOUNT -	<u> </u>	IF PAID) IN 30 DAYS		
SIGNATURE	51/1/20								

ALLIED CEMENTING CO., LLC. 32190

ATT TO P.O. BOX 31 SERVICE POINT: RUSSELL, KANSAS 67665 CALLED OUT ON LOCATION RANGE JOB FINISH COUNTY LOCATION HOA 1 am OLD OR NEW (Circle one) Jame CONTRACTOR WW A **OWNER** TYPE OF JOB **HOLE SIZE CEMENT** TDAMOUNT ORDERED 165 Com 3 70 CC **CASING SIZE DEPTH TUBING SIZE** DEPTH DRILL PIPE **DEPTH** LOOL DEPTH PRES. MAX COMMON MINIMUM MEAS. LINE SHOE JOINT POZMIX CEMENT LEFT IN CSG. **GEL** PERFS. **CHLORIDE** @ DISPLACEMENT @ ASC @ **EQUIPMENT @** @ **PUMP TRUCK CEMENTER** ര **HELPER** BULK TRUCK # 347 DRIVER **BULK TRUCK** @ DRIVER HANDLING 129 MILEAGE 104 REMARKS: **SERVICE DEPTH OF JOB** PUMP TRUCK CHARGE EXTRA FOOTAGE_ MILEAGE 57 Watero Walt M. MANIFOLD. CHARGE TO: D'Bripa Resource TOTAL 14/> 02 STREET. ZIP_ CITY_ STATE PLUG & FLOAT EQUIPMENT RECEIVED KANSAS CORPORATION COMMISSIO To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was CONSERVATION DIVISION done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL SALES TAX (If Any) -TERMS AND CONDITIONS" listed on the reverse side. TOTAL CHARGES _____ IF PAID IN 30 DAYS DISCOUNT _ PRINTED NAME_

ALLIED CEMENTING CO., INC. 24080

REMIT TO P.O. BOX 31 SERVICE POINT: **RUSSELL, KANSAS 67665** OAKISY RANGE CALLED OUT HEALY 1E-3N-14W-S IN LOCATION OLD OR NEW (Circle one) WYW DRLG RIG# 2 **OWNER** SAME TYPE OF JOB PTA **HOLE SIZE CEMENT** <u>T.D.</u> **CASING SIZE** AMOUNT ORDERED **DEPTH** 265 SKS 60/40POZ 4/29E1/4" FTG-SEN1 **TUBING SIZE DEPTH** 2250 **DRILL PIPE DEPTH** TOOL 154 SKs @ 1.575 2456.5 PRES. MAX **MINIMUM** MEAS. LINE **SHOE JOINT** POZMIX ___ 106 SKS @ 8 x CEMENT LEFT IN CSG. @ 20 PERFS. **CHLORIDE DISPLACEMENT** ASC ____ (a` (a) **EQUIPMENT** F/0-5EH1 TERRY **PUMP TRUCK** CEMENTER. 422 WAYNE **HELPER** (a) **BULK TRUCK** WIII 394 **DRIVER** (ā) **BULK TRUCK DRIVER** @ 24 MILEAGE 104 PER SX/ ME **REMARKS:** TOTAL 5892 22501 1.380 **SERVICE** 640 740 DEPTH OF JOB 60 SKS PUMP TRUCK CHARGE 40 | E EXTRA FOOTAGE (a) MOUSE HOLE MILEAGE 57 Mr @ 7 MANIFOLD_ @ CHARGE TO: O'BRIEN RESOURCES, LLC TOTAL 1584 9 STREET _ STATE _ ZIP PLUG & FLOAT EQUIPMENT RECEIVED KANSAS CORPORATION COMMISSION @ (a) To Allied Cementing Co., Inc. DEC 0 1 2008 (a) You are hereby requested to rent cementing equipment CONSERVATION DIVISION and furnish cementer and helper to assist owner or WICHITA, KS contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or TOTAL _ contractor. I have read & understand the "TERMS AND TAX_ CONDITIONS" listed on the reverse side. TOTAL CHARGE -DISCOUNT -IF PAID IN 30 DAYS

PRINTED NAME

ALLIED CEMENTING CO., LLC. 32100

IT TO P.O. BOX 31	SERVICE POINT:					
RUSSELL, KANSAS 67665			inger Landig Sa	OGKIEF,		
DATE 10/22/00 76 TWP. RANGE CO	ALLED OUT	ON LOCATION	JOB START	JOB FINISH		
J School # #21 1	1E311	law	COUNTY	STATE		
OLD OR NEW (Circle one)	5 0100	1,500	Lane	<u> </u>		
	<u> </u>	ame				
CONTRACTOR WW Z. TYPE OF JOB Sur Face	OWNER -	and.				
HOLE SIZE 12/14 T.D.	CEMENT	11		_		
CASING SIZE 25/2 DEPTH 2/9	AMOUNT O	RDERED 165	Loms) o C C		
TUBING SIZE DEPTH		2000 Gel				
DRILL PIPE DEPTH						
TOOL DEPTH	•	11.0	10-45	0000 25		
PRES. MAX MINIMUM	COMMON_	105	_@ <u>/</u> >	2549		
MEAS. LINE SHOE JOINT	POZMIX _		_@_ 	2		
CEMENT LEFT IN CSG. /5'	GEL	<u> </u>	_@ <u>20</u>	500		
PERFS.	CHLORIDE	6	_@ <i>_</i> 2			
DISPLACEMENT 1388/	ASC		_@			
EQUIPMENT		11000				
•			_@			
PUMP TRUCK CEMENTER #16~		-	_@			
# 422 HELPER Wanne			_ @			
BULK TRUCK						
# 547 DRIVER Walt M						
BULK TRUCK	-		_ @			
# DRIVER	HANDLING	129	- @ 고 ***	4/>==		
	MILEAGE /			99130		
REMARKS:	WILLAGE :	7	TO TAY	492035		
			TOTAI			
Coment D. I Circulato						
		SERVI	CE			
	DEPTH OF JO	OB 2/9	 ਤੇ ′			
		K CHARGE		1018		
_	EXTRA FOO		@			
Thank Par	MILEAGE		- ۾ ح	39955		
He Wakeno Walto						
	·IVIALVII OLD	_		<u> </u>		
			<i></i>			
CHARGE TO: DBCIEN RESAUCES		•		_		
CHARGE TO: () DY JUNI 1907 1903			ТОТАТ	14/20		
STREET			IOIA			
CITYSTATEZIP		PLUG & FLOAT	TEQUIPME	TV		
			RECE	EIVED		
			KANSAS CORPORA	ATION COMMISSION		
			_ @	4		
	•		– © – DEC U	1 2008		
To Allied Cementing Co., LLC.			@ CONSERVATI			
You are hereby requested to rent cementing equipment			@ WICHI	A, KS		
and furnish cementer and helper(s) to assist owner or	•					
contractor to do work as is listed. The above work was		Control of the Contro	TOTAI			
done to satisfaction and supervision of owner agent or		• • • • • • • • • • • • • • • • • • • •	(OIAL			
contractor. I have read and understand the "GENERAL	ርለ፤ ፎር ጥላዎ /	(Tf A ny)				
TERMS AND CONDITIONS" listed on the reverse side.	SALES TAX	(11 ANY) ———				
	TOTAL CHA	RGES				
PRINTED NAME LONGIA LANG	Diecoire		TE DAT	אַרע מון מון		
PRINTED NAME LONG ING	DISCOUNT		IF FA	O IM TO DEILO		
1						
SIGNATURE KOUSEN LOT 1						

ALLIED-CEMENTING CO., INC. 24080

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT:					
11-7-08 SEC. TWP. RANGE CA	ALLED OUT	ON LOCATION	JOB START SHSPM	JOB FINISH 92757M		
J. SCHMETT WAR 21 100 TON	V /=-3N.	-14w-8 IN	COUNTY	STATES		
OLD OR NEW Circle one)	/ / = ()/-		7,710			
		SAME				
CONTRACTOR WOW DRLG RIG# 2	OWNER	SAME				
TYPE OF JOB PTA	CEMENT					
HOLE SIZE 7/8' T.D. CASING SIZE DEPTH	AMOUNT OF	RDERED				
CASING SIZE DEPTH TUBING SIZE DEPTH	265 SX	s 60/40pez	49698114	FIC-SEH!		
DRILL PIPE 4/2" DEPTH 2250						
TOOL DEPTH		ر سے لازمنی و	, -45	55		
PRES. MAX MINIMUM	COMMON_	154 SKs	-@ 1572 - @ - 1572	2456-E		
MEAS. LINE SHOE JOINT	POZMIX	106 SKS	_@ <u>\$'\$`</u> @ <u>2c</u> \$ <u>C</u>	187 20		
CEMENT LEFT IN CSG.	GEL CHLORIDE _		_ @ <u></u>	101-4		
PERFS.	ASC		_ @			
DISPLACEMENT	A3C		_ @			
EQUIPMENT	F10-581	+1 66 E	@ 250	1652		
PUMPTRUCK CEMENTER TERRY			_ @			
# 422 HELPER WAYNE			_ @			
BULK TRUCK # 394 DRIVER WI//			@			
# 394 DRIVER LCT// BULK TRUCK			_ @ @			
# DRIVER	HANDI ING	276 SKs	- @ - 24g	662 46		
11	MII FAGE	104 PERXI	MELE	15732		
REMARKS:	WILE TOD I			5892 3		
			101112			
50 SKS AT 2250'		SERV	ICE			
00						
50 SKs At 690 40 SKs At 240'	DEPTH OF J	OB_	2250			
20 SKS AT 60	PUMP TRUC	CK CHARGE	11	85		
15 SKS RAT HOLE	EXTRA FOO	TAGE	@			
10 SKS MOUSE HOLE	MILEAGE _	57 ME	_ @ <u>_ 7 %</u>	-30Q.US		
	MANIFOLD		@			
CHARGE TO: O'BRIEN RESOURCES, LLC				15011 (2		
STREET			TOTAL	L 1584 9		
CITYSTATEZIP		PLUG & FLOA	AT EQUIPME	NT		
			@ RE	ECEIVED		
T- Alliad Compating Co. Inc.				PORATION COMMISSIO		
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment				0 1 2008		
and furnish cementer and helper to assist owner or			@CONSER	VATION DIVISION		
contractor to do work as is listed. The above work was			•	CHITA, KS		
done to satisfaction and supervision of owner agent or			TOTA	L		
contractor. I have read & understand the "TERMS AND	TAN					
CONDITIONS" listed on the reverse side.						
. <i>1</i>	TOTAL CH	ARGE				
/	DISCOUNT		IF PA	AID IN 30 DAY		
/ - / n	1	/				
1 2/1/00 1	1 0-	٠. ا م				