

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

*ku
m
10/29/08*

*ed
11/3/08*

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32834
Name: JTC Oil, Inc.
Address: P.O. Box 24386
City/State/Zip: Stanley, KS. 66283
Purchaser: CMT
Operator Contact Person: Tom Cain
Phone: (913) 208-7914
Contractor: Name: JTC Oil, Inc.
License: 32834
Wellsite Geologist: _____

API No. 15 - 059-25364-00-00
County: Franklin
NW NE SW Sec. 32 Twp. 15 S. R. 21 East West
1135 feet from (S) N (circle one) Line of Section
4545 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) (NE) SE NW SW
Lease Name: Moldenhauer Well #: W-39
Field Name: Paola-Rantoul

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temporary
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

Producing Formation: Squirrel
Elevation: Ground: N/A Kelly Bushing: N/A
Total Depth: 830' Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 21' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
Alternate II completion, cement circulated from 21'
feet depth to surface w/ 3 sx cmt.

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>8/4/08</u>	<u>8/6/08</u>	<u>9/6/08</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

RECEIVED
KANSAS CORPORATION COMMISSION
NOV 06 2008
CONSERVATION DIVISION
WICHITA, KS

Drilling Fluid Management Plan AII II NCR
(Data must be collected from the Reserve Pit) 12-29-08
Chloride content 1500-3000 ppm Fluid volume 40 bbls
Dewatering method used on lease
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Agent Date: 10/13/08
Subscribed and sworn to before me this 13th day of October
20 08.
Notary Public: [Signature]
Date Commission Expires: 5-21-2011

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

JESSICA M. HELMS
Notary Public - State of Kansas
My Appt. Exp. 5-21-2011

Side Two
10/17/08

11/3/08

Operator Name: JTC Oil, Inc. Lease Name: Moldenhauer Well #: W-39
 Sec. 32 Twp. 15 S. R. 21 East West County: Franklin

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Electric Log Run <i>(Submit Copy)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
List All E. Logs Run:				

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 17 2008
CONSERVATION DIVISION
WICHITA, KS

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9	6'14"		21'	Portland	3	
Completion	5 5/8"	2 7/8"		816'	portland	114	50/50 POZ

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
	Not available at this time		

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method			
			<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	

Disposition of Gas METHOD OF COMPLETION Production Interval

Vented Sold Used on Lease (If vented, Submit ACO-18.)
 Open Hole Perf. Dually Comp. Commingled _____
 Other (Specify) _____



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

11/31/08

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE Invoice # 224485

Invoice Date: 08/12/2008 Terms: Page 1

JTC OIL INC
P O BOX 910
LOUISBURG KS 66053
() -

MOLDENHAUER W-39
29-15-21
16226
08/07/08

Part Number	Description	Qty	Unit Price	Total
1118B	PREMIUM GEL / BENTONITE	395.00	.1700	67.15
1124	50/50 POZ CEMENT MIX	114.00	9.7500	1111.50
4402	2 1/2" RUBBER PLUG	1.00	23.0000	23.00

Description	Hours	Unit Price	Total
226 MIN. BULK DELIVERY	1.00	315.00	315.00
368 CEMENT PUMP	1.00	925.00	925.00
368 EQUIPMENT MILEAGE (ONE WAY)	15.00	3.65	54.75
368 CASING FOOTAGE	816.00	.00	.00
369 80 BBL VACUUM TRUCK (CEMENT)	2.00	100.00	200.00

RECEIVED
KANSAS CORPORATION COMMISSION

NOV 06 2008

CONSERVATION DIVISION
WICHITA, KS

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 17 2008

CONSERVATION DIVISION
WICHITA, KS

Parts: 1201.65 Freight: .00 Tax: 81.71 AR 2778.11
Labor: .00 Misc: .00 Total: 2778.11
Sublt: .00 Supplies: .00 Change: .00

Signed _____ Date _____

CONSOLIDATED OIL WELL SERVICES, ~~INC.~~ LLC
 P.O. BOX 884, CHANUTE, KS 66720
 620-431-9210 OR 800-467-8676

ed
11/3/08

TICKET NUMBER 16226
 LOCATION Ottawa
 FOREMAN Alan Maden

TREATMENT REPORT & FIELD TICKET
 CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
8-7-08	4015	Maldenhauer W-39	29	15	21	Fr

CUSTOMER	TRUCK #	DRIVER	TRUCK #	DRIVER
JTC	516	Alan M		
	368	Ken H		
	369	Gary A		
	226	Brian J		

MAILING ADDRESS	CITY	STATE	ZIP CODE
P.O. Box 910	Houisburg	KS	66053

JOB TYPE	HOLE SIZE	HOLE DEPTH	CASING SIZE & WEIGHT
long string	5 7/8	828	2 7/8

CASING DEPTH	DRILL PIPE	TUBING	OTHER
816			

SLURRY WEIGHT	SLURRY VOL	WATER gal/sk	CEMENT LEFT in CASING
			yes

DISPLACEMENT	DISPLACEMENT PSI	MIX PSI	RATE
			46pm

REMARKS: Checked casing depth. Mixed & pumped 200# gel followed by 116 sk 50 150 poz, 270 gel. Circulated cement. Flushed pump. Pumped plug to casing TD. Well held 800 PSI for 30 min MIT. Closed valve.

Alan Maden

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	368	925.00
5406	15	MILEAGE	368	34.75
5402	816'	casing footage	368	
5407	min	ton mileage	226	315.00
5502C	2	80 val	369	200.00
1118J3	395#	gel		67.15
11241	114 sk	50/150 poz		111.50
4402	1	2 1/2 plug		23.00
		sub.		2696.40
		RECEIVED KANSAS CORPORATION COMMISSION		
		NOV 06 2008		
		CONSERVATION DIVISION WICHITA, KS		
		OCT 17 2008		
		CONSERVATION DIVISION WICHITA, KS		
		6.87%	SALES TAX	81.71
			ESTIMATED TOTAL	2778.11

AUTHORIZATION

[Signature]

TITLE

224485

DATE

COPY



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE

Invoice # 224485

Invoice Date: 08/12/2008 Terms:

Page 1

JTC OIL INC
P O BOX 910
LOUISBURG KS 66053
() -

MOLDENHAUER 39
29-15-21
16226
08/07/08

Part Number	Description	Qty	Unit Price	Total
1118B	PREMIUM GEL / BENTONITE	395.00	.1700	67.15
1124	50/50 POZ CEMENT MIX	114.00	9.7500	1111.50
4402	2 1/2" RUBBER PLUG	1.00	23.0000	23.00

Description	Hours	Unit Price	Total
226 MIN. BULK DELIVERY	1.00	315.00	315.00
368 CEMENT PUMP	1.00	925.00	925.00
368 EQUIPMENT MILEAGE (ONE WAY)	15.00	3.65	54.75
368 CASING FOOTAGE	816.00	.00	.00
369 80 BBL VACUUM TRUCK (CEMENT)	2.00	100.00	200.00

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 17 2008

CONSERVATION DIVISION
WICHITA, KS

Parts:	1201.65	Freight:	.00	Tax:	81.71	AR	2778.11
Labor:	.00	Misc:	.00	Total:	2778.11		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____

BARTLESVILLE, OK
918/338-0808

ELDORADO, KS
316/322-7022

EUREKA, KS
620/583-7664

GILLETTE, WY
307/686-4914

McALESTER, OK
918/426-7667

OTTAWA, KS
785/242-4044

THAYER, KS
620/839-5269

WORLAND, WY
307/347-4577

CONSOLIDATED OIL WELL SERVICES, LLC
 P.O. BOX 884, CHANUTE, KS 66720
 620-431-9210 OR 800-467-8676

COPY
 TICKET NUMBER 16226
 LOCATION Ottawa
 FOREMAN Alan Mader

TREATMENT REPORT & FIELD TICKET
 CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
8-7-08	4015	Moldenhauer #39	29	15	21	Fr

CUSTOMER	TRUCK #	DRIVER	TRUCK #	DRIVER
JTC	516	Alan M		
	368	Ken H		
	369	Gary A		
	226	Brian J		

MAILING ADDRESS	CITY	STATE	ZIP CODE
P.O. Box 910	Houisburg	KS	66053

JOB TYPE	HOLE SIZE	HOLE DEPTH	CASING SIZE & WEIGHT
long string	5 1/8	828	2 1/8

CASING DEPTH	DRILL PIPE	TUBING	OTHER
816			

SLURRY WEIGHT	SLURRY VOL	WATER gal/sk	CEMENT LEFT in CASING
			yes

DISPLACEMENT	DISPLACEMENT PSI	MIX PSI	RATE
			46pm

REMARKS: Checked casing depth. Mixed & pumped 200# gel followed by 116 5x 30 150 poz 2% gel. Circulated cement. Flushed pump. Pumped plug to casing TD. Well held 800 PSI for 30 min MFT. Closed valve.

Alan Mader

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	368	925.00
5406	15	MILEAGE	368	54.75
5402	816'	casing footage	368	
5407	min	ten mileage	226	315.00
5502C	2	80 val	369	200.00
1118J3	395#	gel		67.15
11241	114 5x	50/150 poz		111.50
4402	1	2 1/2 plug		23.00
		sub.		2696.40
RECEIVED KANSAS CORPORATION COMMISSION OCT 17 2008 CONSERVATION DIVISION WICHITA, KS				
		6.8%	SALES TAX	81.71
			ESTIMATED TOTAL	2778.11

AUTHORIZATION [Signature] TITLE 224485 DATE _____