

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

Operator: License # 32710
 Name: Laymon Oil II, LLC
 Address: 1998 Squirrel Road
 City/State/Zip: Neosho Falls, KS 66758
 Purchaser: Coffeyville Resources
 Operator Contact Person: Kenneth Laymon
 Phone: (620) 963-2495
 Contractor: Name: Company tools
 License: 32710
 Wellsite Geologist: none
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

| | | |
|-----------------------------------|-----------------|-----------------------------------------|
| <u>11/29/07</u> | <u>12/03/07</u> | <u>01/02/08</u> |
| Spud Date or Recompletion Date | Date Reached TD | Completion Date or Recompletion Date |

API No. 15 - 207-27330-00-00
 County: Woodson
nw-nw-nw-nw Sec. 01 Twp. 24 S. R. 16 East West
4785 feet from S N (circle one) Line of Section
5115 feet from E W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Jones A Well #: 9-07
 Field Name: Vernon
 Producing Formation: Squirrel
 Elevation: Ground: n/a Kelly Bushing: n/a
 Total Depth: 1080 Plug Back Total Depth: 1070
 Amount of Surface Pipe Set and Cemented at 40' Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from 40'
 feet depth to surface w/ 10 sx cmt.

RECEIVED
 KANSAS CORPORATION COMMISSION
FEB 21 2008
 CONSERVATION DIVISION
 WICHITA, KS

Drilling Fluid Management Plan AK II NS 97509
 (Data must be collected from the Reserve Pit)
 Chloride content _____ ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Kenneth Laymon
 Title: Owner Date: 02/15/08
 Subscribed and sworn to before me this 15 day of Feb.
10-2008
 Notary Public: Regina Laymon
 Date Commission Expires: 07-21-09

NOTARY PUBLIC State of Kansas
REGINA LAYMON
 My Appt. Expires 07-21-09

KCC Office Use ONLY

Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Laymon Oil II, LLC Lease Name: Jones A Well #: 9-07
 Sec. 01 Twp. 24 S. R. 16 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: | <input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---------------------------------------------------------------------------|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Surface | 10 1/4" | 8 5/8" | 24# | 40' | common | 10 | |
| Tubing | 6 1/8" | 2 7/8" | 6.7# | 1070' | portland | 160 | |
| Production | | 1" | 1.8# | 1012' | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------|-------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i> | Depth |
|------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------|
| 3 | 1012 - 1026 | 200 gl HCL acid; frac w/85 sks sand | 1012-1026 |
| RECEIVED KANSAS CORPORATION COMMISSION FEB 21 2008 CONSERVATION DIVISION WICHITA, KS | | | |

| | | | | | |
|--------------------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------|--------------------------------------------------------------------|
| TUBING RECORD | | Size | Set At | Packer At | Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Date of First, Resumed Production, SWD or Enhr. 01/02/08 | | Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) | | | |
| Estimated Production Per 24 Hours | Oil Bbls. .5 | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |

Disposition of Gas Vented Sold Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled _____
 Other (Specify) _____

Production Interval _____

THE NEW KLEIN LUMBER COMPANY
 201 N. MADISON
 P.O. BOX 885
 IOLA, KS 66749
 PHONE: (620) 365-2201

| CUSTOMER NO. | JOB NO. | PURCHASE ORDER NO. | REFERENCE | TERMS | CLERK | DATE | TIME |
|--------------|---------|--------------------|-----------|--------|-------|---------|------|
| 1447 | | | | NET 30 | | 9/11/07 | 7:10 |

WYBURN TILL, II
 1998 SWIRKEL RD.
 NEESING FIELDS KS 66745

**S
H
I
P
T
O**
 CALL FIRST SO WE CAN
 MAKE SURE THERE IS
 SOMEONE THERE TO UNLOAD

BOOK 00213

 * INVOICE *

001 IOLA IOLA

| QUANTITY SHIPPED | QUANTITY ORDERED | UM | SKU | DESCRIPTION | UNITS | PRICE/PER | EXTENSION |
|------------------|------------------|----|-----|-----------------|-------|-----------|-----------|
| 120 | | EA | PC | PORTLAND CEMENT | 120 | 0.99 /EA | 1,178.00 |
| 1 | | EA | | DELIVERY CHARGE | 1 | 10.00 /EA | 10.00 |

RECEIVED
 KANSAS CORPORATION COMMISSION

FEB 21 2008

CONSERVATION DIVISION
 WICHITA, KS

| | | | |
|---------------------------------|----------|--------------|---------|
| AMOUNT CHARGED TO STORE ACCOUNT | 1,169.28 | TAXABLE | 1000.00 |
| | | NON-TAXABLE | 0.00 |
| | | SUBTOTAL | 1000.00 |
| | | TAX AMOUNT | 79.48 |
| | | TOTAL AMOUNT | 1169.28 |

RECEIVED BY

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

LA005
LAYMON OIL, L.L.C.
1998 SQUIRREL RD.

NEOSHO FALLS KS
66750

SHIP TO:

LA27
LAYMON OIL
54 W TO WILLOW N TO 200TH RD
W 4 MI TO SQUIRREL RD S 1 MI
TO 190TH 1/4E PAST CATTLE GRD
TO RED GATE N SD NEOSHO FALLS

| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | % CAL | DRIVER/TRUCK | % AIR | PLANT/TRANSACTION # |
|-----------|---------|-----------|---------------|--------|--------------|---------|---------------------|
| 03:28:49p | WELL | 8.00 yd | 16.00 yd | 0.00 | BT 34 | 0.00 | |
| DATE | o Date | LOAD # | YARDS DEL | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER |
| 12-03-07 | Today | 1 | 8.00 yd | 4057 | | 4.00 in | 19923 |

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention: KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST BE TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED

X _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By

GAL X _____

WEIGHMASTER

Jones 9-07

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED

X *[Signature]*

| QUANTITY | CODE | DESCRIPTION | UNIT PRICE | EXTENDED PRICE |
|-------------------------|----------|--------------------------|------------|---------------------------|
| 8.00 | WELL | WELL (10 SACKS PER UNIT) | 65.00 | 528.00 |
| 1.75 1.50 | TRUCKING | TRUCKING CHARGE | 45.00 | 78.75 67.50 |

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED |
|-------------------|--------------|------------------|-----------------------------------------------------------------------------------------------------------------|--------------|
| 5:28 | 4:58 | 4:50 | 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER | |
| 4:00 | 4:29 | 4:30 | 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER | |
| TOTAL ROUND TRIP | TOTAL AT JOB | UNLOADING TIME | | DELAY TIME |
| 1.5 | | | | |

595.50

SubTotal \$ 606.75

Tax % 6.300 37.52 38.23

Total \$ 644.98

Order \$ 644.98

ADDITIONAL CHARGE 1 _____

ADDITIONAL CHARGE 2 _____

GRAND TOTAL 633.02


RECEIVED
KANSAS CORPORATION COMMISSION

FEB 21 2008

CONSERVATION DIVISION
WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

SOLD TO:
LA005
LAYMON OIL, L.L.C.
1998 SQUIRREL RD.

NEOSHO FALLS KS
66758

LA27
LAYMON OIL
54 W TO WILLOW N TO 200TH RD
W 4 MI TO SQUIRREL RD S 1 MI
TO 190TH 1/4E PAST CATTLE GRD
TO RED GATE N SD NEOSHO FALLS

| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | % CAL | DRIVER/TRUCK | % AIR | PLANT/TRANSACTION # |
|-----------|---------|-----------|---------------|--------|--------------|---------|---------------------|
| 03:42:16p | WELL | 8.00 yd | 16.00 yd | 0.00 | BT 34 | 0.00 | |
| DATE | Date | LOAD # | YARDS DEL | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER |
| 12-03-07 | Today | 2 | 16.00 yd | 4058 | | 4.00 in | 19924 |

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS, MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him, and the supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED: _____

X _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By _____

GAL X _____

WEIGHMASTER
J. Nees 9-07

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY
X *[Signature]*

| QUANTITY | CODE | DESCRIPTION | UNIT PRICE | EXTENDED PRICE |
|----------|------|--------------------------|------------|----------------|
| 8.00 | WELL | WELL (10 SACKS PER UNIT) | 66.00 | 528.00 |

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED | |
|-------------------|----------|------------------|-----------------------------------------------------------------------------------------------------------------|--------------|-----------------------------|
| 3:28 | 4:58 | 4:50 | 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER | | Subtotal \$ 528.00 |
| | | | 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER | | Tax % 6.300 33.26 |
| | | | | | Total \$ 561.26 |
| | | | | | Order \$ 1206.24 |
| | | | | | ADDITIONAL CHARGE 1 _____ |
| | | | | | ADDITIONAL CHARGE 2 _____ |
| | | | | | GRAND TOTAL ▶ _____ |

Laymon Oil II, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

Jones A# 6-09
API: 15-207-27330
Spud Date 11/29/07
Comp Date: 12/03/07
01/24/16 WO CO

| Formation | From | To |
|--------------------------|------|------|
| Soil & Clay | 0 | 16 |
| Shale | 16 | 157 |
| Lime | 157 | 163 |
| Lime & Shale | 163 | 1005 |
| Cap Rock 1 st | 1005 | 1006 |
| Sand Lower | 1006 | 1020 |
| Shale | 1020 | 1080 |
| Total Depth | | 1080 |

Set 40' of 8 5/8" surface, cemented w/10 sks.
Ran 1070' of 2 7/8" pipe.
Seating nipple @ 1007'.

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 21 2008

CONSERVATION DIVISION
WICHITA