

RECEIVED

NOV 21 2005

KCC WICHITA

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

CONFIDENTIAL

Operator: License # 5254
Name: MIDCO Exploration, Inc.
Address: 414 Plaza Drive, Suite 204
City/State/Zip: Westmont, IL 60559
Purchaser: N/A
Operator Contact Person: Earl J. Joyce, Jr.
Phone: (630) 655-2198
Contractor: Name: Duke Drilling Co., Inc.
License: 5929

Wellsite Geologist: none

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

9/20/2005 9/25/2005 10/20/2005
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 09-21984-0000

County: Kingman Edited by CPS Per MD
N SE SW NW Sec. 35 Twp. 28 S. R. 8 East West

~~2240~~ 3092 feet from (S) (X) (circle one) Line of Section
~~940~~ 4660 feet from (E) (X) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE (NW) SW

Lease Name: Ramsey Well #: 3
Field Name: Gartisch SW

Producing Formation: N/A
Elevation: Ground: 1625' Kelly Bushing: 1633'

Total Depth: 4260' Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 252 Feet
Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan DATA INJ 9-15-09
(Data must be collected from the Reserve Pit)
Chloride content 20,000 ppm Fluid volume 400 bbls
Dewatering method used no free fluids available

Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Vice-President Date: 11/17/2005

Subscribed and sworn to before me this 17th day of November,
20 05.

Notary Public: Nancy L. Macyunas
Date Commission Expires: _____



KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: MIDCO Exploration, Inc. Lease Name: Ramsey Well #: 3

Sec. 35 Twp. 28 S. R. 8 East West County: Kingman

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets)
Samples Sent to Geological Survey
Cores Taken
Electric Log Run (Submit Copy)
List All E. Logs Run:
Dual Induction
Dual Compensated Microlog
Borehole Compensated Sonic
Sonic Cement Bond

Table with columns: Log, Formation (Top), Depth and Datum, Sample. Rows include Heebner, Toronto, Lansing, Hertha, Mississippi with corresponding depths and datums.

KCC
NOV 17 2005
CONFIDENTIAL

CASING RECORD table with columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Rows for Surface and Production.

ADDITIONAL CEMENTING / SQUEEZE RECORD table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives.

PERFORATION RECORD - Bridge Plugs Set/Type table with columns: Shots Per Foot, Specify Footage of Each Interval Perforated, Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used), Depth.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run (Yes/No).

Date of First, Resumerd Production, SWD or Enhr. Producing Method (Flowing, Pumping, Gas Lift, Other (Explain)).

Estimated Production Per 24 Hours table with columns: Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity.

Disposition of Gas (Vented, Sold, Used on Lease) and METHOD OF COMPLETION (Open Hole, Perf., Dually Comp., Commingled, Other (Specify)).

RECEIVED
NOV 21 2005
KCC WICHITA

ALLIED CEMENTING CO., INC. 20922

TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Medicine L.P.G.Ks.

DATE <u>9-26-05</u>	SEC. <u>35</u>	TWP. <u>28S</u>	RANGE <u>8W</u>	CALLED OUT <u>1:00 P.M.</u>	ON LOCATION <u>3:30 P.M.</u>	JOB START <u>6:30 P.M.</u>	JOB FINISH <u>7:20 P.M.</u>	
LEASE <u>Ramsel</u>		WELL # <u>#3</u>		LOCATION <u>Spivey Ball Park RD</u>		COUNTY <u>Kingman</u>	STATE <u>Ks</u>	
OLD OR <u>NEW</u> (Circle one)			<u>N, TO STOP sign 1/4 N E into</u>					

CONTRACTOR Duke #2
 TYPE OF JOB long string
 HOLE SIZE 7 7/8 T.D. 4400
 CASING SIZE 4 1/2 DEPTH 4244.97
 TUBING SIZE DEPTH
 DRILL PIPE 4 1/2 DEPTH 4400
 TOOL DEPTH
 PRES. MAX 600 PSI MINIMUM 100 PSI
 MEAS. LINE SHOE JOINT 39.65
 CEMENT LEFT IN CSG. 39.65 FT
 PERFS.

OWNER Midco Exploration

DISPLACEMENT KCl/Water 6 7/4 BBLs

CEMENT
 AMOUNT ORDERED 190sx ASC + 5# Kol-seal
7.7% Gas Block 25sx 60' 40:4 500gal
Mud clean C 500gal ASF 7gal KCl

EQUIPMENT

PUMP TRUCK CEMENTER David W.
 # 397 HELPER Chris R.
 BULK TRUCK
 # 353 DRIVER Greg K.
 BULK TRUCK
 # DRIVER

COMMON	<u>15</u>	<u>A</u>	@	<u>8.20</u>	<u>130.50</u>
POZMIX	<u>10</u>		@	<u>4.70</u>	<u>47.00</u>
GEL	<u>1</u>		@	<u>14.00</u>	<u>14.00</u>
CHLORIDE			@		
ASC	<u>190</u>		@	<u>10.75</u>	<u>2042.50</u>
<u>Kol Seal</u>	<u>950#</u>		@	<u>.60</u>	<u>570.00</u>
<u>Gas Block</u>	<u>7#</u>		@	<u>7.40</u>	<u>51.80</u>
<u>Mud Clean C</u>	<u>500 gal.</u>		@	<u>1.25</u>	<u>625.00</u>
<u>ASF</u>	<u>500 gal.</u>		@	<u>1.00</u>	<u>500.00</u>
<u>Clas Pro</u>	<u>7 gal</u>		@	<u>22.90</u>	<u>160.30</u>
			@		
			@		
HANDLING	<u>269</u>		@	<u>1.60</u>	<u>430.40</u>
MILEAGE	<u>50 x 269 x .06</u>				<u>807.00</u>

TOTAL 5378.50

REMARKS:

Pipe on Bottom Break circ Pump
3 Water 12 BBLs, ASF 12 BBLs, Mud
Clean "C" 3 BBLs, Water Plug Rat + Mouse
Pump 190sx ASC + 5# Kol-seal + 7%
Gas Block. Shut Down Wash Pump
Lines, Displace w/ KCl/Water Blow
Rat + Mouse Plug Float ditch Hold
Washup Rig Down.

SERVICE

DEPTH OF JOB	<u>4244</u>				
PUMP TRUCK CHARGE					<u>1370.00</u>
EXTRA FOOTAGE		@			
MILEAGE	<u>50</u>	@	<u>5.00</u>		<u>250.00</u>
MANIFOLD Head Rent		@	<u>75.00</u>		<u>75.00</u>
		@			
		@			

RECEIVED

NOV 21 2005

TOTAL 1695.00

KCC WICHITA

PLUG & FLOAT EQUIPMENT

<u>4 1/2</u>					
1-Guide Shoe		@	<u>125.00</u>		<u>125.00</u>
1-AFU Insert		@	<u>210.00</u>		<u>210.00</u>
5-Centralizers		@	<u>45.00</u>		<u>225.00</u>
5-Turbobolters		@	<u>55.00</u>		<u>275.00</u>
1-Rubber Plug		@	<u>48.00</u>		<u>48.00</u>

TOTAL 883.00

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

ANY APPLICABLE TAX
 WILL BE CHARGED
 UPON INVOICING

TAX _____
 TOTAL CHARGE 7956.50
 DISCOUNT 795.65 IF PAID IN 30 DAYS

SIGNATURE

David H Mayfield

David H Mayfield

PRINTED NAME

ALLIED CEMENTING CO., INC. 20992

TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Medicine Lodge, KS

E. Loc <i>05</i>	SEC. <i>35</i>	TWP. <i>28</i>	RANGE <i>B</i>	CALLED OUT <i>0830am</i>	ON LOCATION <i>0400pm</i>	JOB START <i>0430pm</i>	JOB FINISH <i>630pm</i>	
BASE <i>Rensay</i>			WELL # <i>3</i>	LOCATION <i>Spivey, KS, N rd cleaveland Blk top</i>		COUNTY <i>Kingman</i>	STATE <i>KS</i>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)				LOCATION <i>2 1/2 N, E/into</i>				

CONTRACTOR *Licken well*

TYPE OF JOB *Old hole Plug*

HOLE SIZE *7 7/8* T.D.

CASING SIZE *4 1/2* DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT *Fresh H₂O*

EQUIPMENT

PUMP TRUCK CEMENTER *D. Felio*

352 HELPER *Chris R.*

BULK TRUCK

356 DRIVER *Greg K.*

BULK TRUCK

DRIVER

OWNER *Midco Expor.*

CEMENT

AMOUNT ORDERED *200 sk 60:40:4*

<used 160 sk>

COMMON	<i>96</i>	<i>A</i>	@	<i>8.70</i>	<i>835.20</i>
POZMIX	<i>64</i>		@	<i>4.70</i>	<i>300.80</i>
GEL	<i>6</i>		@	<i>14.00</i>	<i>84.00</i>
CHLORIDE			@		
ASC			@		
			@		
			@		
			@		
			@		
			@		
			@		
			@		
			@		
HANDLING	<i>207</i>		@	<i>1.60</i>	<i>331.20</i>
MILEAGE	<i>35 x 207 x .06</i>				<i>434.70</i>
TOTAL					<i>1985.90</i>

REMARKS:

load hole, Pump 35 sk cement at 250' Pull up to 750' Pump 35 sk cement, Pull up to 300' pump 90 sk., top off at surface.

2nd Well SERVICE

DEPTH OF JOB *1250'*

PUMP TRUCK CHARGE *300.00*

EXTRA FOOTAGE @

MILEAGE *35* @ *5.00* *N/C*

MANIFOLD @

RECEIVED

NOV 21 2005

TOTAL *300.00*

KCC WICHITA

PLUG & FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____

TOTAL _____

TAX _____

TOTAL CHARGE ~~_____~~

DISCOUNT ~~_____~~ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING

SIGNATURE *David H Mayfield*

David H Mayfield
PRINTED NAME

ALLIED CEMENTING CO., INC. 16386

EMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Medicine Lodge, KS

DATE <u>09-20-05</u>	SEC. <u>35</u>	TWP. <u>28s</u>	RANGE <u>8w</u>	CALLED OUT <u>2:00 PM</u>	ON LOCATION <u>4:15 PM</u>	JOB START <u>6:15 PM</u>	JOB FINISH <u>6:45</u>
LEASE <u>Ransey</u>		WELL # <u>#3</u>		LOCATION <u>Spivey, KS, Ball Park Rd, 9 W to</u>		COUNTY <u>Kingman</u>	STATE <u>KS</u>
OLD OR <u>NEW</u> (Circle one)			Stop sign, 1.6 mi N, E/S				

CONTRACTOR Duke #2 OWNER Midco Exploration

TYPE OF JOB Surface

HOLE SIZE <u>12 1/4</u>	T.D. <u>260</u>
CASING SIZE <u>8 5/8</u>	DEPTH <u>252</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX <u>200</u>	MINIMUM <u>100</u>
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG. <u>15'</u>	
PERFS.	
DISPLACEMENT <u>15 1/4 Bbls Fresh Water</u>	

CEMENT
AMOUNT ORDERED 250 sx "A" 60:40 3%cc + 2% Gel

COMMON	<u>150 A</u>	@	<u>8.70</u>	<u>1305.00</u>
POZMIX	<u>100</u>	@	<u>4.70</u>	<u>470.00</u>
GEL	<u>4</u>	@	<u>14.00</u>	<u>56.00</u>
CHLORIDE	<u>8</u>	@	<u>38.00</u>	<u>304.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>262</u>	@	<u>1.60</u>	<u>419.20</u>
MILEAGE	<u>50 x 262 x .06</u>			<u>786.00</u>
TOTAL				<u>3340.20</u>

EQUIPMENT

PUMP TRUCK CEMENTER D. FELTO
368 HELPER D. Cushinberry / L. Daeling

BULK TRUCK DRIVER M. Coley
364

BULK TRUCK DRIVER _____

REMARKS:
Pipe on Bottom, Break Circ. Pump 5 Bbls Prefluc
Run 250 sx class "A" 60:40 + 3%cc + 2% gel
stop Pump, Release Plug, Start Disp. Wash up
on top of Plug, Slow rate at 12 Bbls, Stop Pump
at 15 1/4 Bbls Fresh water Disp. Shut in
Cement Did Circ.

SERVICE

DEPTH OF JOB	<u>252</u>
PUMP TRUCK CHARGE	<u>670.00</u>
EXTRA FOOTAGE	@ _____
MILEAGE	<u>50 @ 5.00 = 250.00</u>
<u>Head Rent</u>	@ <u>75.00 = 75.00</u>
	@ _____
	@ _____

CHARGE TO: Midco Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

RECEIVED

NOV 21 2005

KCC WICHITA

TOTAL 995.00

PLUG & FLOAT EQUIPMENT

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

MANIFOLD	@		
<u>1- wooden Plug</u>	@	<u>55.00</u>	<u>55.00</u>
	@		
	@		
	@		
TOTAL			<u>55.00</u>

ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING

TAX _____

TOTAL CHARGE ~~995.00~~

DISCOUNT ~~_____~~ IF PAID IN 30 DAYS

SIGNATURE X David A. Mansfield

SIGNATURE X Davie Mayfield

PRINTED NAME

8 5/8"