# **ORIGINAL**

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 October 2008 Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 3728	API No. 15 - 001-29903-00-00					
Name: Roger Kent dba R.J. Enterprises	Spot Description:					
Address 1: 22082 NE Neosho Road	NW -NW -SW - NE Sec. 34 Twp. 23 S. R. 21 Fast West					
Address 2:	3,795 Feet from North / South Line of Section					
City: Garnett State: KS Zip: 66032 + 1918	2,475 Feet from 📝 East / 🗌 West Line of Section					
Contact Person: Roger Kent						
Phone: ( 785 ) 448-6995 or 448-7725	□NE □NW ☑SE □SW					
CONTRACTOR: License # 3728						
Name: Roger Kent dba R.J. Enterprises	Lease Name: Whitcomb Well #: 4					
Wellsite Geologist: n/a	Field Name: Davis Bronson					
Purchaser: n/a	Producing Formation: Mississippian					
Designate Type of Completion:	Elevation: Ground: 998 ft. Kelly Bushing: n/a					
New Well Re-Entry Workover	Total Depth: 725 ft. Plug Back Total Depth:					
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 20 Feet					
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No					
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set:Feet					
✓ Dry Other (Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from: DRY HOLE					
	foot doubt to					
If Workover/Re-entry: Old Well Info as follows:	PA-DIG-10/14/DC					
Operator:	/Data must be collected from the Pennin Ditt					
Well Name:	-					
Original Comp. Date: Original Total Depth:	• • • • • • • • • • • • • • • • • • • •					
Deepening Re-perf Conv. to Enhr Conv. to SWI Plug Back: Plug Back Total Depth	Dewatering method used: Drilled with fresh water - air dry					
Commingled Docket No.:	Location of fluid disposal if hauled offsite:					
Dual Completion Docket No.:	Operator Name:					
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:					
June 19, 2009 June 22, 2009 July 7, 2009	Quarter Sec TwpS. R					
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:					
Kansas 67202, within 120 days of the spud date, recompletion, workover of side two of this form will be held confidential for a period of 12 months if	with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information requested in writing and submitted with the form (see rule 82-3-107 for confident well report shall be attached with this form. ALL CEMENTING TICKETS MUST form with all temporarily abandoned wells.					
are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements herein					
Signature: Kok, VIIV comb	KCC Office Use ONLY					
Title: Agent for Roger Kent Date: October 9, 2009	Letter of Confidentiality Received					
Subscribed and sworn to before me this 971 day of 001000000000000000000000000000000000	MANDA , If Denied, Yes Date:					
20 <u>0 9</u> . STATE	NY PUBLIC Wireline Log Received					
Notary Public: Louna Thanks My Appt. Ex	Geologist Report Received RECEIVED					
Date Commission Expires: MArch 16,2011	UIC Distribution OCT 1 3 2009					

#### Side Two

Operator Name: Roger Kent dba R.J. Enterprises					Lease Name: Whitcomb			Well #: _4		
	_S. R. <u>21</u>	Z East	] West	Count	y: Allen					
NSTRUCTIONS: Show ime tool open and closed recovery, and flow rates if surveyed. Attach final ge	f, flowing and shu f gas to surface te	t-in pressures st, along with	s, whether sh	nut-in pres	ssure reac	hed static level,	hydrostatic press	ures, bottom h	ole temperature, fluid	
Drill Stem Tests Taken (Attach Additional She	ets)	Yes	✓ No		□ L.c	Log Formation (Top), Depth and Datum				
Samples Sent to Geologi		Yes	Yes ✓ No		Name	me		Тор	Datum	
Cores Taken Electric Log Run (Submit Copy)		☐ Yes <b>√</b> Yes	✓ No ☐ No		DRY HOLE					
ist All E. Logs Run:										
NONE										
		D		RECORD	·		on ata			
Purpose of String	Size Hole	Size C			eight ./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
surface	Drilled	7"	10.0.)	LUS	., / Ft.	20 ft.	Cement	OSCO		
Surrace		•								
	: 	1	ADDITIONAL	CEMENT	TING / SOL	JEEZE RECORD				
Purpose:	Depth	T	Cement		s Used		Type and I	Percent Additives		
Plug Off Zone	Top Bottom	31								
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)							d Depth			
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes No	0		
Date of First, Resumed Pr	oduction, SWD or E	nhr.	Producing Met	thod:	Flowin	ng [] Pumpi	ng 🔲 Gas L	.ift 🔲 Ott	ner (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wa	ter E	Bbls.	Gas-Oil Ratio	Gravity	
Dieboerlos	I OF GAS:			METHOD	OF COMPL	ETION:		PRODUCT	ION INTERVAL:	
DISPOSITION  [ ] Vented [   Sold  (If vented, Subm	Used on Leas			Perf.		proving.	mmingled			

### R.J. Enterprise

### Whitcomb #4

			start 6-19-09
•			finish 6-22-09
soil	4		
lime	52		
shale	57		
lime	60		•
shale	63		
lime	82		
shale	85		
lime	113	•	
shale	279		set 20' of 7"
lime	307		plugged well 7-7-09
shale	371		ran 1 " to 725' pumped 12 sacks
lime	401		pulled up to 500' pumped 12 sacks
shale	441		pulled up to 250' pumped cement to surface
lime	461		with 30 sacks.
shale	469		
lime	477		
shale	566		
lime	569		
shale	642		
dk sand	646	show	
shale	752	T.D.	
	lime shale shale lime shale	lime 52 shale 57 lime 60 shale 63 lime 82 shale 85 lime 113 shale 279 lime 307 shale 371 lime 401 shale 441 lime 461 shale 469 lime 477 shale 566 lime 569 shale 642 dk sand 646	lime       52         shale       57         lime       60         shale       63         lime       82         shale       85         lime       113         shale       279         lime       307         shale       371         lime       401         shale       441         lime       461         shale       469         lime       477         shale       566         lime       569         shale       642         dk sand       646       show

RECEIVED

OCT 1 3 2009

KCC WICHITA