

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32309
Name: Presco Western, LLC
Address 5665 FLATIRON PARKWAY
City/State/Zip BOULDER CO 80301
Purchaser: High Sierra Crude (oil)/BP (gas)
Operator Contact Person: Randy M. Verret
Phone (303) 305-1163
Contractor: Name: H2 Drilling
License: 33793
Wellsite Geologist: Not Applicable

API NO. 15- 175-22119-0000
County Seward

W2 - NE - NE - SE Sec. 28 Twp. 31 S. R. 33 E W
2,310 Feet from S (circle one) Line of Section
335 Feet from E (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW

Lease Name Pittman Well # 3-I28-31-33

Field Name Wildcat

Producing Formation _____

Elevation: Ground 2,883' Kelley Bushing 2,894'

Total Depth 6,005' Plug Back Total Depth _____

Amount of Surface Pipe Set and Cemented at 1,752 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan D+A AH I NCR
(Data must be collected from the Reserve Pit) 1-12-09

Chloride content 1,800 ppm Fluid volume 3,900 bbls

Dewatering method used Air Evaporation

Location of fluid disposal if hauled offsite:

Operator Name Not Applicable

Lease Name _____ License No. _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ E W

County _____ Docket No. _____

Designate Type of Completion

New Well Re-Entry Workover

Oil SWD SLOW Temp. Abd.

Gas ENHR SIGW

Dry Other (Core, WSW, Expl., Cathodic, etc.)

If Workover/Reentry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date _____ Original Total Depth _____

Deepening Re-perf. Conv. to Enhr./SWD

Plug Back _____ Plug Back Total Depth _____

Commingled Docket No. _____

Dual Completion Docket No. _____

Other (SWD or Enhr?) Docket No. _____

4/14/2008 4/25/2008 4/26/2008

Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature [Signature]


Title Regulatory Assistant Date 12/12/08

Subscribed and sworn to before me this 3rd day of December

20 08

Notary Public [Signature]

Date Commission Expires 2-12-11 My Commission Expires 02/12/2011



KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name Presco Western, LLC

Lease Name Pittman

Well # 3-I28-31-33

Sec. 28 Twp. 31 S.R. 33 East West

County Seward

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets.) Yes No

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run (Submit Copy.) Yes No

List All E.Logs Run:
 Spectral Density Dual Spaced Neutron Log,
 Microlog, Array Compensated Resistivity Log.

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datums		<input type="checkbox"/> Sample
Name	Top	Datum	
Heebner	4,161'	-1,278'	
Lansing	4,251'	-1,368'	
Atoka	5,252'	-2,369'	
Morrow	5,400'	-2,517'	
St. Louis	5,769'	-2,886'	

CASING RECORD New Used
 Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	23.0	1,752'	65/35/C1 C	600/150	6%ge1/3%CC/1/4 F to

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				Please see attached plugging record.

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
N/A			

TUBING RECORD

Size N/A Set At _____ Packer At _____ Liner Run Yes No

Date of First, Resumed Production, SWD or Enhr. unsuccessful completion Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours N/A Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

Disposition of Gas: Vented Sold Used on Lease Open Hole Perforation Dually Comp. Commingled _____

(If vented, submit ACO-18.) Other (Specify) _____

ALLIED CEMENTING CO., LLC. 30357

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: L. BEAL K3

DATE <u>4-16-08</u>	SEC. <u>28</u>	TWP. <u>31</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION	JOB START <u>11:00 AM</u>	JOB FINISH <u>2:30 AM</u>
LEASE <u>PTMAN</u>	WELL # <u>3-128</u>	LOCATION <u>N of Supreme FEEDERS</u>	<u>31-33</u>	COUNTY <u>Seward</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one)		<u>on SATURDAY Black Top</u>					

CONTRACTOR <u>H-2 #1</u>	OWNER <u>SAME</u>
TYPE OF JOB <u>8 1/8 SURFACE</u>	
HOLE SIZE <u>12 1/4</u>	T.D. <u>1752</u>
CASING SIZE <u>8 1/8</u>	DEPTH <u>1747</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT <u>24.74</u>
CEMENT LEFT IN CSG. <u>24.74</u>	
PERFS.	
DISPLACEMENT <u>110.2 BBL</u>	

EQUIPMENT	CEMENT
	AMOUNT ORDERED <u>600 65/35/6% 6EL</u>
	<u>3% CC 1/4 FLO SEAL</u>
	<u>150 "C"</u>
	COMMON <u>150 C</u> @ <u>17.35</u> <u>2602.50</u>
	POZMIX @
	GEL @
	CHLORIDE <u>CC</u> @ <u>52.45</u> <u>1258.50</u>
	ASC @
	<u>600 LITE</u> @ <u>13.35</u> <u>8010.00</u>
	@
	<u>150 LB FLO SEAL</u> @ <u>2.25</u> <u>337.50</u>
	@
	@
	@
	HANDLING <u>811</u> @ <u>2.15</u> <u>1743.65</u>
	MILEAGE <u>109.5 mi</u> <u>1824.75</u>
	TOTAL <u>15797.20</u>

PUMP TRUCK # <u>417</u>	CEMENTER <u>BOB</u>
	HELPER <u>KENNY</u>
BULK TRUCK # <u>454</u>	DRIVER <u>MANNY</u>
BULK TRUCK # <u>470</u>	DRIVER <u>MANNY</u>

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 04 2008
CONSERVATION DIVISION
WICHITA, KS

REMARKS:

BREAK CIRC
Mix 600 SK LITE
Mix 150 SK "C"
DRAG PLUG + DISP CSNG
LAND PLUG + RELEASE OPSI
FOAT HOLDING
CIRC APPROX 20 BBL CWT
To SURFACE THANK YOU

CHARGE TO: PRESCO WESTERN

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Mark Knechtel

SIGNATURE [Signature]

SERVICE

DEPTH OF JOB	<u>1740.88'</u>
PUMP TRUCK CHARGE	<u>1812</u>
EXTRA FOOTAGE	@
MILEAGE <u>25</u>	@ <u>7.00</u> <u>175.00</u>
MANIFOLD + HEAD	@ <u>113.00</u>
<u>Stand By Time 8hr</u>	@ <u>225.00</u> <u>1800.00</u>
	@

TOTAL 3900.00

PLUG & FLOAT EQUIPMENT

<u>8 1/4</u>	
<u>1- S-W Tap Plug</u>	@ <u>113.00</u>
<u>1- GUIDER SHO</u>	@ <u>282.00</u>
<u>1- SS FLOAT COLLAR</u>	@ <u>127.50</u>
<u>10- CENTRALIZERS</u>	@ <u>62.00</u> <u>620.00</u>
<u>1- BASKET</u>	@ <u>248.00</u>
TOTAL	<u>1938.00</u>

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., LLC. 30365

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

Handwritten: 12/8/08

SERVICE POINT:

Handwritten: LIBERTY, KS

DATE <i>4-26-08</i>	SEC <i>28</i>	TWP. <i>31</i>	RANGE <i>33W</i>	CALLED OUT	ON LOCATION	JOB START <i>7:30 Pm</i>	JOB FINISH <i>8:30 Pm</i>
LEASE <i>PTMAN</i>	WELL # <i>3-I-28-31-33</i>	LOCATION <i>Santa Fe St W to Lc</i>			COUNTY <i>SEWARD</i>	STATE <i>KS</i>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)		<i>N of Supreme Feeders</i>					

CONTRACTOR *H-2 Pella #1*

TYPE OF JOB *Plug to Anderson*

HOLE SIZE *7 7/8* T.D.

CASING SIZE *8 5/8 24"* DEPTH

TUBING SIZE DEPTH

DRILL PIPE *1760' 16.6* DEPTH *1760'*

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. *0*

PERFS.

DISPLACEMENT *22 BBL*

OWNER *SAME*

CEMENT AMOUNT ORDERED *135*

100/40 / 40% GEL

EQUIPMENT

PUMP TRUCK CEMENTER *BOB*

417 HELPER *RON*

BULK TRUCK

458 DRIVER *KENNY*

BULK TRUCK

DRIVER

COMMON	<i>81</i>	@	<i>1420</i>	<i>115020</i>
POZMIX	<i>54</i>	@	<i>720</i>	<i>38880</i>
GEL	<i>55K</i>	@	<i>1875</i>	<i>9375</i>
CHLORIDE		@		
ASC		@		
HANDLING	<i>140</i>	@	<i>2.15</i>	<i>30100</i>
MILEAGE	<i>295Kmi</i>			<i>31500</i>
			TOTAL	<i>224875</i>

RECEIVED
 KANSAS CORPORATION COMMISSION
 DEC 04 2008
 CONSERVATION DIVISION
 WICHITA, KS

REMARKS:

Handwritten:
 Mix 50SK @ 1760' Plug
 Mix 40SK @ 600' Plug
 Mix 20SK @ 60' Plug
 MA 15 SK R.H.
 Mix 10SK M.H.

SERVICE

DEPTH OF JOB *1760'*

PUMP TRUCK CHARGE *107500*

EXTRA FOOTAGE @

MILEAGE *25* @ *700* *17500*

MANIFOLD @

TOTAL *125000*

CHARGE TO: *PRESCO WESTERN*

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

N/A

@ _____

@ _____

@ _____

@ _____

@ _____

TOTAL _____

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME *MARK Kneeland*

SIGNATURE *[Signature]*