

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 30370
Name: Russel Rickerson dba Rickerson Oil Company
Address: P.O. Box 3
City/State/Zip: Iola, KS 66749
Purchaser: n/a
Operator Contact Person: Jim Rickerson
Phone: (660) 596-4551
Contractor: Name: EK Energy, LLC
License: 33977
Wellsite Geologist: n/a

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>August 16, 2007</u>	<u>August 20, 2007</u>	<u>August 20, 2007</u>
Spud Date or	Date Reached TD	Completion Date or
Recompletion Date		Recompletion Date

API No. 15 - 001-29619-0000
County: Allen
SW - NW - NE - NW Sec. 8 Twp. 24 S. R. 19 East West
495 feet from S (circle one) Line of Section
1485 feet from E (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Trester Well #: 6
Field Name: Iola
Producing Formation: Tucker
Elevation: Ground: 1,064 est. Kelly Bushing: n/a
Total Depth: 1,006' Plug Back Total Depth: 985'
Amount of Surface Pipe Set and Cemented at 21.4 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 1,006'
feet depth to surface _____ w/ 110 _____ sx cm.

Drilling Fluid Management Plan A17 II ncr 1-12-09
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used drilled w/ fresh water - air dry and backfilled
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Handwritten Signature]
Title: Agent Date: October 5, 2007

Subscribed and sworn to before me this 5th day of October
2007.

Notary Public: [Handwritten Signature]
Date Commission Expires: 3-16-11
DONNA MANDA
NOTARY PUBLIC
STATE OF KANSAS
My Appt. Exp. 3-16-11

KCC Office Use ONLY

Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 05 2007

CONSERVATION DIVISION
WICHITA, KS

Operator Name: Russel Rickerson dba Rickerson Oil Company Lease Name: Trester Well #: 6

Sec. 8 Twp. 24 S. R. 19 East West County: Allen

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

<p>Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i></p> <p>Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i></p> <p>List All E. Logs Run:</p> <p>Drillers Log</p>	<p><input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample</p> <p>Name _____ Top _____ Datum _____</p> <p>See attached</p>
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9-7/8"	6-5/8"		21.4'		55 total	
Production		5-5/8"		985'			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mct	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

Drillers Log

Company : Jim Rickerson
Farm: Trester
Well No.: 6
API: 15-001-29619-0000
Surface Pipe: 21.4' 6 5/8

County: Allen
Sec: 8 Twp: 24 Range: 19
Location: 495 FNL
Location: 1485 FWL
Spot: SW NW-NE-NW

T.D. Hole 1006' T.D. Pipe 985'

Contractor E.K. Energy LLC
License# 33977

Thickness	Formation	Depth	Remarks
	SOIL & CLAY	4	Drilled 9 7/8 Hole set 21.4' 6 5/8 cemented
2	Lime	6	Drilled 5 5/8 Hole
81	Shale	87	
42	Lime	129	
37	Shale	166	Started 8-16-07
3	Lime	169	Finished 8-20-07
5	Shale	174	
24	Lime	198	
23	Shale	221	
113	Lime	334	
174	Shale	508	
35	Lime	543	
73	Shale	616	
29	Lime	645	
25	Shale	670	
28	Lime	698	
8	Shale	706	
5	Lime	711	
3	Shale	714	
1	Coal	715	
32	Shale	747	
1	Lime	748	
43	Shale	791	
2	Coal	793	
19	Shale	812	
2	Lime	814	
59	Shale	873	
1	Coal	874	
82	Shale	972	
15	White sand	987	
19	OIL SAND	1006	

RECEIVED
 KANSAS CORPORATION COMMISSION

OCT 05 2007

CONSERVATION DIVISION
 WICHITA, KS

Lone Jack Oil Company
509 East Walnut
Blue Mound, KS 66010
620-363-0492

Invoice

Date	Invoice #
8/22/2007	528

Bill To
Jim Rickerson Box 3 Iola, KS 66749

operator # 31519

P.O. No.	Terms	Project
	Due on receipt	

Quantity	Description	Rate	Amount
1	8/20/07, Well #6, circulated 110 sacks of cement to surface, pumped 216 gallons of water behind cement.	500.00	500.00T
3.5	8/21/07, Well #6, ran 935 feet on 1 inch in with drill bit, drilled cement and washed sand out of well, down to TD.	65.00	227.50T
1	wash pump	100.00	100.00T
	Sales Tax	6.30%	52.13

pd ck # 1192

Thank you for your business.

Total **\$879.63**

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 05 2007

CONSERVATION DIVISION
WICHITA, KS

PAYLESS CONCRETE PRODUCTS, INC.

802 N. INDUSTRIAL RD.
P.O. BOX 664
IOLA, KS 66749

INVOICE

Invoice Number: 18879
Invoice Date: Aug 20, 2007
Page: 1

Duplicate

Voice: 620-365-5588
Fax:

Bill To:
CASH FOR C.O.D.'S 802 N. INDUSTRIAL RD. IOLA, KS 66749

Ship to:
RICKERSON OIL CO. P.O. BOX 3 IOLA, KS 66749

Customer ID	Customer PO	Payment Terms	
CASH/C.O.D.	RICKERSON/TRESTER6	C.O.D.	
Sales Rep ID	Shipping Method	Ship Date	Due Date
	TRUCK		8/20/07

Quantity	Item	Description	Unit Price	Amount
55.00	CEMENT/WATER	CEMENT & WATER PER BAG MIX	6.60	363.00
1.00	TRUCKING	TRUCKING CHARGE	45.00	45.00

Subtotal	408.00
Sales Tax	25.70
Total Invoice Amount	433.70
Payment/Credit Applied	
TOTAL	433.70

Check/Credit Memo No:

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 05 2007

CONSERVATION DIVISION
WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588
REPRINT

Payless Concrete Products, I.M.C.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SI003
CITY OF IOLA
P.O. BOX 308
EX0 KSD02V9380

RI10/20
RICKERSON OIL CO.
BOX 3
SOUTH DAKOTA RD E 2.5 MI S SD.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	IOLA, KS	DRIVER/TRUCK	PLANT/TRANSACTION #
02:50 PM	WELL	5.50 yd	1 YARDS DEL			
To Date		1	5.50 yd			

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.
The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.
All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.
Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(To be signed if delivery to be made inside curb line)
Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not enter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
X _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By
GAL X
WEIGHMASTER
NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.
LOAD RECEIVED BY:
X _____

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
5.50	WELL	WELL (10 SACKS PER UNIT)	66.00	363.00
1.00	TRUCKING	TRUCKING CHARGE	45.00	45.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CY UNDER TEST TAKEN	TIME ALLOWED
412	357	350	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
310	330	330		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

SubTotal \$ 408.00
Tax % 6.300 25.70
Total \$ 433.70
ADDITIONAL CHARGE 1
ADDITIONAL CHARGE 2
GRAND TOTAL ▶ 819.57

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 05 2007
CONSERVATION DIVISION
WICHITA, KS

PAYLESS CONCRETE PRODUCTS, INC.

802 N. INDUSTRIAL RD.
P.O. BOX 664
IOLA, KS 66749

INVOICE

Invoice Number: 18880
Invoice Date: Aug 20, 2007
Page: 1
Duplicate

Voice: 620-365-5588
Fax:

Bill To:
CASH FOR C.O.D.'S
802 N. INDUSTRIAL RD.
IOLA, KS 66749

Ship to:
RICKERSON OIL CO.
P.O. BOX 3
IOLA, KS 66749

Customer ID	Customer PO	Payment Terms	
CASH/C.O.D.	RICKERSON/TRESTER#6	C.O.D.	
Sales Rep ID	Shipping Method	Ship Date	Due Date
	TRUCK		8/20/07

Quantity	Item	Description	Unit Price	Amount
55.00	CEMENT/WATER	CEMENT & WATER PER BAG MIX	6.60	363.00
		<i>Trester well #6</i>		

Subtotal	363.00
Sales Tax	22.87
Total Invoice Amount	385.87
Payment/Credit Applied	
TOTAL	385.87

Check/Credit Memo No:

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 05 2007

CONSERVATION DIVISION
WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 385-5588

Payless Concrete Products L.C.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

CI003
CITY OF IOLA
P.O. BOX 308
EX# KSD02V9380

RI10/20
RICKERSON OIL CO.
BOX 3
SOUTH DAKOTA RD E 2.5 MI S SD.

IOLA KS
66749

IOLA, KS 66749

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
03:03:15p	WELL	5.50 yd	11.00 yd	0.00	BC 35	0.00	
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
08-20-07	To Date Today	2 2	11.00 yd 11.00 yd	2632	4.00 in	18660	

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement, Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHARGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load when you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE

LOAD RECEIVED BY:

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
5.50	WELL 6	WELL (10 SACKS PER UNIT)	11.00	66.00
				363.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
4 LEFT PLANT	357	ARRIVED JOB	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
		START UNLOADING	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

SubTotal \$	363.00
Tax % 6.300	22.97
Total \$	385.97
Order \$	385.97
ADDITIONAL CHARGE 1	
ADDITIONAL CHARGE 2	
GRAND TOTAL	

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 05 2007

CONSERVATION DIVISION
WICHITA, KS