KANSAS CORPORATION COMMISSION RIGINAL OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 3728	API No. 15 - <u>003-24551-00-00</u>
Name: Roger Kent dba R.J. Enterprises	County: Anderson
Address: 22082 NE Neosho Road	SW - NW - NE Sec. 15 Twp. 21 S. R. 20
City/State/Zip: Gamett, KS 66032	4,860 feet from N (circle one) Line of Section
Purchaser: Plains Marketing, L.P.	2,330 feet from W (circle one) Line of Section
Operator Contact Person: Roger Kent	Footages Calculated from Nearest Outside Section Corner:
Phone: (_785) 448-6995 or 448-7725	(circle one) NE (SE) NW SW
Contractor: Name: Roger Kent dba R.J. Enterprises	Lease Name: Ware Well #: 16-A
License: 3728	Field Name: Bush City Shoestring
Wellsite Geologist: n/a	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1,165 Kelly Bushing: n/a
✓ New Well Re-Entry Workover	Total Depth: 848' Plug Back Total Depth:
✓ OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20.7 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 0
Operator:	feet depth to 848 ft. w/ 100 sx cmt.
Well Name:	· · · · · · · · · · · · · · · · · · ·
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content none ppm Fluid volume 140 bbls
Plug Back Plug Back Total Depth	Dewatering method used Drilled with fresh water - air dry
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
June 12, 2008 June 16, 2008 June 16, 2008 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R 🔲 East 🗌 West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, works information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, wer or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. In 12 months if requested in writing and submitted with the form (see rule 82-3-105) and geologist well report shall be attached with this form. ALL CEMENTING is. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ulate the oil and gas industry have been fully complied with and the statements
Signature: Koa, MII Kunk	KCC Office Use ONLY
Title: Agent for R.J. Enterprises Date: November 3, 2008	Letter of Confidentiality Received
Subscribed and sworn to before me this 3 md day of November	If Denied, Yes Date:
DONNA!	MANDA Wireline Log Received KANSAS CORPORATION COMMISSES
20 0 8 . O	
Notary Public: Warmatha My Appt. Exp.	
Date Commission Expires Thanch 16, 2011	
	CONSERVATION DIVISICA

Operator Name: Rog	er Kent dba R.J. Er	terprises	Lease	Name:_	Vare		Well #: 16-A	,
Sec. 15 Twp. 2				y: Anders				
ested, time tool oper emperature, fluid rec	n and closed, flowing covery, and flow rate	and base of formations g and shut-in pressure s if gas to surface test final geological well sit	penetrated. s, whether st , along with f	Detail al	I cores. Report	static level, hydros	static pressure	es, bottom hole
Orill Stem Tests Take	•	☐ Yes 🗸 No		 ✓L	og Formati	on (Top), Depth ar	nd Datum	Sample
Samples Sent to Geo	•	☐ Yes ✓ No		Nam	е		Тор	Datum
Cores Taken	,	Yes No		See a	attached log			
lectric Log Run (Submit Copy)		✓ Yes ☐ No						
ist All E. Logs Run:								
Gamma Ray/I	Neutron/CCL		IG RECORD					
	Size Hole	Report all strings se		urface, inte	ermediate, produc	tion, etc. Type of	# Sacks	Type and Percer
Purpose of String	Drilled	Set (In O.D.)	Lbs.		Depth	Cement	Used	Additives
surface	10-1/4"	7"	n/a		20'-7"	Portland	6	
Tubing	5-5/8"	2-7/8"	n/a		842'	Portland Pozmix	100	
		ADDITION	AL CEMENT	NC / SOI	IEEZE DECODI	<u> </u>		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks		JEEZE RECORI		ercent Additives	;
Shots Per Foot	PERFORAT Specify	ION RECORD - Bridge F Footage of Each Interval	Plugs Set/Type Perforated)		acture, Shot, Cement mount and Kind of Mai		rd Depti
21	792' - 802'							
TUBING RECORD 2-7	Size	Set At 842 '	Packer /	At	Liner Run	Yes 🗸 No		
Date of First, Resumer	d Production, SWD or	Enhr. Producing N	Method	Flowin	g Pump	ing Gas Lift	Oth	er (Explain)
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf .	Wat	er E	Bbls. G	as-Oil Ratio	Gravity
Disposition of Gas	METHOD OF	COMPLETION			Production Inte	rval		•
Vented Sold	Used on Lease ubmit ACO-18.)	Open Ho	· · ·	f. 🔲 I	Dually Comp.	Commingled		

R.J. Enterprises Ware 16-A

2	soil	2	start 6-12-08
4	clay	6	finish 6-16-08
38	lime	44	
160	shale	204	
30	lime	234	
40	shale	274	
20	lime	294	
14	shale	308	
9	lime	317	
6	shale	323	
41	lime	364	
9	shale	373	
43	lime	416	•
162	shale	578	
24	lime	602	
59	shale	661	
29	lime	690	
24	shale	714	set 20' 7"
13	lime	727	ran 842' of 2 7/8
19	shale	746	consolidated cemented
3	lime	749	to surface
10	shale	759	
6	lime	765	
20	shale	785	
5	coal & shale	790	
3	sandy shale	793	show
9	bk sand	802	good show
4	sandy shale	806	show
42	shale	848	T.D.

RECEIVED KANSAS CORPORATION COMMISSION

NOV 0 5 2008

CONSERVATION DIV 2.4 . WICHITY 3.5



REMIT TO

Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

INVOICE			Invoice	#	222787
 Invoice Date:					:======
		0/30,N/30		Page	1

R. J. ENTERPRISE % ROGER KENT 22082 NE NEOSHO RD GARNETT KS 66032 (785)448-6995 WARE 16-A 14183 06-16-08

Part	Number	Description		Qty	Unit Price	Tota]
1126		OIL WELL CEMENT		100.00	17.0000	1700.06
11104	\	KOL SEAL (50# BAG)		400.00	.4200	168.06
11184	\	S-5 GEL/ BENTONITE	(50#)	200.00	.1700	34.06
1105		COTTONSEED HULLS		25.00	.3900	9.75
1123		CITY WATER		3000.00	.0140	42.06
4402		2 1/2" RUBBER PLUG		2.00	23.0000	46.06
	Description			Hours	Unit Price	Total
437	80 BBL VACUUM TRUCK (CEMENT)			4.00	100.00	400.06
445	CEMENT PUMP			1.00	925.00	925.06
445	EQUIPMENT MILEAGE (ONE WAY)			50.00	3.65	182.5€
479	MIN. BULK DELI	VERY		1.00	315.00	315.06

						RECI KANSAS CORPOR	EIVED ATION COMMISSION
						NOV 0	5 2008
						CONSERVA WICI	ITION DIVISïO [®] HITA, KS
 Parts:	 1999.75	Freight:	.00		 135.98	 AR	3958.23
abor: Sublt:		Misc: Supplies:		Total: Change:	3958.23 .00		
Signed				·	Da	ate	
Bartlesville, Ok 918/338-0808	ELDORADO, KS 316/322-7022	Eureka, Ks 620/583-7664	GILLETTE, WY 307/686-4914	McAlester, OK 918/426-7667	Оттаwa, Ks 785/242-4044	THAYER, KS 620/839-5269	WORLAND, WY 307/347-4577