

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

AMENDED

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33365
Name: Layne Energy Operating, LLC
Address: 1900 Shawnee Mission Parkway
City/State/Zip: Mission Woods, KS 66205
Purchaser: _____
Operator Contact Person: Timothy H. Wright
Phone: (913) 748-3960
Contractor Name: Thornton Air Rotary
License: 33606

Wellsite Geologist: _____
Designate Type of Completion:
____ New Well ____ Re-Entry ____ Workover
____ Oil ____ SWD ____ SLOW ____ Temp. Abd.
 Gas ____ ENHR SIGW
____ Dry ____ Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
____ Deepening ____ Re-perf. ____ Conv. to Enhr./SWD
____ Plug Back ____ Plug Back Total Depth
____ Commingled Docket No. _____
____ Dual Completion Docket No. _____
____ Other (SWD or Enhr.?) Docket No. _____

5/4/2007 5/5/2007 9/25/2007
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 205-27164-00-00
County: Wilson
____ NW ____ NE ____ NE Sec. 36 Twp. 30 S. R. 16 East West
350 feet from S / (circle one) Line of Section
727 feet from E W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Mahaffey Well #: 1-36
Field Name: Cherokee Basin Coal Area
Producing Formation: Cherokee Coals
Elevation: Ground: 927' Kelly Bushing: _____
Total Depth: 803' Plug Back Total Depth: 799'
Amount of Surface Pipe Set and Cemented at 24 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 799
feet depth to Surface w/ 140 sx cmt.

Drilling Fluid Management Plan AWINS 2/16-09
(Data must be collected from the Reserve Pit)
Chloride content N/A ppm Fluid volume _____ bbls
Dewatering method used N/A - Air Drilled
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Agent Date: 1-9-08
Subscribed and sworn to before me this 9 day of January
20 08.
Notary Public: MacLaughlin Darling
Date Commission Expires: 1-4-2009



KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
RECEIVED
KANSAS CORPORATION COMMISSION
JAN 10 2008
CONSERVATION DIVISION
WICHITA, KS

CONFIDENTIAL
JAN 10 2008
KCC

Operator Name: Layne Energy Operating, LLC Lease Name: West Well #: 5-28
 Sec. 28 Twp. 31 S. R. 16 East West County: Montgomery

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Compensated Density Neutron Dual Induction	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Name</td> <td style="width: 20%;">Top</td> <td style="width: 20%;">Datum</td> </tr> <tr> <td>Pawnee Lime</td> <td>539 GL</td> <td>256</td> </tr> <tr> <td>Excello Shale</td> <td>676 GL</td> <td>119</td> </tr> <tr> <td>V Shale</td> <td>727 GL</td> <td>68</td> </tr> <tr> <td>Mineral Coal</td> <td>767 GL</td> <td>28</td> </tr> </table>	Name	Top	Datum	Pawnee Lime	539 GL	256	Excello Shale	676 GL	119	V Shale	727 GL	68	Mineral Coal	767 GL	28
Name	Top	Datum														
Pawnee Lime	539 GL	256														
Excello Shale	676 GL	119														
V Shale	727 GL	68														
Mineral Coal	767 GL	28														

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
Surface	11"	8.625"	24	42'	Class A	25	Type 1 cement
Casing	6.75"	4.5"	10.5	1055'	Thick Set	110	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
	See Attached Page		

RECEIVED
KANSAS CORPORATION COMMISSION
JAN 10 2008
CONSERVATION DIVISION
WICHITA, KS

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	2-3/8"	885'		
Date of First, Resumerd Production, SWD or Enhr.		Producing Method		
9/25/2007		<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity
	0	63	0	

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
(If vented, Submit ACO-18.) _____ _____

Operator Name:	Layne Energy Operating, LLC.		
Lease Name:	West 5-28		
	Sec. 28 Twp. 31S Rng. 16E, Montgomery County		
API:	15-125-31145-00-01		
Shots per Foot	Perforation Record	Acid, Fracture, Shot, Cement Squeeze Record	Depth
Initial Perforations (October 2006)			
	OH Riverton 1055' - 1078'	3200 lbs 20/40 sand 248 bbls water 150 gals 15% HCl acid	1055' - 1078'
Recompletion Perforations (September 2007)			
4	Skinner Sand 795' - 800'	50 bbls water 150 gals 15% HCl acid	795' - 800'
4	Mineral 766.5' - 768.5' V-Shale 728.5' - 731.5' Bevier 704.5' - 706.5'	7400 lbs 20/40 sand 525 bbls water 980 gals 15% HCl acid	704.5' - 768.5'
4	Mulky 676.5' - 682.5' Summit 652' - 655'	5100 lbs 20/40 sand 598 bbls water 720 gals 15% HCl acid	652' - 682.5'

CONFIDENTIAL
JAN 10 2008
KCC

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 10 2008

CONSERVATION DIVISION
WICHITA, KS