ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOV 3 0 2007

Form ACO-1

September 1999
CONSERVATION DIVISION Form Must Be Typed WICHITA, KS

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33094	API No. 15 - 081-21534-00 0
Name: Cimarex Energy Co.	County: Haskell
Address: RR. 1 Box 83	N2 -NW - SW - Sec. 25 Twp. 29 S. R. 34 ☐ East West
City/State/Zip: Satanta, KS 67870	2640' feet from (Circle one) Line of Section
Purchaser: DCP Midstream	330' feet from (W) circle one) Line of Section
Operator Contact Person: Kent Pendergraft	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 276-3693 ext. 13	(circle one) NE SE NW (SW)
Contractor: Name: Best Well Services	Lease Name: Elliott "A" Well #: No. 1
License: 32564	Field Name: Panoma
Wellsite Geologist: NA	Producing Formation: Council Grove / Hugoton Commingled
Designate Type of Completion:	Elevation: Ground: 2966' Kelly Bushing: 6' above GL
New Well Re-Entry Workover	Total Depth: 3100' Plug Back Total Depth: 3033'
OilSWDTemp. Abd.	Amount of Surface Pipe Set and Cemented at 680 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: Cimarex Energy Co.	feet depth tow/sx cmt.
Well Name: Elliott "A" No. 1	
Original Comp. Date: 08/08/04 Original Total Depth: 3100'	Drilling Fluid Management Plan OWW0 - Alt I NUL (Data must be collected from the Reserve Pit) 1-15-09
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	
✓ Commingled Docket No.	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
06/26/2007 07/12/2007 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with t Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. I months if requested in writing and submitted with the form (see rule 82-3-101 geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulate	e the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	
Signature: Klyt Henglereneelt	KCC Office Use ONLY
Title: Production Foreman Date: 11/28/2007	Letter of Confidentiality Received
Subscribed and sworn to before me this Regard November	If Denied, Yes Date:
A MELISSA IMLE	
HOLDY FROM - SIAM OF A	1 <u> </u>
votary Public: Tresser	UIC Distribution
Date Commission Expires: 11-17-2016	Copy to the SiM

Side Two

Operator Name: Cimarex Energy Co. Sec. 25 Twp. 29 S. R. 34 East West				Lease Name: Elliott "A"				Well #: No. 1			
				Cou	County: Haskell						
ested, time tool ope emperature, fluid re	how important tops on and closed, flowin covery, and flow rate is surveyed. Attach	g and shut-i s if gas to s	n pressures, urface test, a	whether along wit	r shut-in pre	essure reached	static level, hydro	static pressu	res, botto	om hole	
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey Yes V No			s 🗸 No		Log Formation (Top), [nd Datum		Sample	
				Nam	e		Тор	Datum			
Cores Taken Yes Electric Log Run Yes (Submit Copy)		_					RECEIVED KANSAS CORPORATION COMMISS				
List All E. Logs Run:								N	OV 3	0 2007	
					10					ON DIVISION	
		Report	CASING		lumud	ew Used	ion etc				
Purpose of String	Size Hole Drilled	Size Casing			Weight	Setting Type of				e and Percent Additives	
surface	12 1/4"	Set (In O.D.) 8 5/8"		Lbs. / Ft.		Depth 680	Cement	Used 350	6% gel / 2% cc		
production	production 7 7/8" 5 1/2"			15.5#		3086'	50/50 Poz class H	525	4%D020, 1% S001, 10% D044		
HILLIAN L.			ADDITIONAL	CEMEN	ITING / SQL	JEEZE RECORD					
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Туре с	of Cement	#Sa	cks Used		Type and P	ercent Additive	s		
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				/ре	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
2	Herrington 2586' - 2591'					Acid 2500 gal 15% HCl w/65 ball sealers 2586 - 2935					
2	Krider 2614' - 2621'					Frac 75000 gal 70Q foam w/ 14000#					
2	Winfield 2664' - 2671'					16-30 sand @40bpm 2586 - 2935					
2	U. Ft. Riley 2723' - 2729'										
4	Council Grove 2902' - 2935' (pre existing Perfs.)										
TUBING RECORD	Size	Set At		Packe	er At	Liner Run	Type [7] No.				
Date of First, Resumer	2 3/8" d Production, SWD or E	2952' Enhr.	Producing Met	NA thod	√ Flowing	_	Yes No	☐ Oth	ner (Explai	(n)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas 130	Mcf	Wate			as-Oil Ratio		Gravity	
Disposition of Gas	METHOD OF (1	Production Inter-	val				
Vented ✓ Sold (If vented, So	Used on Lease ubmit ACO-18.)	[Open Hole	√ P	Perf. [Dually Comp.	Commingled	-			