

**KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

**ORIGINAL**

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 3728  
 Name: Roger Kent dba R.J. Enterprises  
 Address: 1203 East 4th Avenue  
 City/State/Zip: Garnett, KS 66032  
 Purchaser: Plains Marketing, L.P.  
 Operator Contact Person: Roger Kent  
 Phone: ( 785 ) 448-6995 or 448-7725  
 Contractor: Name: Roger Kent dba R.J. Enterprises  
 License: 3728  
 Wellsite Geologist: n/a  
 Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back    \_\_\_\_\_ Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_  

<u>August 7, 2007</u>	<u>August 9, 2007</u>	<u>August 9, 2007</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 003-24433-0000  
 County: Anderson  
NE NE SE NW Sec. 18 Twp. 21 S. R. 21  East  West  
3790 feet from S / N (circle one) Line of Section  
2960 feet from E / W (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one) NE SE NW SW  
 Lease Name: Babbs Well #: 6  
 Field Name: Bush City Shoestring  
 Producing Formation: Squirrel  
 Elevation: Ground: n/a Kelly Bushing: n/a  
 Total Depth: 655' Plug Back Total Depth: \_\_\_\_\_  
 Amount of Surface Pipe Set and Cemented at 20'-7" Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from 0  
 feet depth to 655' w/ 72 sx cmt.

**Drilling Fluid Management Plan** AII II NR 1-21-09  
 (Data must be collected from the Reserve Pit)  
 Chloride content none ppm Fluid volume 140 bbls  
 Dewatering method used Drilled with fresh water - air dry  
 Location of fluid disposal if hauled offsite:  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
 Title: Agent for Roger Kent Date: November 12, 2007  
 Subscribed and sworn to before me this 12<sup>th</sup> day of November  
2007  
 Notary Public: Donna Manda DONNA MANDA  
 Date Commission Expires: March 16, 2011 NOTARY PUBLIC  
 STATE OF KANSAS  
 My Appt. Exp. 3-16-11

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received **RECEIVED**  
 UIC Distribution **KANSAS CORPORATION COMMISSION**  
Copy to UIC **NOV 13 2007**

Operator Name: Roger Kent dba R.J. Enterprises Lease Name: Babbs Well #: 6  
 Sec. 18 Twp. 21 S. R. 21  East  West County: Anderson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>Gamma Ray/Neutron/CCL</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum  See attached log
--	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	10-1/4"	7"	n/a	20'		10	
tubing	2-5/8"	2-7/8"	n/a	650'	Portland Pozmix	72	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	
				Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

R.J. Enterprise  
Babbs #6

3	soil	3
9	clay	12
4	shale	16
23	lime	39
46	shale	85
15	lime	100
19	shale	119
21	lime	140
32	shale	172
30	lime	202
7	shale	209
15	lime	224
163	shale	387
25	lime	412
60	shale	472
11	lime	483
9	shale	492
9	lime	501
25	shale	526
9	lime	535
18	shale	553
7	lime	560
8	shale	568
8	lime	576
22	shale	598
6	sandy shale	604
10	oil sand	614
3	sandy shale	617
13	broken oil sand	630
8	black sandy shale	638
17	shale	655

start 8-7-07  
finish 8-9-07

ran 650' 2 7/8  
cement to surface 72 sxs

set 20' 7" cement to surface

RECEIVED  
KANSAS CORPORATION COMMISSION

NOV 13 2007

CONSERVATION DIVISION  
WICHITA, KS

NOV 13 2007

CONSERVATION DIVISION  
WICHITA, KS

**Garnett Siding & Lumber Co.**  
410 N Maple  
Garnett, KS 66032  
(785) 448-7106 FAX (785) 448-7135

Merchant Copy  
**INVOICE**  
THIS COPY MUST REMAIN AT  
MERCHANT AT ALL TIMES!

Page: 1 Invoice: **10119018**

Special : Time: 14:57:10  
Instructions : Ship Date: 08/07/07  
Invoice Date: 08/07/07  
Due Date: 08/08/07

Sale rep #: WAYNE WAYNE STANLEY Acct rep code:

Sold To: **ROGER KENT** Ship To: **ROGER KENT**  
1203 EAST FOURTH (785) 448-6925 NOT FOR HOUSE USE  
BOX 256  
GARNETT, KS 66032 (785) 448-6925

Customer #: 0000357 Customer PO: Order By:

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
30.00	30.00	P	BAG	CPFA	FLY ASH MIX 80 LBS PER BAG	4.0900 bag	4.0900	122.70
30.00	30.00	P	BAG	CPPC	PORTLAND CEMENT-94#	8.4500 bag	8.4500	253.50

FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER	Sales total	\$378.20
SHIP VIA Customer Pick up				Taxable	378.20
RECEIVED COMPLETE AND IN GOOD CONDITION				Non-taxable	0.00
X <i>George Howard</i>				Sales tax	27.47
				<b>TOTAL</b>	<b>\$403.67</b>

1 - Merchant Copy



\* 0 0 2 6 4 2 0 0 1 0 2 5 K A N V \*

**Garnett Siding & Lumber Co.**  
410 N Maple  
Garnett, KS 66032  
(785) 448-7106 FAX (785) 448-7135

Merchant Copy  
**INVOICE**  
THIS COPY MUST REMAIN AT  
MERCHANT AT ALL TIMES!

Page: 1 Invoice: **10119045**

Special : Time: 10:48:24  
Instructions : Ship Date: 08/08/07  
Invoice Date: 08/08/07  
Due Date: 08/08/07

Sale rep #: JENNIFER JENNIFER BRUSKY Acct rep code:


Sold To: **ROGER KENT** Ship To: **ROGER KENT**  
1203 EAST FOURTH (785) 448-6925 NOT FOR HOUSE USE  
BOX 256  
GARNETT, KS 66032 (785) 448-6925

Customer #: 0000357 Customer PO: Order By:

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
60.00	60.00	P	BAG	CPFA	FLY ASH MIX 80 LBS PER BAG	4.0900 bag	4.0900	245.40
60.00	60.00	P	BAG	CPPC	PORTLAND CEMENT-94#	8.4500 bag	8.4500	507.00

FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER	Sales total	\$752.40
SHIP VIA Customer Pick up				Taxable	752.40
RECEIVED COMPLETE AND IN GOOD CONDITION				Non-taxable	0.00
X <i>Jennifer Brusky</i>				Sales tax	54.93
				<b>TOTAL</b>	<b>\$807.33</b>

1 - Merchant Copy



\* 0 0 2 6 4 T 0 0 1 0 D 1 F 0 K 0 \*