Kansas Corporation Commission Oil & Gas Conservation Division

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| A . | |
|------------|--------------------|
| UA. | Form ACO-1 |
| EN/A | September 1999 |
| ° 1/6/4. | Form Must Be Typed |
| NA | |

| Operator: License # 33428 | API No. 15 - 15-011-23302-00-00 |
|--|---|
| Name: Fort Scott Methane Partners, LLC | County: Bourbon |
| Address: _2329 West Main St., #' 30) | SENW_Sec20Twp23S R24 V East West |
| City/State/Zip: Littleton, CO 80120 | 2310' feet from S /((circle one) Line of Section |
| Purchaser: Seminole | 1850' feet from E / (circle one) Line of Section |
| Operator Contact Person: Feyn Baker | Footages Calculated from Nearest Outside Section Corner: |
| Phone: (<u>620</u>) <u>288-0219</u> | (circle one) NE SE NY SW |
| Contractor: Name: Mokat Drilling | Lease Name: Miano Well #: 20-12 |
| License: 5831 | Field Name: Wildcat |
| Wellsite Geologist: Larry Weis | Producing Formation: Cherokee Coals |
| Designate Type of Completion: | Elevation: Ground: 852' Kelly Bushing: |
| New Well Re-Entry Workover | Total Depth: 545' Plug Back Total Depth: 543' |
| Oil SWD SIOW Temp. Abd. | Amount of Surface Pipe Set and Cemented at 21' Feet |
| Gas SIGW | Multiple Stage Cementing Collar Used? |
| Dry Other (Core, WSW, Expl., Cathodic, etc) | If yes, show depth setFeet |
| If Workover/Re-entry: Old Well Info as follows: | If Alternate II completion, cement circulated from 543' |
| Operator: | |
| Well Name: | feet depth to surface w/ 80 AI+2 - D sx cmt |
| Original Comp. Date:Original Total Depth: | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) |
| Deepening Re-perf Conv. to Enhr./SWD | Chloride contentppm Fluid volumebbls |
| Plug Back Plug Back Total Depth | Dewatering method used_air drilled |
| Commingled Docket No | |
| Dual Completion Docket No | Location of fluid disposal if hauled offsite: RECEIVED KANSAS CORPORATION COMMISSION |
| Other (SWD or Enhr.?) Docket No | Oporation (Mario) |
| 8-5-07 8-6-07 9 × × - A7 | Lease Name: Licen |
| 8-5-07 Spud Date or Recompletion Date 8-6-07 Date Reached TD Completion Date or Recompletion Date | Quarter Sec Twp S Docket No.: WICHITA, KS |
| Kansas 67202, within 120 days of the spud date, recompletion, workow Information of side two of this form will be held confidential for a period of 1 | the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. I2 months if requested in writing and submitted with the form (see rule 82-3-112 and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells. |
| All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge. | ate the oil and gas industry have been fully complied with and the statements |
| Signature | KCC Office Use ONLY |
| | |
| Title: Field Manager Date: 12-21-07 | |
| 214 | Letter of Confidentiality Received |
| Subscribed and sworn to before me this 21 Hday of | Letter of Confidentiality Received |
| 214 | Letter of Confidentiality Received If Denied, Yes Date: |
| Subscribed and sworn to before me this 21 Hday of | Letter of Confidentiality Received If Denied, Yes Date: Wireline Log Received |

Notary Public State of Kansas Cynthia M Durham My Appt Exp 9.14.08

| Operator Name: Fort Scott Methane Partners, LLC | | Lease Name: Miano | | /liano | Well #: 20-12 | | | |
|--|---|---|-------------------------------|---------------|--|---------------------|------------------------|-------------------------------|
| Sec. 20 Twp. 23 S. R. 24 Fast West | | County: Bourbon | | | | | | |
| tested, time tool open temperature, fluid rec | and closed, flowing overy, and flow rates | nd base of formations p and shut-in pressures, s if gas to surface test, a inal geological well site | whether shu along with fin | ıt-in pre | ssure reached | static level, hydro | static pressur | es, bottom hole |
| Drill Stem Tests Taker | • | ☐ Yes ☑ No | | ₽ L | og Formati | on (Top), Depth a | and Datum | Sample |
| (Attach Additional Sheets) Samples Sent to Geological Survey | | | | Nam | е | | Тор | Datum |
| Cores Taken | | Yes No | s 🗹 No | | Oswego Lime | | 110' | +742 |
| Electric Log Run (Submit Copy) | | ✓ Yes No | | | er Coal | | 216' | +636 |
| List All E. Logs Run: | | | | | ton Coal ssippian | | 468' 482' | +384 +370 |
| Compensated | Density/Neut | ron, Dual Inducti | ion | | | | | |
| | | CASING Report all strings set- | RECORD | Ne face, inte | _ | tion, etc. | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weig Lbs. / | ht | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Surface | 11" | 8 5/8" | 32# | | 21' | Portland | 5 | None |
| Production | 6 3/4" | 4 1/2" | 10.5# | | 543' | Thickset | 80 | Kol-Seal |
| | | ASSITIONA | OFMENTIN | 10 / 001 | JEEZE DECODE | | | |
| Purpose: | Depth Top Bottom | Type of Cement | #Sacks | | / SQUEEZE RECORD Type and Percent Additives | | | |
| Perforate Protect Casing Plug Back TD Plug Off Zone | TOP SOLUTION | | | | | | | |
| Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated The well is cemented and waiting for a pipeline before perfing and fracing. | | | | | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth | | | |
| | | | | fracing. | RECEIVED | | | |
| | | | | | | KANS | | TION COMMISSION |
| | | | , | | | | DEC 26 | |
| | | | | | | | CONSERVATIO WICHITA | N DIVISION L KS |
| TUBING RECORD | Size | Set At | Packer At | t | Liner Run | | | |
| Date of First, Resumer | d Production SMD or 5 | Enhr. Producing Me | thod | | | Yes No | | |
| 1 - 1 | laiting on p | . 1. | | Flowin | g Pump | ing Gas Li | ft 🔲 Oth | ner (Explain) |
| Estimated Production Per 24 Hours | Oil O bbls oil | Bbls. Gas O mcfd | Mcf | Wate | | Bbls. (| Gas-Oil Ratio | Gravity |
| Disposition of Gas | METHOD OF | | | | Production Inte | rval | | • |
| Vented Sold | Used on Lease | Open Hole | | | Dually Comp. | Commingled _ | | |

CONSOLIDATED OIL WELL SERVICES, **L.C.**P.O. BOX 884, CHANUTE, KS 66720
620²431-9210 OR 800-467-8676

| TICKET NUMBER | 12363 |
|----------------|---------|
| LOCATION SUCKA | |
| FOREMAN STANK | <u></u> |

TREATMENT REPORT & FIELD TICKET CEMENT

| DATE | CUSTOMER# | WELL NAME & NUMBER | | SECTION | TOWNSHIP | RANGE | COUNTY | |
|---|--|--------------------|-------------|-------------|--|-----------------|-------------|-------------|
| 89-07 | 882 | Michae | 89-11 | | | | | - |
| CUSTOMER | | | | | 3 : | | | |
| FOCTSEA | IT MeThen | Pactoccs | | | TRUCK# | DRIVER | TRUCK# | DRIVER |
| MAILING ADDRI | ESS | | | | 486 | Alen | | |
| 2329 | LETTONA | ST. MZ | | _j | 616 | 3.59 | | |
| CITY | | STATE | ZIP CODE | | | | | |
| Littleton | | Co. | 80/20 | | | | | |
| JOB TYPE_ | | HOLE SIZE_ | 2 4 | _ HOLE DEPT | H 646 | CASING SIZE & V | EIGHT 4 | 194 |
| CASING DEPTH | 540 | DRILL PIPE | | TUBING | | OTHER | | |
| SLURRY WEIGH | LURRY WEIGHT SLURRY VOL WA | | WATER gal/ | sk | CEMENT LEFT in CASING 6 | | | |
| DISPLACEMENT SL DISPLACEMENT PSI 200 MI | | MIX PSI | no Plus 785 | RATE | | | | |
| REMARKS: C | AFTY MARTIN | | | | | א לדינה בפני | لنسعيدين | · Acception |
| | | | | | | e Flash Hab | | N. S. |
| A Teres | Air Maske | Thick set 1 | Cement h | 12 Xol-S | MI AT /3.5 | . Grash ent | | |
| Shatdan | Rolens | des Os | Dlace (N) | xx 8.6 | bols Enesh | water. Fin | | |
| | | | | | | are Pressur | | Sald. |
| | | | | | mplete K | | | : |
| | | | | | | | | ····· |
| | | | | · | ······································ | | | |
| | ······································ | | Chanky | - 11 | | | | |
| | | | | | | | | |

| ACCOUNT CODE | QUANTITY or UNITS | DESCRIPTION of SERVICES or PRODUCT | UNIT PRICE | TETAL |
|-----------------|---------------------------------------|------------------------------------|------------|----------------|
| Sto I | | PUMP CHARGE | 200 | |
| 5406 | 40 | MILEAGE | | 120.00 |
| | | RECEIVED | | |
| 10.01.5 | 50 | TARK ST CRIMENT | SION | |
| 1110A | 400 | Aut-501 5 Pages DEC 26 2007 | | |
| III SA | 160 th | GONSERVATION DIVISION WICHITA, KS | 4.48 | |
| IIIA | 604 | morasilicate Pag-Stach | 1.45 | |
| 54071 | 4.4.2ans | Tan Miley Bulk Truck | 2)0 | 230.4 0 |
| 4404 | | 4% Tep Rubbin play | 40.00 | *** |
| | | | | |
| | | | | : : |
| | | | | |
| 1. | · · · · · · · · · · · · · · · · · · · | 6.3% | SALES TAX | The second |
| | | 0.34 | FATHERING | |

AUTHORIZATION _____

210010

ESTIMATED TOTAL

ATE___