

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

AMENDED

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33074
 Name: Dart Cherokee Basin Operating Co., LLC
 Address: P O Box 177
 City/State/Zip: Mason MI 48854-0177
 Purchaser: Oneok
 Operator Contact Person: Beth Oswald
 Phone: (517) 244-8716
 Contractor: Name: McPherson
 License: 5675
 Wellsite Geologist: Bill Barks
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>11-16-06</u>	<u>11-28-06</u>	<u>3-6-07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 205-27011-00-00
 County: Wilson
 _____ SE _____ NE Sec. 23 Twp. 29 S. R. 15 East West
3080' FSL _____ feet from (S) / N (circle one) Line of Section
440' FEL _____ feet from (E) / W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Frankenberg Well #: B4-23
 Field Name: Cherokee Basin Coal Gas Area
 Producing Formation: Penn Coals
 Elevation: Ground: 880' Kelly Bushing: _____
 Total Depth: 1365' Plug Back Total Depth: 1359'
 Amount of Surface Pipe Set and Cemented at 41 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from _____
 feet depth to _____ w/ _____ sx cmt.
APPL - Dlg 9/10/08

Drilling Fluid Management Plan
 (Data must be collected from the Reserve Pit)
 Chloride content NA ppm Fluid volume 180 bbls
 Dewatering method used Empty w/ vac trk and air dry
 Location of fluid disposal if hauled offsite: _____
 Operator Name: Dart Cherokee Basin Operating Co., LLC
 Lease Name: Holder D3-36 SWD License No.: 33074
 Quarter SE Sec. 36 Twp. 29 S. R. 14 East West
 County: Wilson Docket No.: D-28347

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
 Title: Engr Clerk Date: 5-2-08
 Subscribed and sworn to before me this 2 day of May, 2008
 Notary Public: Brandy R. Allcock

Date Commission Expires: 3-5-2011
Acting in Engham

BRANDY R. ALLCOCK Notary Public - Michigan Jackson County My Commission Expires March 05, 2011
--

KCC Office Use ONLY

Letter of Confidentiality Attached
 Denied Yes No Date: 5/7/08
 Wireline Log Received (not timely)
 Geologist Report Received (timely)
 UIC Distribution

RECEIVED
 KANSAS CORPORATION COMMISSION
 MAY 05 2008
 CONSERVATION DIVISION
 WICHITA, KS

Operator Name: Dart Cherokee Basin Operating Co., LLC Lease Name: Frankenberg Well #: B4-23
 Sec. 23 Twp. 29 S. R. 15 ✓ East West County: Wilson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes ✓ No (Attach Additional Sheets) Samples Sent to Geological Survey <input type="checkbox"/> Yes ✓ No Cores Taken Yes ✓ No Electric Log Run ✓ Yes No (Submit Copy) List All E. Logs Run: High Resolution Compensated Density Neutron & Dual Induction	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:15%;">Log</td> <td style="width:60%;">Formation (Top), Depth and Datum</td> <td style="width:25%;">✓ Sample</td> </tr> <tr> <td>Name</td> <td>Top</td> <td>Datum</td> </tr> </table>	Log	Formation (Top), Depth and Datum	✓ Sample	Name	Top	Datum
Log	Formation (Top), Depth and Datum	✓ Sample					
Name	Top	Datum					

CASING RECORD New Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surf	11"	8 5/8"	24#	41'	Class A	8	
Prod	6 3/4"	4 1/2"	9.5#	1359'	Thick Set	140	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	1013' - 1014'	200 gal 15% HCl, 1710# sd, 155 BBL fl	
4	976.5' - 979'	200 gal 15% HCl, 4010# sd, 205 BBL fl	
4	936.5' - 939.5' / 918' - 920'	200 gal 15% HCl, 7550# sd, 15 ball sealers, 445 BBL fl	
4	857.5' - 861'	200 gal 15% HCl, 7030# sd, 265 BBL fl	

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 3/8"	1159'	NA	Yes ✓ No

Date of First, Resumed Production, SWD or Enhr.	Producing Method			
3-9-07	Flowing	✓ Pumping	Gas Lift	Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	NA	0	29	NA	NA

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented Sold <input type="checkbox"/> Used on Lease (If vented, Sumit ACO-18.)	<input type="checkbox"/> Open Hole Perf. Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	_____

RECEIVED
KANSAS CORPORATION COMMISSION

MAY 05 2008

CONSERVATION DIVISION
WICHITA, KS

DART OIL & GAS CORPORATION

a Dart Energy Company

P.O. BOX 177, 600 DART ROAD
MASON, MICHIGAN 48854-0177
TELEPHONE (517) 676-2900
FAX (517) 676-5887
E-MAIL contact@dartoilandgas.com
WEB SITE www.dartenergy.com/oilandgas

May 2, 2008

Mr. David Williams
Kansas Corporation Commission
Oil & Gas Conservation Division
130 S Market Rm 2078
Wichita KS 67202


Re: Frankenbery B4-23
15-205-27011-00-00
SE SE NE Sec 23 T29S-R15E, Wilson

Dear Mr. Williams:

Dart Cherokee Basin Operating Co., LLC would like to request confidentiality status pursuant to KCC rule 82-3-107 for the above mentioned well. Please grant us confidentiality for two years or the maximum time allowed.

If you have any questions, please contact me at 517-244-4681.

Sincerely,



Jody Krajcovic,
Engineering Clerk

RECEIVED
KANSAS CORPORATION COMMISSION

MAY 05 2008

CONSERVATION DIVISION
WICHITA, KS