

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

RECEIVED
Form ACO-1
October 2008
Form Must Be Typed

SEP 08 2009

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

KCC WICHITA

OPERATOR: License # 3532

Name: CMX, Inc.

Address 1: 1551 N. Waterfront Parkway, Suite 150

Address 2: _____

City: Wichita State: KS Zip: 67206 + _____

Contact Person: Douglas H. McGinness II

Phone: (316) 269-9052

CONTRACTOR: License # 30606

Name: Murfin Drilling Company, Inc.

Wellsite Geologist: Douglas H. McGinness II

Purchaser: NA

Designate Type of Completion:

New Well _____ Re-Entry _____ Workover

_____ Oil _____ SWD _____ SIOW

_____ Gas _____ ENHR _____ SIGW

_____ CM (Coal Bed Methane) _____ Temp. Abd.

Dry _____ Other _____

(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

_____ Deepening _____ Re-perf. _____ Conv. to Enhr. _____ Conv. to SWD

_____ Plug Back: _____ Plug Back Total Depth

_____ Commingled _____ Docket No.: _____

_____ Dual Completion _____ Docket No.: _____

_____ Other (SWD or Enhr.?) _____ Docket No.: _____

11/3/2008 11/10/2008 NA 11-10-08

Spud Date or _____ Date Reached TD _____ Completion Date or
Recompletion Date _____ Recompletion Date _____

API No. 15 - 047-21584-0000

Spot Description: _____

NW SW SE _____ Sec. 26 Twp. 26 S. R. 17 East West

990 Feet from North / South Line of Section

2310 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE NW SE SW

County: Edwards

Lease Name: Crockett Well #: A-1

Field Name: Mull

Producing Formation: NA

Elevation: Ground: 2106 Kelly Bushing: 2118

Total Depth: 4450 Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: 490 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan P+A Alt I NR
(Data must be collected from the Reserve Pit) 9-17-09

Chloride content: _____ ppm Fluid volume: 400 bbls

Dewatering method used: Hauled off

Location of fluid disposal if hauled offsite: _____

Operator Name: Oil Producers, Inc. of KS

Lease Name: Palmitier SWD License No.: 8061

Quarter _____ Sec. 16 Twp. 25S S. R. 16 East West

County: Edwards Docket No.: D-20983

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____


Title: President Date: 9/1/2009

Subscribed and sworn to before me this 15th day of September

2009

Notary Public: _____

Date Commission Expires: 2/7/2012

 **DONNA L. MAY-MURRAY**
Notary Public - State of Kansas
My Appt. Expires 2/7/2012

KCC Office Use ONLY

Letter of Confidentiality Received

If Denied, Yes Date: _____

Wireline Log Received

_____ Geologist Report Received

_____ UIC Distribution

Operator Name: CMX, Inc. Lease Name: Crockett Well #: A-1
 Sec. 26 Twp. 26 S. R. 17 East West County: Edwards

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: DIL, CNML, Geo <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Heebner Shale</td> <td>3880</td> <td>-1762</td> </tr> <tr> <td>Lansing</td> <td>4042</td> <td>-1924</td> </tr> <tr> <td>Pleasanton</td> <td>4356</td> <td>-2238</td> </tr> <tr> <td>B/KC</td> <td>4386</td> <td>-2268</td> </tr> <tr> <td>Marmaton</td> <td>4393</td> <td>-2275</td> </tr> </table>	Name	Top	Datum	Heebner Shale	3880	-1762	Lansing	4042	-1924	Pleasanton	4356	-2238	B/KC	4386	-2268	Marmaton	4393	-2275
Name	Top	Datum																	
Heebner Shale	3880	-1762																	
Lansing	4042	-1924																	
Pleasanton	4356	-2238																	
B/KC	4386	-2268																	
Marmaton	4393	-2275																	

RECEIVED
SEP 08 2009

KCC WICHITA

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	23#	490	60/40 Poz	450	3% gel, 2% CaCl

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.
Gas-Oil Ratio		Gravity	

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--



24 S. Lincoln Street
 P.O. Box 31
 Russell, KS 67665-2906
 Voice: (785) 483-3887
 Fax: (785) 483-5566

INVOICE

Invoice Number: 117029
 Invoice Date: Nov 9, 2008
 Page: 1

RECEIVED
SEP 08 2009
KCC WICHITA

Bill To:
 CMX, Inc.
 1551 N. Waterfront PKW STE #15
 Wichita, KS 67206

Customer ID	Well Name# or Customer P.O.	Payment Terms	
CMX	Crockett #A-1	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS1	Great Bend	Nov 9, 2008	12/9/08

Quantity	Item	Description	Unit Price	Amount
87.00	MAT	Class A Common	13.50	1,174.50
58.00	MAT	Pozmix	7.55	437.90
6.00	MAT	Gel	20.25	121.50
36.00	MAT	Flo Seal	2.45	88.20
152.00	SER	Handling	2.25	342.00
57.00	SER	Mileage 152 sx @ .10 per sk per mi	15.20	866.40
1.00	SER	Rotary Plug	990.00	990.00
57.00	SER	Mileage Pump Truck	7.00	399.00

Subtotal	4,419.50
Sales Tax	278.43
Total Invoice Amount	4,697.93
Payment/Credit Applied	
TOTAL	4,697.93

ALL PRICES ARE NET, PAYABLE
 30 DAYS FOLLOWING DATE OF
 INVOICE. 1 1/2% CHARGED
 THEREAFTER. IF ACCOUNT IS
 CURRENT, TAKE DISCOUNT OF

\$ 441.95

ONLY IF PAID ON OR BEFORE

Dec 9, 2008

ALLIED CEMENTING CO., LLC. 33403

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Great Bend

DATE <u>11-9-08</u>	SEC. <u>26</u>	TWP. <u>25S</u>	RANGE <u>17W</u>	CALLED OUT <u>4:00pm</u>	ON LOCATION <u>7:00pm</u>	JOB START <u>2:00pm</u>	JOB FINISH <u>3:00am</u>
LEASE <u>CROCKETT</u>		WELL # <u>A-1</u>		LOCATION <u>FELLSBURG HS 2E</u>		COUNTY <u>EDWARDS</u>	STATE <u>KS</u>
<input checked="" type="checkbox"/> OLD <input type="checkbox"/> NEW (Circle one)				<u>Sinto</u>			

CONTRACTOR MURFIN RIB
 TYPE OF JOB Rotary Plug
 HOLE SIZE 7 7/8 T.D. 1200'
 CASING SIZE _____ DEPTH _____
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 4 1/2 DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX 200 MINIMUM 50
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____

OWNER CMX
 CEMENT AMOUNT ORDERED 1455x 60/40 4% GEL
1/4" # F10-seal

PERFS. _____
 DISPLACEMENT FRESH water and mud
 EQUIPMENT _____

COMMON	<u>875x</u>	@ <u>13.50</u>	<u>1,174.50</u>
POZMIX	<u>585x</u>	@ <u>7.55</u>	<u>437.90</u>
GEL	<u>6</u>	@ <u>20.25</u>	<u>121.50</u>
CHLORIDE	_____	@ _____	_____
ASC	_____	@ _____	_____
<u>F10-seal</u>	<u>36#</u>	@ <u>2.45</u>	<u>88.20</u>
_____	_____	@ _____	_____
_____	_____	@ _____	_____
_____	_____	@ _____	_____
_____	_____	@ _____	_____
_____	_____	@ _____	_____
_____	_____	@ _____	_____
HANDLING	<u>1525x</u>	@ <u>2.25</u>	<u>342.00</u>
MILEAGE	<u>1.52 X 57 X .10 =</u>		<u>8.6640</u>
TOTAL			<u>3030.50</u>

PUMP TRUCK CEMENTER Dwayne W
 # 181 HELPER Randy P
 BULK TRUCK DRIVER David J
 # 341
 BULK TRUCK DRIVER _____
 # _____

REMARKS:
505x 1200' 1455x 60/40 4% GEL
505x 520' 1/4" # F10-seal
205x 60'
155x in the hole
105x in the mouse hole

SERVICE

DEPTH OF JOB	<u>1200'</u>		
PUMP TRUCK CHARGE			<u>990.00</u>
EXTRA FOOTAGE	_____	@ _____	_____
MILEAGE	<u>57</u>	@ <u>7.00</u>	<u>399.00</u>
MANIFOLD	_____	@ _____	_____
_____	_____	@ _____	_____
_____	_____	@ _____	_____
TOTAL			<u>1,389.00</u>

CHARGE TO: CMX
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
TOTAL _____		

Thank you
 To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME x Albert Cadena
 SIGNATURE x Albert Cadena



INVOICE

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906

Voice: (785) 483-3887
Fax: (785) 483-5566

Invoice Number: 116881
Invoice Date: Nov 4, 2008
Page: 1

Bill To:
CMX, Inc. 1551 N. Waterfront PKW STE #15 Wichita, KS 67206

Customer ID	Well Name# or Customer P.O.	Payment Terms	
CMX	Crockett #A-1	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS1	Great Bend	Nov 4, 2008	12/4/08

Quantity	Item	Description	Unit Price	Amount
270.00	MAT	Class A Common	13.50	3,645.00
180.00	MAT	Pozmix	7.55	1,359.00
9.00	MAT	Gel	20.25	182.25
13.00	MAT	Chloride	51.50	669.50
472.00	SER	Handling	2.25	1,062.00
57.00	SER	Mileage 472 sx @ .10 per sk per mi	47.20	2,690.40
1.00	SER	Surface	991.00	991.00
190.00	SER	Extra Footage	0.75	142.50
57.00	SER	Mileage Pump Truck	7.00	399.00
1.00	SER	Head Rental	110.00	110.00
1.00	EQP	Rubber Plug	110.00	110.00

RECEIVED
SEP 08 2009
KCC WICHITA

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

\$ 1136.06

ONLY IF PAID ON OR BEFORE

Dec 4, 2008

Subtotal	11,360.65
Sales Tax	375.84
Total Invoice Amount	11,736.49
Payment/Credit Applied	
TOTAL	11,736.49

ALLIED CEMENTING CO., INC.

28929

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Great Bend U:

DATE <u>11-4-08</u>	SEC. <u>26</u>	TWP. <u>26</u>	RANGE <u>17W</u>	CALLED OUT <u>1100 PM</u>	ON LOCATION <u>300 AM</u>	JOB START <u>6:30 AM</u>	JOB FINISH <u>7:30 AM</u>
LEASE <u>Crockett</u>	WELL # <u>A-1</u>	LOCATION <u>Belbobs Plat South 2 East</u>			COUNTY <u>Edwards</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			South into				

CONTRACTOR Murkin Rig 2

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 1000

CASING SIZE 8 3/4 DEPTH 490

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 25

PERFS.

DISPLACEMENT 29 1/2 BBLS

OWNER CMX

CEMENT

AMOUNT ORDERED 150 Sx 60/40 3% CC

2% Gel

COMMON	<u>270</u>	@	<u>13.50</u>	<u>3645.00</u>
POZMIX	<u>180</u>	@	<u>7.55</u>	<u>1359.00</u>
GEL	<u>9</u>	@	<u>20.25</u>	<u>182.25</u>
CHLORIDE	<u>13</u>	@	<u>51.50</u>	<u>669.50</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>422</u>	@	<u>2.25</u>	<u>1062.00</u>
MILEAGE	<u>57 x 57 x .10</u>			<u>269.10</u>
				<u>TOTAL 9608.15</u>

EQUIPMENT

PUMP TRUCK CEMENTER wayne - O

366 HELPER Avin - R

BULK TRUCK

344-170 DRIVER Jeff - W

BULK TRUCK

DRIVER

REMARKS:

Pipe on bottom B-cell circulation

mix 450 Sx 60/40 3% CC 2% Gel

Shut Down Release Plug

Displace with 29 1/2 BBLS Displace

ment cement did circulate

wash up Rig Down

RECEIVED

SEP 08 2009

KCC WICHITA SERVICE

DEPTH OF JOB 490

PUMP TRUCK CHARGE 991.00

EXTRA FOOTAGE 190 @ .75 142.50

MILEAGE 57 @ 7.00 399.00

MANIFOLD @

Head Rent @ 110.00 110.00

@

TOTAL 1642.50

CHARGE TO: CMX

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

PLUG & FLOAT EQUIPMENT

8 5/8 Rubber-Plugs @ 110.00 110.00

@

@

@

@

TOTAL 110.00

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME Carl O Joseph