KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION



KCC WICHITA

MY COMMISSION EXPIRES February 5, 2010

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License:	_# 33629		API No. 15	171-20639-00-00	
				ription:	
Address 1: PO Box 2				. <u>NW - SW</u> Sec. <u>5</u> Twp. <u>17</u> S. R. <u>3</u>	
Address 2: 429 N. Li			1680	Feet from North / 😡	South Line of Section
		Zip: 68066+	1	Feet from	
•				Calculated from Nearest Outside Section C	
Phone: (402) 2				□NE □NW □SE ☑SW	
•			County:_S	cott	
			i .	_{ne:} Zanobiaw	/eli #:1
Wellsite Geologist: Ric	-		Field Nam	e: Wildcat	
				Formation: Cherokee	
Designate Type of Com			_	Ground: 2976' Kelly Bushing	2987'
•	Re-Entry _	Workover	1	h: 4800 Plug Back Total Depth:	
•	SWD SIOW		,	Surface Pipe Set and Cemented at:	
	ENHR SIGW			age Cementing Collar Used?	
	ethane) Temp. A	Abd.		w depth set: 2337	
Dry C	Other		•	e II completion, cement circulated from:	
	•	Expl., Cathodic, etc.)		to:w/_	
•	Old Well Info as follows:		·		
•				uid Management Plan AIH II be collected from the Reserve Pit)	NUR 10-8-09
			,	·	. 1100
		Total Depth:		ontent: 5600 ppm Fluid volume	
	Re-perfConv. t P	o EnhrConv. to SWD	Dewaterin	g method used: Air dried then back	meu.
_			Location o	f fluid disposal if hauled offsite:	
Commingled			Operator N	Name:	
Dual Completio			Lease Nar	ne: License No.	:
Other (SWD or E 8/12/06	8/22/06	10/20/06		Sec TwpS. R	
Spud Date or				Docket No.:	
Recompletion Date	Buto Modernou 12	Recompletion Date	000,		
Kansas 67202, within of side two of this form tiality in excess of 12	n 120 days of the spud da m will be held confidentia months). One copy of a	ite, recompletion, workover or c I for a period of 12 months if red	onversion of a quested in writ ell report shall	Corporation Commission, 130 S. Market - well. Rule 82-3-130, 82-3-106 and 82-3-1 ing and submitted with the form (see rule 8 be attached with this form. ALL CEMENT apprarily abandoned wells.	07 apply. Information 2-3-107 for confiden-
are complete and corre	statutes, rules and regula act to the best of my know		the oil and gas	industry have been fully complied with an	
Signature:	-00-	0100100		KCC Office Use ON	ILY
Title: President		Date: 4/38/09		Letter of Confidentiality Receive	ed
Subscribed and sworn	to before me this 28	day of Sept		If Denied, Yes Date:	
20 <u>D9</u> .		`		Wireline Log Received	ביין איניין
	(0x0x 0	madiina		Geologist Report Received	RECEIVED
Notary Public:	Come c	# 1 manie		UIC Distribution	SEP 3 0 2009
Date Commission Expi	res:	Z " " " " " " " " " " " " " " " " " " "	NET NET OF STREET	CAROL I MEDLINA	<u> </u>

RECEIVED SEP 3 0 2009

Side Two

Operator Name: Great	at Plains Energy,	nc.	a	_ Lease	Name: _Z	Zanobia		Well #: _1	KCC WICHIT	
Sec. 5 Twp			✓ West	County	: Scott					
NSTRUCTIONS: Sh ime tool open and clo ecovery, and flow rate surveyed. Attach final	sed, flowing and shues if gas to surface to	t-in pressu st, along w	res, whether sl	nut-in pres	sure read	ched static level,	hydrostatic p	ressures, bottom I	nole temperature, fluid	
Orill Stem Tests Taken		✓ Ye	s 🗌 No	<u>-</u>	⊘ Lo	og Formation	n (Top), Dept	h and Datum	Sample	
Samples Sent to Geol	•	☑ Ye	s 🗌 No		Nam Anhyo			Тор 22 7 3	Datum +714	
ores Taken		☐ Ye			Base			2358	+629	
lectric Log Run (Submit Copy)		Ye:	s 🗌 No		Topel	ка		3702	-715	
•					Heeb	ner		3940	-953	
st All E. Logs Run:	Mi Oi- I	- :-			Lansi	ng		3980	-993	
CD/NL, DIL, I	Micro, Sonic, I	-rac Fir	ider V		Cher	okee		4519	-1532	
					Missi	ssippian		4681	-1694	
		Repor		RECORD conductor, s	✓ Ne urface, inte	ew Used ermediate, producti	on, etc.			
Purpose of String	Size Hole Drilled		Casing (In O.D.)		ight / Ft.	Setting Depth	Type of Cement		Type and Percent Additives	
Surface	12 1/4"	8 5/8"		23#		273'	Common	165	3%cc, 2% gel	
Production	7 7/8"	5 1/2"		15.5#		4801'	ASC	200	10% NaCl, 2% gel	
			ADDITIONAL	CEMENT	ING / SOL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Туре	of Cement		s Used		Туре а	and Percent Additives	5	
Perforate ✓ Protect Casing — Plug Back TD — Plug Off Zone	2337	Lite		450		1/4# flo seal,				
	DEDECORAT	ON DECODE	D. Seidas Dha	s Southung		Acid Fra	cture Shot Co	ment Squeeze Reco		
Shots Per Foot			D - Bridge Plug ach Interval Per					of Material Used)	Depth	
4	4342 and3935	, and 40	90			Squeeze 150sx common				
4	4642-4644, 46	46-4653	Cherokee			400 gal. 10%MCA w/2%ms, 750gal 15% NE w/ms & N2, 1500 gal NEFE				
1	4632, 4627, 4624	4602,459	8, 4585, 4579	9,4573,45	67,4564	64 250 gal. 15%MCA				
4	4074-4078 Lai	nsing "E"				250 gal. 15%MCA, 750gal 15% NE				
4	4418-4420 Ma						5%MCA, 1	500ga 15%	NE .	
TUBING RECORD: 2	Size: 7/8"	Set At: 4706		Packer /	At:	Liner Run:	Yes 🗸] No		
Date of First, Resumed 2/4/06	Production, SWD or Er	nhr.	Producing Meth	nod:	Flowin	g 📝 Pumpir	ng 🔲 G	as Lift Oth	ner (Explain)	
Estimated Production Per 24 Hours	Oil . 5	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity	
DICDOCT	ON OF CAS:			METHOD O	E COMPL	ETION:		DDODUCT	ON INTERVAL:	
	ON OF GAS:			7] Perf.		_	nmingled	Cherokee 4642		
Vented Solo	d Used on Lease bmit ACO-18.)	1 =)pen Hole <u> </u>				iiiiiigieu			

ALLIED CEMENTING CO., INC. 24899

PEMIT TO P.O. RUS	BOX 31 SELL, KAI	NSAS 676	665				SERV	ICE POINT:	L-10
9-27-06 DATE	SEC.	TWP.	RANGE 32	CALLED	TUC	ON I	COCATION	JOB START	JOB FINISH
Zarobia LEASE	WELL#	1	LOCATION His	4483	18/2	N	13/5	COUNTY SCOTT	STATE /< S
OLD OR NEW (C	Circle one)	=	2						
				OXX	**				
CONTRACTOR				OWN	IER	٠> د	TIME		
TYPE OF JOB	591	1657		- CEA	rienius				
HOLE SIZE	.5%	T.I			IENT	0000	n フレー	la di ai	
CASING SIZE	23/		PTH	_ AMO	OUNT OK	DEKE	D <u>75</u> 9	S C.O.D.	
TUBING SIZE	2 445		PTH			···			
DRILL PIPE			PTH						
TOOL			PTH	_					
PRES. MAX			NIMUM	_				_ @	
MEAS. LINE		SH	OE JOINT	_ POZN	MIX			_@	
CEMENT LEFT I	N CSG.			_ GEL				_@	
PERFS.	-			_	ORIDE _			_@	
DISPLACEMENT	<u> </u>	*****		_ ASC				_@	
	EQU	IPMEN	Ţ				n n	_ @	
							RECE	IM <u>€</u> D	
TT. TMP TRUCK	CEMENT	FR De	2917	-			CED	_ @	••••
373-281	HELPER	~~~	ew				SEP :	_ @	
BULK TRUCK	TIDDI DIC	[] [] CI [7777	Сита	
# 21c/	DRIVER	Mik	10.				KCC W		
BULK TRUCK	DICIVER	7.47						_ @	
#	DRIVER					٠		- [@]	1/ 619
<u> т</u>	DRIVER				DLING_		SKS	_@ <i>_[190</i> _	142.50
				MILE	EAGE 📿	4_	5K/	n,/e_	2/6, 15
		MARKS:						TOTAL	419,25
Tested a	laure Zo	6 70	15 av 4. Pulley	ſ					
4 To 1070	1001	BSid	e. Prossure	=			SERVI	CE	
706 1 B			et Pump				52111		
ThTO IT			,	– DEPT	TH OF IO	R			
<u> </u>				_ DLI I	DTRIICK	. СН	RGE		955.00
· · · · · · · · · · · · · · · · · · ·									
			· · · · · · · · · · · · · · · · · · ·	LATI	ACE 4	4//	10:10 C	- @ 7 / / / / / / / / / / / / / / / / / / 	246.00
			hankyou						~16·W
				– MAIN	ifuld _				
			•				10.7	_	
	, ,	\bigcirc							
CHARGE TO: L	70-001;	Main	s Energy –	<u> </u>					10 6 1 6 6
STREET			33)					TOTAL	1201.00
				_	•				
YTrO.	ST	ATE	ZIP		т	DI IIC	S TOT OAT	Γ EQUIPMEN	I T
					ı	rLUG	K FLOA	EQUII MEN	11
								_ @	
To Allied Cemer	nting Co	Inc						_ @	
	•		menting equipment					_ @	
and furnish ceme								_ @	
		•	The above work was						
								TOTAL	
			of owner agent or	`					
			d the "TERMS AND	у ТАХ				_	
CONDITIONS"	listed on t	ne revers	se side.						
				TOTA	AL CHAR	GE _			
•	/			Disc	ירוו ורי			IE DAI	D IN 30 DAYS
•		/		, DISC				II IAI	- HIJO DAID
•	11	.//./	1/1/						
SIGNATURE 🔀	Jall.	THE S	A) Ulle	LU_					· .
				~~			ידי עו ממ	ED MANAGE	

ALLIED CEMENTING CO., INC. 24901 Federal Tax I.D.#

REMIT TO P.O. BOX 31

SERVICE POINT:

RUSS	SELL, KAN	SAS 6766	55			Oakle	2. j /
9-28-06 DATE	SEC.	TWP. /73	RANGE 32 W	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
zarobiq LEASE	WELL#	1	LOCATION HUN L	1483 1E/2	11 E/S	COUNTY SLOTT	STATE
OLD OR MEW (C	ircle one)		7 7	100 110 110		July	
CONTRACTOR 4	Rug 1: 7	y Plus	silfield ser	U & OWNER	54 m e		
TYPE OF JOB		neeze		_			
HOLE SIZE		T.D.		_ CEMENT	A	,	
CASING SIZE	2 1/2	DEP	TH TH 4/70'	_ AMOUNT OR	DERED 2009	KS Com	
TUBING SIZE DRILL PIPE	J. J.	DEP DEP					
TOOL BP/u	a at	DEP	7				
PRES. MAX	J-977		IMUM	COMMON	2005Kg	@ /2.20	2440.00
MEAS. LINE			E JOINT	POZMIX	V - 0 - 0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	_	11010
CEMENT LEFT II	V CSG.			GEL			
PERFS. 4090	4 3935			_ CHLORIDE _		_@	
DISPLACEMENT	.			_ ASC		_ @	
	EQUI	PMENT				_@	
					RECEIVI	<u> </u>	
PUMP TRUCK	CEMENTE	R <i>De</i>	an	<u> </u>	AFD 4	 	91
#373-281	HELPER	Andr	eW	_	SEP:	_ @ <u>·</u>	
BULK TRUCK				_	KCC WIC		
	DRIVER	ALai	7		VCC AAIC	(6) (4) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	
BULK TRUCK						_	
#	DRIVER			- HANDLING	2005KS	@ <i>7,98</i>	380.00
				MILEAGE 🔀	7/5K/mile		<u>738.00</u>
	REM	IARKS:				TOTAL	3558.00
Moved BF	Tuo Un'	70 420	of Packer 9	7			
4170 500	TRA 251	ks San	1 +Disp 22861	<i>l</i> s.	SERVI	CE	
Set Packera	7 4090	. Load	ed 35ide, 700	2K ———			
Inst down Tub	14BF	Ma1/3	300 t. Mix 100	፩<ፍ, DEPTH OF JO)B	4170'	
	he . Stag	ed / hr	TO 1200# Rev	PUMP TRUCK			955.00
Tub clean Pull			re 70 600# Shy			@	
1917 2/2/15			384/, pressur		4/ Miles	@6200	246.00
TOOCHE WASH		ne Sta	1 91 900 Mig Red 3/1/2 To 1.5004	MANIFOLD_		_@	
Leverse 746 C		1 2501 i	its pressure to	<i></i>		_@	-
•		01.	<i>F</i> .	71 /		_@	
CHARGE TO: <u>6</u>	yrea7	1-191h	s Energy	- Thank yo	04	mom. 1	10-1
STREET				<u>.</u>		TOTAL	1201.00
			7710				
CITY	SIA	.IE	ZIP	 .	PLUG & FLOAT	EQUIPMEN	T
			•				
To Allied Cemen	ting Co. Ir	ıc				@	
	_		enting equipment		· · · · ·	_@	********
and furnish ceme						_@	
		-	e above work was				
done to satisfacti						TOTAL	
	_		the "TERMS ANI)			
CONDITIONS"				TAX		_	
				TOTAL CHAR	RGE		
	n						D DI 00 D : : : :
		<i>~ /</i>	γ	DISCOUNT _		IF PAI	D IN 30 DAYS
	7/	g/] [].	12 1.				
SIGNATURE 💉	+MAIR	WXX	Selfle	LEL			
		//	•	<i>.</i>	PRINTI	ED NAME	

ALLIED CEMENTING CO., INC. 25327 Federal Tax I.D.#

P.O. B RUSS	OX 31 ELL, KAN	NSAS 676	55		SEF	RVICE POINT: _ <i>E)AKL</i>	EY
9-22-06 DATE	SEC.	TWP.	RANGE 32W	CALLED OUT	ON LOCATION 9:00 AM	JOB START	JOB FINISH
ZANDOJA LEASE	WELL#	/	LOCATION HWY	03×4 11	E- 12N	COUNTY SCO#	STATE
OLD OR NEW (Ci	'		LOCATION //W/	834 / /2	1210	308 //	<u> </u>
CONTRACTOR	Que	15+Y	Plus	OWNER	SAME		
	59482			— CER CERT			
HOLE SIZE	51/2	T.D		_ CEMENT	DDEDED 150	ela can	7
CASING SIZE TUBING SIZE	21/2"		PTH PTH	_ AMOUNIO	RDERED <u>/50</u>	3/6 (8//	
DRILL PIPE		DEI					
	INER	DEI	1/			20.	
PRES. MAX		MIN	IIMUM	_ COMMON_	150 SKS	_@ 12 40	
MEAS. LINE		SHO	DE JOINT	_ POZMIX _		@	
CEMENT LEFT IN		7024		_ GEL _		@	
PERFS. 4342 DISPLACEMENT	+ 3	3935		_ CHLORIDE		_@	
DISPLACEMENT		YDS ADSID		_ ASC	RECE	@	
	EQU	IPMENT			RECE	(a)	
				_	SEP 3	0 2009	
	CEMENTI		ERKY	_		@	
BULK TRUCK	HELPER		ARROD		KCC V	//CaHITA	
	DRIVER	/	HIKE			@	
BULK TRUCK			111111111111111111111111111111111111111			@	
#]	DRIVER			– HANDLING	150 SKS	-@ 	285 5
					94 PER SK	mile	553 3
•	REN	MARKS:		_		TOTAL	
TEST TU	_	_	500 PST.			TOTAL	
	140	7	ER. ALIMA	_	SERV	ICE	
JA/+ WATER			w out of				
TOP PERF.	QUIT	Blow		DEPTH OF J	ЮВ	4338	
			E 21/2 BBL	_ PUMP TRUC	CK CHARGE		1675
	PSI,		OUT OF	_ EXTRA FOO		-@	
KETAINER.	KEU	E-RSZ	DUT	_ MILEAGE _			246
			THE YOU	– MANIFOLD	Squeeze	@	105
		. /	MANUX 109				
au au	Prat	PATUS	ENERSY, IN				
						ТОТАІ	2006 2
STREET				_		TOTAL	•
~~~Y	STA	ATE	ZIP	_			
					PLUG & FLOA	T EQUIPMEN	Т
						@	
To Allied Cement	_						
•	-		nenting equipment				
and furnish cemer		-					
			ne above work was			TOTAL	
done to satisfaction			or owner agent or I the "TERMS ANI	·			
CONDITIONS" 1				TAX			
COMPITIONS	isiou on u	iio iovoist	, bido.	тотат сца	ARGE		
. •							
		a ^		DISCOUNT		IF PAII	O IN 30 DAYS
7	(	(A)	March				

PRINTED NAME

# ALLIED CEMENTING CO., INC. 24852 Federal Tax I.D.#

MIT TO P.O. B RUSS		NSAS 6766	5		SEI	RVICE POINT: 	KLEY
8-22-06 DATE	SEC.	TWP.	RANGE 32W	CALLED OUT	ON LOCATION		JOB FINISH
ZANOBIA	WELL #	,		0231/ /-		COUNTY	STATE ,
OLD OR NEW)(Cit	(WELL#		LOCATION HWY	8344 12	-12N	500 H	15
HOLE SIZE CASING SIZE TUBING SIZE DRILL PIPE TOOL O- V PRES. MAX MEAS. LINE CEMENT LEFT IN PERFS. DISPLACEMENT	MURFA Oducts 71/g" 5/2" CSG.	T.D. DEP DEP DEP MIN SHC WATER IPMENT	TH 4801	CEMENT AMOUNT 200 SK 500 GA COMMON POZMIX GEL CHLORID ASC ASC WFK-	ORDERED	2-CAL  0 0 0 16 65 0 17 28 0 19 28	2840 Z 211 Z 500 Z
BULK TRUCK	<u> IELFER</u>			- <u>Cla-pr</u>	0 26A1	_ @ <u>25 %</u>	50 0
	DRIVER	Li	PRRY RECEI	VED		@ @	
BULK TRUCK # 386 I	ORIVER	V.	//Y SEP 3	0 50 <del>03</del>			
MIX 500 61 MIX 200	41 WF		KCCV GALCIN-PRO SAIT 286E	<u>&gt;</u>	94 per ski	TOTAL	4931 <u>1</u>
WASh TRUC			DISPINCE 54		SERV		
		79/4 BB	smud.	_ _ DEPTH OF	F JOB	4801	
PLUL died FlorT H DROP Bom D-V TOOL	,	~	NEW OPEN HANK YOY	_ PUMP TRU _ EXTRA FO _ MILEAGE _ MANIFOL _ Rotate	JCK CHARGE OOTAGE #/m	@	1750 2 246 2 100 2 100 2
CHARGE TO: <u> </u>				_		TOTAL	2196 2
·· ¬Y	STA	ATE	ZIP		PLUG & FLOA  Shot  TIUSERT  WHRALFZERS	AT EQUIPMEN	T 160 = 250 = 250 = 250 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 2500 = 250
To Allied Cementi You are hereby recall furnish cemen contractor to do w done to satisfactio contractor. I have CONDITIONS" li	quested to ater and he ork as is and sup read & u	o rent cem elper to as listed. Th pervision of nderstand	sist owner or e above work was f owner agent or the "TERMS ANI	)	EXET V TOO/ FING SCRATCHE	@- <i>Js₀-5</i> @ <b>25</b> @ <u>55</u> ~~ TOTAL	7060 E
CONDITIONS II	รเซน on น	ie reverse	51UC.		IARGE		
,	А				Γ		
-		16/11	Don	DISCOUN	1	——— II FAI	D II 30 DVI 3

PRINTED NAME

## ALLIED CEMENTING CO., INC. Federal Tax I.D.

24853

AIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

DAKLEY

8-22-06 DATE	SEC.	TWP. 175	RANGE 32W	CA	LLED OUT	ON LOCATION 4:45 Pm	JOB START 2:45 Am	JOB FINISH
ZANOLIF	WELL#	1		3 + 4	1E-12N		COUNTY Scott	STATE
OLD OR NEW (C			Eccimon y		/ /		00077	170
CONTRACTOR	muse	<u></u> . 1 . 1	016		OWNED	S.A.M		
CONTRACTOR TYPE OF JOB			e16.	5/1461	OWNER r #	SAM		
HOLE SIZE	57/0"	<u>تعرد د</u> .T.D.	480		CEMENT			
CASING SIZE	5/2 V	DEP	<del></del>		AMOUNT ORI	DEDED		
TUBING SIZE	5/2					S LITE 14	# =/	
		DEP						
TOOL N-U	100/	DEP		, /	1158A 4150	WFR-2 SKS LITE	WIFFIN -S	IM-JORO
	7007	DEP				0,0	•	ш, <u>с</u>
PRES. MAX	11.11		IMUM		COMMON	-	@	
MEAS. LINE	NI CCC		DE JOINT 4/		POZMIX		@	-
CEMENT LEFT II	N CSG.		7,77		GEL		@	
PERFS.			57 3/4 882,		CHLORIDE		_@	·
DISPLACEMENT			1 74 082,	· · · · · · · · · · · · · · · · · · ·	ASC		_@	1/02 - 5
	EQU	IPMENT			LITE 4	SOSKS	@ <i></i>	4837.3
MP TRUCK	CEMENTI		ERRY		WFR-2	500-611	@@	500 E
# 191	HELPER	u	MAKIE		Cla-PRO	2-6A1		50 €
BULK TRUCK					F10- SEA1	113 =	_ @ <del>23 \ 2</del>	226 4
# 218	DRIVER	1,	ARR Y		110- 2011	// 5	_ @ <u></u>	
BULK TRUCK								
# 386	DRIVER	N	114		HANDLING_	521500	-@ <u>/90</u>	1014 60
					MILEAGE Z		MF/F	1970
	222	********			MILEAGE	PHER SK /		
	REN	IARKS:	_				TOTAL	8598-
MIX 500C	N/ WE	R-2	2-GALCIA	-PRO				
MEX 450	SKS LI	te 14#	F16-58AL, 6	UASA		SERV	ICE	
TRUCK +			1ACC 577418					
WATER.	CEMER	or de	TO CIRC.		DEPTH OF JOI	в	2 <i>33</i> フ	
PLUG L	ANDLED	AY	1800 PS	Z.		CHARGE		9558
D-U Too		Lol.				AGE		
					MILEAGE	HI MI	@ <del>&amp;</del>	N/c
					MANIFOLD			
			HANK YO	- U	MAINI OLD _			
			HANK I	<b>-</b> 7			_ @	
CHARGE TO:	00.7	- 01		يا مه	RECEIV	/ED		
CHARGE TO:	GREAT	1º1A2	TUS ENEA	32				OFF
STREET					SEP 30	2009	TOTAL	955 &
·	STA	ATE	ZIP		KCC W	CHITA FLOA	T EATHDMEN	י <b>ח</b> ר
					, ((00 ))	LUG & FLOA	I EQUITIVIEN	11
							@	
			•					
	G T			<b>.</b>				
To Allied Cemer	•				****			
You are hereby r	•			ent	-			
nd furnish ceme								
contractor to do	work as is	listed. Th	ie above work v	vas			TOTAL.	
done to satisfact	ion and sup	pervision (	of owner agent	or			TOTAL	
contractor. I have	ve read & u	ınderstand	the "TERMS A	AND	m. **			
CONDITIONS"					TAX		_	
					TOTAL CHAR	CE		
						UL		
	•							
		n	2 1			OL		
SIGNATURE /	3/11/1		Pallin	! !_ &>				

## ALLIED CEMENTING CO., INC. 24586 Federal Tax I.D #

MIT TO	P.O. BOX 31
	RUSSELL, KANSAS 67665

SERVICE POINT:

PRINTED NAME

			OAH	4425
DATE DATE	ALLED OUT	ON LOCATION	JOB START	JOB FINISH
2 a rob; A WELL# # LOCATION How	483.1	6. 12 n	COLLEGE	STATE
OLD OR NEW Circle one)		- <u> </u>		<u> </u>
		_		
CONTRACTOR Man Cin Dal #21	OWNER	SANG		
TYPE OF JOB SUNCE NOLE SIZE 12114 LT.D. 273	CEMENT			
CASING SIZE 85/8 23 DEPTH 273'	AMOUNT ORE	ERED 14	5 (0,00	3 % ~ ~ ~
TUBING SIZE DEPTH	2 90 ge		) (OW	10:0
DRILL PIPE DEPTH				•
TOOL DEPTH		·	. 20	- 200
PRES. MAX MINIMUM	COMMON	165	<u> </u>	2013
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG.	POZMIX		-@ <u>-65</u>	- as
CEMENT LEFT IN CSG. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	GEL CHLORIDE	3	-@16 60 @466	77760
DISPLACEMENT 16	ASC		@	279
EQUIPMENT	7150			
EQUIMENT		-		
MPTRUCK CEMENTER Fuzzy	RECEIVED			
# 102 HELPER Tracked		n	@	
BULK TRUCK	SEP 3 0 200	9	@	
# 218 DRIVER harry	KCC WICHI	TÀ	@ @	
BULK TRUCK	KCC MICLI	17.	_ @	
# DRIVER	HANDLING	174	- @ <del>- 20</del>	33000
	MILEAGE	0975K)	emile	642
REMARKS:			TOTAL	33152
Cement did circulate				
		SERV	ICE	
01 0115000		•	0 0	7
Plug dour @ 10145pm	DEPTH OF JOB PUMP TRUCK		27	5 (600
Thanks Fuzzy derew	EXTRA FOOTA		@ - 0	812
I hadred LOTIL ACKER			@ 6	246
I hadks rolly acrew	MILEAGE	4(	@_ <i>6</i> _	246
I hadred FOLLY ACKER		4(		10000
	MILEAGE MANIFOLD 」ともよ	4(	@	10000
	MILEAGE MANIFOLD 」ともよ	4(	@ @ @	00
CHARGETO: Great Plating Energy	MILEAGE MANIFOLD 」ともよ	4(	@ @ @	
CHARGE TO: Great Plains Energy	MILEAGE MANIFOLD 」ともよ	4(	@ @ @	00
CHARGETO: Great Plating Energy	MILEAGE MANIFOLD Head	٧ (	@ @ @	1161
CHARGE TO: Great Plains Energy	MILEAGE MANIFOLD Head	٧ (	@	1161
CHARGE TO: Great Plains Energy	MILEAGE MANIFOLD Head	LUG & FLOA	@	1161
CHARGE TO: Great Plains Energy	MILEAGE MANIFOLD Head	LUG & FLOA	### TOTAL  TOTAL  TEQUIPMEN  ###################################	1161 T
CHARGE TO: Great Placing Energy STREETSTATEZIP	MILEAGE MANIFOLD Head	LUG & FLOA	@	1161 T
CHARGE TO: Great Placing Energy  STREET STATE ZIP  To Allied Cementing Co., Inc.	MILEAGE MANIFOLD Head	LUG & FLOA	@	1161 T
CHARGE TO: Great Plains Energy	MILEAGE MANIFOLD Head	LUG & FLOA	@	1161 oc
CHARGE TO: Great Place & Energy  STREET STATE ZIP  To Allied Cementing Co., Inc.  You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was	MILEAGE MANIFOLD Head	LUG & FLOA	@  TOTAL  T EQUIPMEN  @  @  @  @  @  @  @  @	1161 T
CHARGE TO: Great Place of Energy  STREET  TY STATE ZIP  To Allied Cementing Co., Inc.  You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	MILEAGE MANIFOLD Head	LUG & FLOA	@	1161 T
CHARGE TO: STREET STATE ZIP  To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	MILEAGE	LUG & FLOA	TOTAL TEQUIPMEN  @  @  TOTAL	1161 T
CHARGE TO: Great Placing Energy  STREET STATE ZIP  To Allied Cementing Co., Inc.  You are hereby requested to rent cementing equipment	MILEAGE	LUG & FLOA	TOTAL TEQUIPMEN  @  @  TOTAL  TOTAL	1161 T
CHARGE TO: STREET STATE ZIP  To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	MILEAGE	LUG & FLOA	TOTAL TEQUIPMEN  @  @  TOTAL  TOTAL	1161 T
CHARGE TO: STREET STATE ZIP  To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	MILEAGE	LUG & FLOA	@	1161 00 00 00 00 00 00 00 00 00 00 00 00 00
CHARGE TO: STREET STATE ZIP  To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	MILEAGE	LUG & FLOA	@	1161 00 00 00 00 00 00 00 00 00 00 00 00 00