

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32073
Name: Thompson oil company
Address: 2260 North Dakota Road
City/State/Zip: Iola Kansas 66749
Purchaser: Coffeyville Resources
Operator Contact Person: Jerry Thompson
Phone: (620) 363-1045
Contractor: Name: McPherson drilling
License: 5495
Geologist: _____

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

08/17/2008	08/21/2008	08/21/2008
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 001-29802-0000
County: Allen
sw - ne - nw - Sec. 15 Twp. 24 S. R. 18 East West
4365 feet from (S) N (circle one) Line of Section
3565 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE (SE) NW SW
Lease Name: Monfort Well #: 23
Field Name: Iola
Producing Formation: Bartlesville
Elevation: Ground: _____ Kelly Bushing: _____
Total Depth: 892ft Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 20ft Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 828
feet depth to surface w/ 100 sx cmt.

Drilling Fluid Management Plan A17 II NCR
(Data must be collected from the Reserve Pit) 12-12-08
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jerry Thompson
Title: owner Date: 09/04/2008
Subscribed and sworn to before me this 5th day of September,
2008.
Notary Public: Kay F. Maple
Date Commission Expires: 6-17-12

KCC Office Use ONLY

Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 24 2008

NOTARY PUBLIC - State of Kansas
KAY F. MAPLE
My Appt. Exp. 6-17-12

CONSERVATION DIVISION
WICHITA, KS

Operator Name: Thompson oil company Lease Name: Monfort Well #: 23
 Sec. 15 Twp. 24 S. R. 18 East West County: Allen

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	11	8.5	21	20ft	type 2	6	
longstring	6.75	4.5	9.5	828	quickset	100	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	

RECEIVED
 KANSAS CORPORATION COMMISSION
 OCT 24 2008

TUBING RECORD		Size	Set At	Packer At	Liner Run	CONSERVATION DIVISION WICHITA, KS	
					<input type="checkbox"/> Yes <input type="checkbox"/> No		
Date of First, Resumerd Production, SWD or Enhr.			Producing Method				
			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity		

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

Hurricane Services, Inc.
Cementing & Circulating Division
P.O. Box 782228
Wichita, KS 67278-2228

F
Shop # (620) 437-2661
Cellular # (620) 437-7582
Office # (316) 685-5908
Office Fax # (316) 685-5926

MC ID # 165290

Shop Address: 3613A Y Road
Madison, KS 66860

Customer:
THOMPSON OIL CO.
JEROME A. THOMPSON
2260 N DAKOTA RD
IOLA KS 66749

Invoice Date 8/25/2008
Invoice # 12419
Lease Name MONFORT
Well # 23
County: ALLEN

request for Demand 620-437-7582

Date	Description	Hrs/Qty	Rate	Total
8/20/2008	Drove to location, rigged up and cemented longstring per attached Service ticket #2684.			
	Quick set cement	100.00	14.40	1,440.00T
	Flocele 1/4 lb per sack	25.00	1.75	43.75T
	Gel flush	200.00	0.20	40.00T
	Water truck #193	4.00	80.00	320.00
	Bulk truck mileage	1.00	322.85	322.85
	Pump charge	1.00	700.00	700.00
	Pump truck mileage - One way	50.00	3.00	150.00

5%
17,308.57
- 5% 865.40
3,152.59

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 24 2008
CONSERVATION DIVISION
WICHITA, KS

Sales Tax (6.3%) \$96.00

Total \$3,112.60

16,443.17

All invoices are due upon receipt. Interest at the rate of 1 1/2% per month may be charged on all invoices not paid within 30 days from date of invoice.

WE APPRECIATE YOUR BUSINESS!

FE
 MC ID # 165290
 Shop # 620 437-2661
 Cellular # 620 437-7582
 Office # 316 685-5908
 Office Fax # 316-685-5926
 Shop Address: 3613A Y Road
 Madison, KS 66860

Hurricane Services, Inc.
 P.O. Box 782228
 Wichita, KS 67278-2228

Cement, Acid or Tools
 Service Ticket
 02684

DATE 8-20-08

COUNTY Allen CITY _____

CHARGE TO Thompson Oil Company
 ADDRESS 2260 N. Dakota Rd CITY Iola ST Ks ZIP 66749
 LEASE & WELL NO. Monfort #23 CONTRACTOR Bill McPherson
 KIND OF JOB LongString SEC. 15 TWP. 24 RNG. 18E
 DIR. TO LOC. _____ OLD NEW

Quantity	MATERIAL USED	Serv. Charge	
			700.00
100 SKS	Quick Set cement		1440.00
25 lbs	Floccle 1/4" P-1/SK		43.75
200 lbs	Gel Flush		40.00
	BULK CHARGE		
5.87 Tons	BULK TRK. MILES		322.85
50	PUMP TRK. MILES		150.00
4	Hrs water Truck		320.00
	PLUGS		
		6.3% SALES TAX	95.99
		TOTAL	3112.59

RECEIVED
 KANSAS CORPORATION COMMISSION
 OCT 24 2008
 CONSERVATION DIVISION
 WICHITA, KS

T.D. _____ CSG. SET AT 828' VOLUME 134 Bbls
 SIZE HOLE 6 3/4" - Air Hole TBG SET AT _____ VOLUME _____
 MAX. PRESS. _____ SIZE PIPE 4 1/2" - 9.5lb
 PLUG-DEPTH _____ PKER DEPTH _____
 PLUG USED _____ TIME FINISHED _____

REMARKS: Rig up to 4 1/2" casing, Pumped 15 Bbl water Ahead, 10 Bbl Gel Flush, followed with 30 Bbl water - Brought Gel ground to condition hole - Pumped 5 Bbl Oye water. Mixed 100 SKS Quick Set cement w/ 1/4" P-1/SK of Floccle. Displaced cement with 13 Bbls of water. Final Pumping at 400 PSI - ISDP @ 250 PSI - close casing in w/ 250 PSI. (Applied 28' cement left in casing) Good cement returns to surface w/ 7 Bbl slurry

EQUIPMENT USED

NAME	UNIT NO.	NAME	UNIT NO.
<u>Kelly Kimbark</u>	<u>185</u>	<u>Jerry #91, Clayton</u>	<u>193</u>
<u>Brad Butler</u>		<u>called by Bill McPherson</u>	
HSI REP.		OWNER'S REP.	