

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32710
Name: Laymon Oil II, LLC
Address: 1998 Squirrel Road
City/State/Zip: Neosho Falls, KS 66758
Purchaser: Coffeyville Resouces
Operator Contact Person: Kenneth Laymon
Phone: (620) 963-2495
Contractor: Name: company tools
License: 32710
Wellsite Geologist: none
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____
03/05/07 03/09/07 05/22/07
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date


API No. 15 - -207-27115 -00-00
County: Woodson
S2 - SW - SE - SE Sec. 31 Twp. 23 S. R. 17 East West
165 feet from S / N (circle one) Line of Section
990 feet from E / W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Fred Ellis B Well #: 7-07
Field Name: Neosho Falls
Producing Formation: Squirrel
Elevation: Ground: n/a Kelly Bushing: n/a
Total Depth: 1000 Plug Back Total Depth: 980
Amount of Surface Pipe Set and Cemented at 43.3 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 43.3
feet depth to surface w/ 11 sx cm.
AP2-Dlg-11/2/09

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: **RECEIVED**
Lease Name: **JUN 04 2007** Lease No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: **KCC WICHITA**

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Owner Date: 5-30-07
Subscribed and sworn to before me this 30th day of May, 2007.
Notary Public: Regina Laymon
Date Commission Expires: 07-21-09



KCC Office Use ONLY

Letter of Confidentiality Attached

If Denied, Yes Date: _____

Wireline Log Received

Geologist Report Received

UIC Distribution

Operator Name: Laymon Oil II, LLC Lease Name: Fred Ellis B Well #: 7-07
 Sec. 31 Twp. 23 S. R. 17 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

Log Formation (Top), Depth and Datum Sample

Name Top Datum

attached

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	7"	17#	43.3'	common	11	
Production	6 1/4"	2 7/8"	6.7#	980'	common	160	50/50 poz mix
Tubing		1"	1.8#	910'			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				RECEIVED JUN 04 2007

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	
2	885 - 895		200 gal HCL acid, frac w/75 sks sand	Depth 885-895

TUBING RECORD		Size	Set At	Packer At	Liner Run
					<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.			Producing Method		
5/29/07			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	.5				

Disposition of Gas Vented Sold Used on Lease (If vented, Sumit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled

Production Interval Other (Specify)

Kelly Down Drilling Co., Inc
1998 Squirrel Rd
Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

Fed Ellis B. #7-07
API: 15-207-27115
Spud Date: 03/05/07
Comp Date: 03/09/07
31-23-17 Wo Co

Formation	From	To
Soil & Clay	0	17
Gravel	17	28
Shale	28	101
Lime	101	128
Lime & Shale	128	470
Lime	470	498
Big Shale	498	629
Lime & Shale	629	848
Mucky Shale	848	851
Shale	851	885
Sand Lower	885	891
Shale	891	931
Lime	931	936
Shale	936	979
Lime	979	981
Shale	981	1000
Total Depth		1000

RECEIVED
JUN 04 2007
KCC WICHITA

Set 43.3' of 7" surface, cemented w/11 sks.
Ran 980' of 2 7/8" pipe.
Seating nipple @ 885'.

THE NEW KLEIN LUMBER COMPANY
 201 W. MADISON
 P.O. BOX 805
 IOLA, KS 66749
 PHONE: (620) 365-2201

CUSTOMER NO. 3447	JOB NO.	PURCHASE ORDER NO.	REFERENCE NET 10TH OF MONTH	TERMS SE	CLERK	DATE 2/28/07	TIME 12:55
----------------------	---------	--------------------	--------------------------------	-------------	-------	-----------------	---------------

LAYMON OIL II
 1998 SQUIRREL RD
 NEOSHO FALLS KS 66758

S
H
I
P
T
O
Revised quantity
 TAX :

DOCH 82427

 * INVOICE *

001 IOLA IOLA

QUANTITY SHIPPED	QUANTITY ORDERED	UM	SKU	DESCRIPTION	SLUG	UNITS	PRICE/PER	EXTENSION
30	EA	PC		PORTLAND CEMENT		30	8.09 /EA	242.70
1	EA	DELIVERY		DELIVERY CHARGE		1	10.00 /EA	10.00

RECEIVED
 JUN 04 2007
 KCC WICHITA

** AMOUNT CHARGED TO STORE ACCOUNT **	271.15	TAXABLE	252.70
		NON-TAXABLE	0.00
		SUBTOTAL	252.70
		TAX AMOUNT	18.45
		TOTAL AMOUNT	271.15

RECEIVED BY

802 N. Industrial Rd.
 P.O. Box 664
 Iola, Kansas 66749
 Phone: (620) 365-5588

Payless Concrete Products, L.L.C.



CONDITIONS
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

SOLD TO:

LAG003
 LAYMON OIL, L.L.C.
 1998 SQUIRREL RD.

LAG/
 LAYMON OIL
 1998 SQUIRREL RD/WEST ON 199TH
 1.5 MC V

NEOSHO FALLS KS
 65758

NEOSHO FALLS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	YARDS DEL	DRIVER/TRUCK	PLANT/TRANSACTION #
11:08:27a	WELL	8.00 yd	16.00 yd	16.00 yd	BT 31	X AIR 0.00
DATE	To Date	LOAD #	YARDS DEL	BATCH #	WATER IN	TICKET NUMBER
03-12-07	Today	2	16.00 yd	1189		17906
		2	16.00 yd		4.00 in	

WARNING
IRRITATING TO THE SKIN AND EYES
 Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.
 CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.
 The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
 A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
 Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck in executing this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the curbside and/or adjacent property if it places the material in this location where you desire it. It is my wish to help you in every way that I can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and his employer from any responsibility from any damage that may occur to the premises and/or adjacent property: sidewalks, driveways, roadways, etc., by the placement of the material and that you also agree to help him recover from the loss of his vehicle so that he will not litter the public street. Further, in additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be caused by anyone to have been out of delivery of this order.
 SIGNED: X

Excessive Water is Detrimental to Concrete Performance
 H₂O Added By Request/Authorized By
 GAL X
 WEIGHT/SEAL
 Fred Hill # 2-07
 NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.
 LOADED BY: X Mike [Signature]

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL	16.00	62.50
				500.00

RECEIVED
 JUN 04 2007
 KCC WICHITA

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION (CYCLE)	TEST TAKEN	TIME ALLOWED
	12:42	12:23	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN ADDED WATER	TRUCK BROKE DOWN ACCIDENT SITUATION OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING			TIME DUE
11:19	11:57	11:59			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME

SubTotal \$ 500.00
 Tax @ 6.300 31.50
 Total \$ 531.50
 Order # 1148.04
 ADDITIONAL CHARGE 1 _____
 ADDITIONAL CHARGE 2 _____
GRAND TOTAL ▶

802 N. Industrial Rd.
 P.O. Box 664
 Iola, Kansas 66749
 Phone: (620) 365-5588

Payless Concrete Products, L.L.C.



CONDITIONS
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

SOLD TO:

LA005
 LAYMON OIL., L.L.C.
 1998 SQUIRREL RD.

LAE/
 LAYMON OIL.
 1998 SQUIRREL RD/WEST ON 198TH
 1.5 MI

NEEDHO FALLS MO
 6475

NEEDHO FALLS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	BT	% AIR	PLANT/TRANSACTION #
11:00:27a	WELL	8.00 yd	16.00 yd	0.00	31	0.00	
DATE	To Date	LOAD #	YARDS DEL	WATER TRIM	SLUMP	TICKET NUMBER	
03-12-07	Today	1	8.00 yd			17905	
		1	8.00 yd	118A	4.00 in		

WARNING
 IRRITATING TO THE SKIN AND EYES
 Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Nose. Wash Thoroughly With Soap and Water. Flush With Skin of Eyes. Flush Thoroughly With Water. Wash Thoroughly With Soap and Water. Medical Attention: KEEP CHILDREN AWAY.
 CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST BE TELEPHONED to the OFFICE BEFORE LOADING STARTS.
 The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.
 All accounts not paid within 90 days of delivery will bear interest at the rate of 24% per annum.
 Not Responsible for Excessive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
 A 3% Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
 Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of the truck in providing this RELEASE to you, by your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the truck in the lot where you desire it. It is our wish to help you in every way that we can in order to do this. The driver is requesting that you sign this RELEASE relieving him and the supplier from any responsibility for any damage that may occur to the premises and/or adjacent property, including buildings, sidewalks, driveways, curbs, etc., by the delivery of the material, and that you also agree to help him remove the truck from the premises of his vehicle so that he will not litter the premises. Pursuant to additional consideration, the undersigned hereby indemnifies and holds harmless the driver of this truck and this supplier from any and all damage to the premises and/or adjacent property, including buildings, sidewalks, driveways, curbs, etc., caused by anyone to have arisen out of delivery of the driver.
 SIGNED: _____
 X

Excessive Water is Detrimental to Concrete Performance
 H₂O Added By Request/Authorized By:
 GAL X
 NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.
 LOAD RECEIVED BY: _____
 X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL	62.50	500.00
2.00	TRUCKING	TRUCKING CHARGE	40.00	80.00

RECEIVED
 JUN 04 2007
 KCC WICHITA

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION	TIME TEST TAKEN	TIME ALLOWED
11:19	12:42	12:23	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTIONS BROKE DOWN 5. ADDED WATER	TRUCK BROKE DOWN ACCIDENT STATION OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING			TIME DUE
	11:57	11:59			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME

SubTotal \$ 580.00
 Tax x 6.300 36.54
 Total \$ 616.54
 Order \$ 616.54
 ADDITIONAL CHARGE 1 _____
 ADDITIONAL CHARGE 2 _____
GRAND TOTAL ▶