KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Rorm/Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32710	API No. 15 - 207-27178-66-0
Name: Laymon Oll II, LLC	County: Woodson
Address: 1998 Squirrel Road	w2_se_se_\$ _ Sec. 35 Twp. 23 S. R. 16 ▼ East west
City/State/Zip: Neosho Falls, KS 66758	660 feet from N (circle one) Line of Section
Purchaser: Coffeyville Resources	945 feet from (E) W (circle one) Line of Section
Operator Contact Person: Kenneth Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (.620) _963-2495	(circle one) NE SE NW SW
Contractor: Name: Company tools	Lease Name: Section 35 Riley Well # R-80
License: 32710	Field Name: Vernon
Wellsite Geologist: none	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: n/a Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1103 Plug Back Total Depth: 1094
SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 40' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 40
Operator:	feet depth to surface w/ 10 sx cmt
Well Name:	M1+2- Dg-1/12/09
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	, i
Other (SWD or Enhr.?) Docket No.	Operator Name:
06/18/07 06/19/07 06/22/07	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R 🗀 East 🗌 West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workown information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulaterin are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements
Signature Common Signature	KCC Office Use ONLY
Title: Owner Date: 06/29/07	Letter of Confidentiality Attached
Subscribed and sworn to before me this 2 day of June	If Denied, Yes Date:
2	
Notary Public: Kaina Laymon REGINA LAYMON	Geologist Report Received RECEIVED UIC Distribution KANSAS CORPORATION COMMISS
Date Commission Expires:	JUL 0 9 2007

Side Two

Operator Name: Lay	mon Oll II, LLC		Lease 1	Name: Se	ection 35 F	Riley	_ Well #: _R-	80		
Sec. 35 Twp. 2				Woods						
ested, time tool oper emperature, fluid rec	n and closed, flowin covery, and flow rate	and base of formations p g and shut-in pressures es if gas to surface test, final geological well site	, whether shu along with fin	ut-in press	ure reached	static level, hydro	ostatic pressu	res, botto	m hole	
Drill Stem Tests Taken				√ Log	Format	ion (Top), Depth a	pth and Datum		Sample	
Cores Taken Yes V		☐ Yes 🗹 No		Name		Тор		Datum		
ist All E. Logs Run:										
		CASING Report all strings set	RECORD	New	Used	ction, etc.		<u>.</u>		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weigh	ht	Setting Depth	Type of Cement	# Sacks Used		and Percent	
Surface	10 1/4"	8 5/8"	24#		0'	common	10			
Production	6 1/14"	2 7/8"	6.7#		094'	portland	170	2%		
Tubing		1"	1.8#		004'					
	, Last tent	ADDITIONA	L CEMENTIN	G / SQUE	EZE RECOR	D				
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks U	Used		Type and F	Percent Additive	s		
Shots Per Foot		ION RECORD - Bridge Plu Footage of Each Interval Pe				acture, Shot, Cemen Amount and Kind of M		ord	Depth	
2 995 - 1005				100gal HCL acid 30%, fra			ac w/40 sks sand 995-1005			
TUBING RECORD	Size	Set At	Packer At	t	Liner Run	☐ Yes ☐ No				
Date of First, Resumed	Production, SWD or E	Enhr. Producing Me	thod	Flowing	✓ Pump			her (Explai	n)	
Estimated Production Per 24 Hours	Oil 1	Bbls. Gas	Mcf	Water		Bbls.	Gas-Oil Ratio		Gravity	
Disposition of Gas	METHOD OF	COMPLETION			Production Inte	erval				
Vented Sold	Used on Lease umit ACO-18.)	Open Hole	لحببها	☐ Du	ally Comp.	Commingled _	KANS	RE AS CORP	CEIVED ORATION COM	

JUL 0 9 2007

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC 1998 Squirrel Road Neosho Falls, KS 66758

> Riley Sec. 35 #R-80 API: 15-207-27178 Spud Date: 06/18/07 Comp Date: 06/19/07 35/23/16 Wo Co

Formation	From	То
Soil & Clay	0	19
Shale	19	145
Lime	145	153
Lime & Shale	153	612
Lime	612	616
Big Shale	616	800
Lime & Shale	800	954
Shale	954	1000
Cap Rock 1 st	1000	1001
Shale	1001	1004
Sand oil	1004	1011
Shale	1011	1103
Total Depth		1103

Set 40'of 8 5/8" surface, cemented w/10 sks. Ran 1094' of 2 7/8" pipe. Seating nipple @ 998.

RECEIVED KANSAS CORPORATION COMMISSION

JUL 0 9 2007

CONSERVATION DIVISION WICHITA, KS

RECEIVED KANSAS CORPORATION COMMISSIO...

..... ^ <u>^ 2007</u>

CUNSERVATION DIVISION WICHITA, KS

гах ппо —		제가 (기본):		سنر	Use F	or Faxin	g & Copying
Quotation Invoice C	ору		EIN LUMBER COMPA W. MADISON	AMY ,	• • • • • • • • • • • • • • • • • • • •		ENO 1
<i>To</i>). BOX 805 KS 66749	·			•
Co./DeptFax No			(620) 365-2201				
From:	<u></u> ∥			•			
Comments				<u> </u>			•
CUSTOMER NO. JOB NO. PURCHASE ORDE	R NO.	REFERENCE	NET 10	TERMS	SE SE	LERK 5/17	DATE TIME /07 :46
LAYMON DIL II	8				. '	D	DC# 84552
1998 SQUIRREL RD NEOSHO FALLS KS 66758	P T O			:		*	INVOICE *
				AX # 68	I IOLAL IOLA		
SHIPPED ORDERED UM SK		DESCRIPT	TION	SUGG		PRIÇE/PER	EXTENSION
160 EA PC 1 EA DELIVERY		and cement ery charge			1	8.09 /EA 10.00 /EA	809.00 10.00
							·
	Ki	AMOUNT CHARGED	10 STORE ACCOU	NT ## 8		AXABLE	817.00 0.00
					SUBTO		319.80
Store Internal Co	anv.				Tax a Total		59.79 17879

RECEIVED KANSAS CORPORATION COMMISSION

JUL 0 9 2007

CONSERVATION DIVISION WICHITA VC

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Fallure of this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract. 102 N. Industrial Rd. P.O. Box 664 Payless Cond ducts, L.L.C. ola, Kansas 66749 Phone: (620) 365-5588 SMIP TO: SOLD TO: LA2/ LA005 LAYMON OIL LAYMON DIL. L.L.C. 54 W TO WILLOW N TO 200TH RD 1998 SQLIRREL RD. W 4 MI TO SQUIRREL RD S 1 MI TO 190TH E 3/4 RED GATE N. SD. NEOSHO FALLS KS NEOSHO FALLS, KS 66758 65758 DRIVER/TRUCK PLANT/TRANSACTION # FORMULA LOAD SIZ YARDS ORDERED TIME % AIR * CAL ष्ठा 34 0.00 HELL 8.25. vH 16.50 yd 0.00 32:28p SLUMP TICKET NUMBER YARDS DEL BATCH WATER TRIM LOAD : DATE 101.50 yd b Date 19-07 5 16.50 yd 1898 4.00 in 18388 bday WARNING
IRRITATING TO THE SKIN AND EYES
Intains Portland Cement. West Rubber Boots and Gloves, PROLONGED CONTAC
USE BURNS. Avoid Contact With Skin are seen and Prolonged Contact With Skin. In C
Intact With Skin or Eyes, Flain Thoroughly With Water, I Intradion Perclass, Get M
ention. KEEP CHILDREN AWAY.

CRETE is a PERISMADI E COMMON CONTROL OF THE STATE PROPERTY DÂMAGE RELEASE (TO BE SIGNED IF DELIVERY, TO BE MADE INSIDE CURB LINE) Excessive Water is Detrimental to Concrete Performance (TO BE SIGNED IF DELIVERY, TO BE MADE INSIDE CIRRE LINE). Deer Castione-The other of this truck in presenting this RELEASE to you for you's agreature is of the oblinion that the size and Whight of his truck may possibly ousse damele to the presenter sixty. Any possibly ousse damele to the presenter sixty adjacent properly it in place the metantial in this blood where you'd desire it. It is out wish to help you lin every way that we can, but in operation that you had only to do this driver is requesting that you slight the RELEASE resemps him and the driver is requested in the sixty with the respective to the present and/or adjacent properly but obtaining, association, otherways, curbs, etc., by the delivery of this materials, and that you, ask of agree to help him remove much from the where of the vehicle so that he will not little the public street. Further, as additional consideration, the understined edgrees to internify and noted hartifest the driver of this truck and this supplier for any and all damage, for the premises and/or adjacent properly which may be claimed by stiffne to have arisen out of delivery of this order. H₂0 Added By Request/Authorized By GAL X WEIGHMASTER CRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON NO the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be "HONED to the OFFICE BEFORE LOADING STAFTS."

HONED to the OFFICE BEFORE LOADING STAFTS.

TO OWIGH. into not paid within 30 days of delivery will beer interest at the rate of 24% per annum. regate or Color Quality. No Claim Allowed Unless Made LOAD RECEIVED BY avice Charge and Loss of the Cash Discount will be vizy Time Charged @ \$50/HR. UNIT PRICE EXTENDED PRICE YTITY DESCRIPTION CODE 66.00 544.50 WELL (LO BACKS PER UNIT) 16.50 WELL FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED PLANT LEFT JOB stords \$ 544.50 JOB NOT, READY
ELOW POUR OR PUMP
TRUCK AHEAD ON JOB
CONTRACTOR BROKE DOWN
ADDED WATER THUCK BADKE DOWN Tax X 6.300 34.30 578.80 7btal \$ ARRIVED JOB START UNLOADING TIME DUE ТŃ 1242.64 der 6 ADDITIONAL CHARGE 1

UNLOADING TIME

TOTAL AT JOB

CHARLES CHARLES CONTRACTOR

TRIP

DELAY TIME

ADDITIONAL CHARGE 2

GRAND TOTAL

RECEIVED KANSAS CORPORATION COMMISSION

3.22 3.74 1.72 3.74

JUL 0 9 2007

CONSERVATION DIVISION WICHITA, KS

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Con

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength est when water is added at outcomer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHOTO:

SOLD 70: LA005 LAYMON OIL, L.L.C. 1998 SQUIRREL RD.

NEOSHO FALLS KB

LAZI LAYMON OIL 54 W TO WILLOW N TO 200TH RD N 4 MI TO SQUIRREL RD S 1 MI TO 190TH E 3/4 RED GATE N. SD.

TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK 03:23:27p UELL B. 65 yd 16:50 yd 20:00 34 0.00 DATE OAD# YARDS DEC WATER TRIM SLUMP OB-19-07 TOdisy Cottains Positisms Contact With Skin of Contact With Skin of Eyes, Flust Thoroughty With Water, It is fulfilled flensis, Get Medical Alfantion, KEEF CHILDREN AWY. CONCRETE is a PERIPHABLE COMMODITY and #ECOMES the PROPERTY of the PIACHASER IUPON LEAVING the PLANT ANY CHANGES OR CANCELLATION of DRIGNAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STATES.	PLANT/TRANSACTION TICKET NUMBER 19397 Oncrete Performance thorized By
03:23:27p UELL 8.45 yd 15.50 yd 0.00 34 0.00 DATE OAD# YARDS DEC WATER TRIM SLÜMP 06-19-07 Today 1 8.25 yd 1897 4.00 in	18387
DATE OAD # YARDS DEC WATER TRIM SLUMP 06-19-07 Today 1 8.25 yd -1897 4.00 in PROPERTY DAMAGE RELEASE Excessive Water is Detrimental to Co	18387
06-19-07 Today 1 8.25 yd -1897 4.00 in	oncrete Performance
	oncrete Performance thorized By
CONCRETE is a PERISHABLE COMMODITY and discolded the PROPERTY of the PURICHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE SEPTORE LOADING STATIS. The undersigned promises to pay all costs, including responsible action-lays' seek, increase in collecting any sums eved. All accounts not paid within 00 days of delivery will beer interest at the rate of 24% (per annum. Not Responsible for Reactive Aggregate or Color Quality. No Calm Alpived Unices Made at Time Marylar is Delivered. A 252 Service Charge and Loss of the Cash Discount will be collected on all Repursed Checks. Express Delay Time Charge and Loss of the Cash Discount will be collected on all Repursed Checks.	LE FOR ANY DAMAGE CAUSED
QUANTITY CODE DESCRIPTION UNIT PRICE	* EXTENDED PRICE
8.25 WELL WELL (10 SACKS PER UNIT) 8.25 56.00 2.00 TRUCKING TRUCKING CHARGE 2.00 40.00	544.50 80.00
RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION CYNINGER TEST TAKEN TIME ALLOWED SUDTOtal	624.50
1. JOB NOT READY 1. SLOW POUR OR PUMP 7. ACCIDENT 1. SLOW POUR OR PUMP 8. STRANON 8. STRANON 1. SLOW POUR OR PUMP 1. ACCIDENT	00 39.34
	663.84
LEFT PLANT ARRIVED JOB STARTUNLOADING CONTRACTOR BROKEDOWN STARTUNLOADING TIME DUE	, PPM MA.
(CONTRACTOR BROKEDOWN) & SUTHER	663.84\

RECEIVED KANSAS CORPORATION COMMISSION

JUL 0 9 2007

COMSERVATION DIVISION