

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

Operator: License # 32710
 Name: Laymon Oil II, LLC
 Address: 1998 Squirrel Road
 City/State/Zip: Neosho Falls, KS 66758
 Purchaser: Coffeyville Resources
 Operator Contact Person: Kenneth Laymon
 Phone: (620) 963-2495
 Contractor: Name: company tools
 License: 32710
 Wellsite Geologist: none
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>06/30/07</u>	<u>07/02/07</u>	<u>07/06/07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 207-27179-00-00
 County: Woodson
nw - se - se Sec. 35 Twp. 23 S. R. 16 East West
825 feet from S / N (circle one) Line of Section
945 feet from E / W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE E NW SW
 Lease Name: Section 35 Riley Well #: R-81
 Field Name: Vernon
 Producing Formation: Squirrel
 Elevation: Ground: n/a Kelly Bushing: _____
 Total Depth: 1103 Plug Back Total Depth: 1085
 Amount of Surface Pipe Set and Cemented at 40' Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from 40
 feet depth to surface w/ 10 _____ sx cm.

Alta-Dig-1/12/09


Drilling Fluid Management Plan
 (Data must be collected from the Reserve Pit)
 Chloride content _____ ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 OPERATOR NAME: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: CONSERVATION DIVISION Docket No.: _____
 WICHITA, KS

RECEIVED
 KANSAS CORPORATION COMMISSION
 JUL 23 2007
 CONSERVATION DIVISION
 WICHITA, KS

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Regina Laymon
 Title: Owner Date: 07-17-07
 Subscribed and sworn to before me this 17 day of July
18 2007.
 Notary Public: Regina Laymon
 Date Commission Expires: _____



KCC Office Use ONLY

Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Laymon Oil II, LLC Lease Name: Section 35 Riley Well #: R-81
 Sec. 35 Twp. 23 S. R. 16 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run:	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	40.4'	common	10	
Production	6 1/4"	2 7/8"	17#	1085'	portland	165 sks	
Tubing		1"	949'				

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
3	1006 - 1016	100 gl HCL acid 30%, frac w/40sks sand	1006-1016
	RECEIVED KANSAS CORPORATION COMMISSION JUL 23 2007 CONSERVATION DIVISION WICHITA, KS		

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
---------------	------	--------	-----------	--

Date of First, Resumed Production, SWD or Enhr. <u>07/05/07</u>	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
Estimated Production Per 24 Hours	Oil Bbls. <u>.5</u> Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

Disposition of Gas Vented Sold Used on Lease *(If vented, Sumit ACO-18.)* METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Laymon Oil II, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

Section 35 Riley R-81
API: 15-207-27179
Spud Date: 06/30/07
Comp Date: 07/02/07
35/23/16 Wo Co

Formation	From	To
Soil & Clay	0	16
Shale	16	137
Lime	137	162
Lime & Shale	162	587
Lime	587	603
Big Shale	603	751
Lime & Shale	751	944
Black Shale	944	991
Cap Rock 1 st	991	992
Shale	992	994
Cap Rock 2 nd	994	995.5
Sand	995.5	1002
Shale	1002	1103
Total Depth		1103

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 23 2007

CONSERVATION DIVISION
WICHITA, KS

Set 40' of 8 5/8" surface, cemented w/10 sks.
Ran 1085' of 2 7/8" pipe.
Seating nipple @ 989.

FAX INTO

Use For Faxing & Copying

Quotation Invoice Copy

Date _____ No. of pages _____

To _____

Co./Dept. _____

Fax No. _____

From: _____

Comments _____

THE NEW KLEIN LUMBER COMPANY
 201 W. MADISON
 P.O. BOX 805
 IOLA, KS. 66749
 PHONE: (620) 365-2201

PAGE NO 1

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	DATE	TIME
3447				NET 10TH OF MONTH	SE	5/17/07	1:46

LAYMON OIL II
 1998 SQUIRREL RD
 NEOSHO FALLS KS 66758

S
T
I
P
T
O

DDCH 84552

 * INVOICE *

TAX : 001 IOLA IOLA

QUANTITY		UM	SKU	DESCRIPTION	SUGG	UNITS	PRICE/PER	EXTENSION
SHIPPED	ORDERED							
100		EA	PC	PORTLAND CEMENT		100	8.09 /EA	809.00
1		EA	DELIVERY	DELIVERY CHARGE		1	10.00 /EA	10.00

RECEIVED
 KANSAS CORPORATION COMMISSION

JUL 23 2007

CONSERVATION DIVISION
 WICHITA, KS

** AMOUNT CHARGED TO STORE ACCOUNT **	878.79	TAXABLE	819.00
		NON-TAXABLE	0.00
		SUBTOTAL	819.00
		TAX AMOUNT	59.79
		TOTAL AMOUNT	878.79

Store Internal Copy

802 N. Industrial Rd.
 P.O. Box 664
 Iola, Kansas 66749
 Phone: (620) 365-5588

Payless Concrete Products, L.L.C.



CONDITIONS
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005
 LAYMON OIL, L.L.C.
 1998 SQUIRREL RD.

NEOSHO FALLS KS
 66758

LA2/
 LAYMON OIL
 54 W TO WILLOW N TO 200TH RD
 W 4 MI TO SQUIRREL RD S 1 MI
 TO 190TH E 3/4 RED GATE N. 9D.
 NEOSHO FALLS, KS 66758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
08:25:01a	WELL	8.50 yd	17.00 yd	0.00	BC 35	0.00	
DATE	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
06-15-07	9 Today	76.50 yd 1	1861		4.00 in	18362	

WARNING
IRRITATING TO THE SKIN AND EYES
 Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin of Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
 Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility for any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of the material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED
 X _____

Excessive Water Is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By
 GAL X _____

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:
 X _____

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.50	WELL	WELL (10 SACKS PER UNIT)	66.00	561.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
		7:50	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
8:18		9:24		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

SubTotal \$	561.00
Tax % 6.300	35.34
Total \$	596.34
Order \$	596.34
ADDITIONAL CHARGE 1	_____
ADDITIONAL CHARGE 2	_____
GRAND TOTAL	▶

RECEIVED
 KANSAS CORPORATION COMMISSION

JUL 23 2007

REGISTRATION DIVISION
 WICHITA, KS



CONSOLIDATED
OIL WELL
SERVICES, LLC

TICKET NUMBER 36625

P.O. BOX 884, CHANUTE, KS 66720
620-431-9210 OR 800-467-8676

LOCATION Thayer

FIELD TICKET

Section 35

DATE 7-5-07	CUSTOMER ACCT # 4709	WELL NAME R-81 + R-88	QTR/QTR	SECTION 35	TWP 23S	RGE 16E	COUNTY WO	FORMATION Squirrel
CHARGE TO Laymon Oil LLC				OWNER				
MAILING ADDRESS				OPERATOR				
CITY & STATE				CONTRACTOR				

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5102B	1	PUMP CHARGE 1300HP Combo 1st well		2500
5102B	1	2nd well	← Spend	1875
5610	2	Acid pump OTF		320
1278	500 gal.	Raw HCL acid		1375.00
1219	2 gal.	ESAN34 nonemulsifier		61.20
1268	customer formation			
1231	250 #	frac gel		1187.50
1208	1/2 gal.	breaker		86.25
5604	2	2" frac valve		NC
5115	2	ball injector		NC
4327	37	1.3 SB 7/8" bio-ballsealers		262.70
RECEIVED KANSAS CONSERVATION COMMISSION JUL 23 2007 CONSERVATION DIVISION WICHITA, KS				
BLENDING & HANDLING				
5109	50	TON-MILES		288
STAND BY TIME				
5108	50	MILEAGE Mobilization X B P, L, AR		330
5501F	12 hrs	WATER TRANSPORTS - 2		1200
VACUUM TRUCKS				
2101A	200 #	FRAC SAND 20-40		38
2102	5,300 #	12-20		1060
2103	3,500 #	CEMENT 8-12		630
			6.3%	SALES TAX 16.55
ESTIMATED TOTAL				11230.20

Ravin 2790

CUSTOMER or AGENTS SIGNATURE _____ CIS FOREMAN Brett Busby

CUSTOMER or AGENT (PLEASE PRINT) _____ DATE 7-5-07

214502

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, L.L.C.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005
LAYMON OIL, L.L.C.
1998 SQUIRREL RD.

LA2/
LAYMON OIL
54 W TO WILLOW N TO 200TH RD
W 4 MI TO SQUIRREL RD S 1 MI
TO 190TH E 3/4 RED GATE AN. 9D.
NEOSHO FALLS, KS 66758

NEOSHO FALLS KS
66758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
08:25:01a	WELL	8.50 yd	17.00 yd	0.00	BC 35	0.00	
DATE	to Date	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
06-15-07	Today	9 1	76.50 yd 8.50 yd	1061		4.00 in	18362

<p>WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin of Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.</p> <p>CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.</p> <p>The undersigned promises to pay all costs, including (reasonable attorneys' fees, incurred in collecting any sums owed.</p> <p>All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.</p> <p>Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.</p> <p>A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.</p> <p>Excess Delay Time Charged @ \$50/HR.</p>	<p>PROPERTY DAMAGE RELEASE (To BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)</p> <p>Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in the load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property: buildings, sidewalks, driveways, curbs, etc. by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.</p> <p>SIGNED</p> <p>X _____</p>	<p>Excessive Water Is Detrimental to Concrete Performance H₂O Added By Request/Authorized By</p> <p>_____ GAL X _____</p> <p>WEIGHMASTER</p> <p>NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.</p> <p>LOAD RECEIVED BY:</p> <p>X _____</p>
--	---	--

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.50	WELL	WELL (10 SACKS PER UNIT)	66.00	561.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
		9:50	<ol style="list-style-type: none"> JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN ADDED WATER TRUCK BROKE DOWN ACCIDENT CITATION OTHER 		SubTotal \$ 561.00
	ARRIVED JOB	START UNLOADING			Tax % 6.30% 35.34
		9:24			Total \$ 596.34
					Order \$ 596.34
					ADDITIONAL CHARGE 1 _____
					ADDITIONAL CHARGE 2 _____
					GRAND TOTAL ▶ _____

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 23 2007

COMMUNICATION DIVISION